


असाधारण EXTRAORDINARY

भाग II—सण्ड 3—उप-सण्ड (i) PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY



सं. 287]

मई बिल्ली, शुक्रबार, जून 2, 1989/ज्येष्ठ 12, 1911

No. 2871

NEW DELHI, FRIDAY, JUNE 2, 1989/JYAISTHA 12, 1911

इ.स. भाग में भिम्म पृष्ठ संख्या दी आरती श्रृी जिससे कि यह अलग संकलम को रूप में रखा जा सकी

Separate Paging is given to this Part in order that it may be filed as a separate compilation

भूतल परिवक्त संज्ञालय

(परिवहन अखण्ट)

नई दिल्ली 2 जन 1959

मा का कि 590(ई) --केन्द्रीय मोटर यान नियम 1989 वा प्रारप मोटर यान प्रधिनियम 1988 (1998 वा 59) की धारा 212 की उपधारा (1) की क्रोक्षानुसार भारत सरकार के भूनल परिवहन संद्रालय की अधिस्चना संख्या सा का नि 68(अ) नारीख । जनवरी 1989 के अधीन भारत के राजाक असाधारण भाग ८ खण्ड । नारीख । जनवरी 1989 में प्रकाणित विया गया था जिसम उन सभी व्यक्तियों से जिनके उससे प्रभावित होने की सभावना थी उस प्रारीख से जिसको भारत के राजपत्र में प्रकाणित रूप में उचन अधिमूचना की प्रतियों जनता को उपलब्ध करा दी गई थी, पैनालीम दिन की समापित के पूर्व आधीप और सुझान मागे गए य

और उक्त ध्रधिसूचना की प्रतियों जनमा की 3 मार्च 1989 का उपलब्ध करा दी गई बी

और उसन प्रारुप नियमा पर प्राप्त श्राक्षेपो और सुझाबो पर पेर्स्याय सरकार ने विचार कर लिया है, ग्रंत श्रव बेन्द्रीय सरकार उस्त श्रधिनियम की धारा 211 के साथ पठित धारा 12 27 64 धारा 88 की उपधारा (14), धारा 110 197 164 और 209 द्वारा प्रदत्त अस्तियों का प्रयोग करते हुए निम्न-निवित नियम बनाती है प्रयान् ——

रेन्द्रीय मोटर यान नियम 1989

श्रध्याय ।

प्रारम्भिक

संक्षिपत साम और पारस्भा

- । (1) इन नियमा या संक्षिप्त नाम भेन्द्रीय मोर्टर यान नियम 1989 है।
- (2) उपनियम (3) मे अन्यथा उपबन्धित के गिवाध ये नियम । जुलार्ड 1989 को प्रमृत्त शोगे।
- (3) नियम 16 के उप नियम (3), नियम 96 के उपनियम (4) नियम 103 के उपनियम (4), नियम 105 के उपनियम (3) नियम 113, नियम 115 के उपनियम (2), (3) (4) या (5), नियम 118 122 124, 125 126 और 127 के उपनन्ध उस नारी स्वी प्रस्तुत होंगे, जो केन्द्रीय संस्कार राज्यान में प्रशिम्चना द्वारा नियम करें।

परिभाषाएं:

- 2. इन नियमों में, जब नक कि संदर्भ से सन्त्रया अपेक्षिम न हो-
- (क) "ग्राधिनियम" में मोरिश्यास अधिनियम, १९०१ । से पर 59) ग्रोभेप्रेन है,
- (खा) "प्ररूप" से इन नियमों से संलग्न कोई प्ररूप प्रभिन्नत है,
- (ग) "धारा" से इस अधिनियम की नोई धारा अभिनेत है,
- (घ) "ध्यवसाय प्रमाणपत" सं नियम 35 के श्रधीन रिजस्ट्रीकर्ता पाधिकारी द्वारा जारी किया गया कोई प्रमाणपत्र अधिप्रेन हैं,
- (क्र) "अपस्थितम शारा" में ऐसा मोटर पान अभिषेष है तो परि-यक्ष्म थान नहीं है।

श्रध्याय 2

मीटण्यान चालकों की ग्रनुज्ञापन

माधारण

- 3 शिक्षाणी श्रनुक्राण्तः :--श्रधितयम की धारा 3 की उपधारा (1) किसी ऐसे व्यक्ति की, जो जालन में सक्षमण, परीक्षण के लिए स्वयं की प्रस्तुत करने के उद्देश्य से मोटस्यान चलाना सीखने या चालन में धनुभव श्राप्त करने के दौरान किसी सार्वजनिक स्थान पर कीई मोटस्यान चलाता है, तब तक लागू नही होगी, जब तक--
 - (क) चालक यान खलाने के लिए प्रश्प 3 में उसको जारी की गई किसी प्रभावी शिक्षायीं अनुज्ञान्ति का धारक है,
 - (ख) यान में, चालक के प्रतिरित्तन, प्रनृदेशक के रुप मे ऐसा व्यक्ति बैठी हुआ है जो यान चलाने के लिए किसी प्रभावी चालन धनुक्ति को घारण किए हुए और इस स्थिति में बैठा हुआ है कि यान को कुणयना से सुरन्ते नियंत्रित कर तहे या रोक सके.
 - (ग) यान के सामने की ओर तथा पीछे की ओर ऐसी रीति सेपेट किया दुखा या सामने की ओर तथा पीछे की ओर जिपकाई हुई किसी प्लेट या कार्ड पर सफेद पुष्टभूमि पर लाल में 'L' अक्षर निम्नलिखिल रुप में लिखा हुआ है।



टिप्पण :--

- यान पर या प्लेट प्रथवा कार्ड पर पेंट किया हुआ कम से अम । अ सेंटीमीटर का होगा और 'L' अक्षर कम से कम 10 मेटीमीटर ऊंचा और 2 मेंटीमीटर मोटा तथा तथा में 9 मेटीमीटर बौण होगा:
- परन्तु कोई व्यक्ति किसी मोटर साइकिल को (जिसमें साइड-कार लगी हो या नहीं) चलाने में अनुष्ठिय प्राप्त करते ममय या प्रमुक्त प्राप्त करते समन खण्ड (ख) मे निविष्ट प्रयोजन और रीति के सिवाय मोटर साइकिल पर किसी प्रन्य व्यक्ति को नहीं ने जाएगा।
- 🛦 पने और फायु के सही होने का साध्यः
- (1) इस अध्याय के अधीन किसी अनुकरित के जारी करने के लिए प्रस्पेक प्रावेदक व्याने पने और ब्रायु के साक्ष्यस्वरूप निम्नलिकिन वस्तावैज्ञा

में से एक मूल रूप में या उसका सुनंगत उद्देश को केट्डीय सरकार या रिक्स सरकार के राज्ञपन्ति अधिकारों साकिसी स्थानीन निकास के किसी एन अधिकार। इति जा अच्छार के किसी राज्ञपन्ति अधिकार। ती प्राप्ति पानि । ती या निम्य रेप ल भीपनारि । इति प्राप्ति के स्थापनारि । इति प्राप्ति के स्थापनारिक । इति प्राप्ति के स्थापनारिक । इति प्राप्ति के स्थापनारिक स्

-]. योशन कार्ट।
- ८ निर्वाचक नामायनी ।
- 3. जीवन् नीमा पालिसी।
- 4 पास पार्ट।
- ५ विश्वर था टेरीकोम बिपा।
- ७ केन्द्रीय सरकार या राज्य सरकार या किनी स्थानी। निर्धाय के किनी कार्यालय द्वारा जारी की गई केनत गर्थी।
- 7. गृह कर की रमीद, या
- ९ स्कूल प्रमाणपत्ना।
- 9 जन्म प्रमाणपक्ष।

परन्तु उम दशा में अहा भानेदक अपर विशि वस्ताविजों मं से कोई पेश करने में समर्थ नहीं है वहां धनुज्ञापन प्राधिकारी श्र.बेदक के माता-पिता से संबंधि: कोई ऐना दस्तावेज या आयु ओर पने के साध्यस्वभ्य कोई प्रस्य दस्तावेज स्वीकार कर मनेगा।

- 5. चिथिरसा प्रमाणपत्न :--इन नियमा के प्रारम्म ने हा शिक्षार्थी अनुक्राध्त या चालन अनुक्राध्त या चालन अनुक्राध्त या चालन अनुक्राध्त या चालन अनुक्राध्त में किसी अन्य वर्ग या चर्णन के मोदरयान जोड़ने, या चालन अनुक्राध्त जारी करने के लिए प्रत्येक आयेदन के साय-साथ धारा ४ की उपधारा (3) में निद्धित रिप्तिस्ती ह्या स्वाप्त द्वारा जारी निष्या प्रया प्रकृत ने मिलिरसा ह्यायसायी द्वारा जारी निष्या प्रया प्रकृत ने मिलिरसा ह्यायसायी द्वारा जारी निष्या प्रया प्रकृत ने मिलिरसा ह्यायसायी द्वारा जारी निष्या प्रया
- 6. चिकित्सा प्रभाणपत्न पेश करने से छूट.—-किसी ऐसे व्यक्ति से, जिसने इन निथमों के प्रारम्भ का तारीख के पश्चात् णिआर्यों अनु कृष्टित मा चालत अनु कृष्टित प्राप्त करने, चाहे प्रारम्भिक का मे जारी करने के लिए या उसके नवीकरण के लिए, या चालन अनु कृष्टित मे किसी अन्य वर्ग या वर्णन के मोटर यान जोड़ने को बाबल कोई चिकित्सा प्रमाणपत्न पेश किया है, चिकित्सा प्रमाणपत्न पेश करने की अपेक्षा नहीं को जाएगी, निवाय, उस दशा के, जिसमें धाबेदन चालन प्रतुक्षित के नवीकरण के लिए किया गया है।
- 7. चिकित्सा प्रमाणपत्त पर फोटो का लगाया जाता धावेदक का फोटो प्रस्प 1 में दिणित समुचित स्थान पर लगाया जाएगा और रिजिस्ट्री- इत चिकित्सा द्यवसायी उक्त फोटो पर ऐसी रीति से अपने इस्ताक्षर करेगा तथा अपनी मोहर लगाएगा जिससे इस्ताक्षर और मोहर भागत फोटो पर हो और मागत चिकित्सा प्रमाणपत्त के प्रदेश पर हो.

परन्तु अनुजापन प्राधिकारी अपने, को किए गए आवेदन के प्रस्तुत किए जाने की सारीख से तीस दिन ने प्रधिक दिन पृत्रीदिए गण चितित्त्म। प्रमाणपात को स्वीकार नहीं करेगा।

8. परिवहत यान जलाने के लिए न्यूननम मैक्षिक मर्हना .- किसी प्रावेदक के संबंध में या (ट्रैक्टर-महन्द्रैनर से किस) किसी मानायान यान को चलाने के लिए अनुकालि प्राप्त करने के लिए न्यूनपम मैक्षिक मर्हना जीवा स्तर उत्तीर्ण होगा:--

परम्यु क्रम नियम मे विनिदिष्ट स्पृगतम शैक्षणिय शर्हना निम्निरिश्चन दशा में यागु नहीं होगी

(i) परिवष्टम यान चनाने के लिए होती चालन प्रमुजलि पा गवीकरण, सा

- (ii) ऐसी चानन श्रनुजाण्य में दूसरे वर्ग के परिवहन यान का जोड़ा जाना,
- का इस नियम के प्रारम्भ के पूर्व से ही छारिय है।
- 9. खत्रताक माल होने वाला माल पाड़ी चलाने के लिए बीक्षिक यहूँ राः--मानव जीवन के लिए खनरनात या परिसंकटमय प्रकृति के मान होने वाने परिवहन यान चनाने वाने व्यक्ति के पास, किसी परिवहन यान के चनाने को चानन अनुकृष्टि के घारण करने के असिरिवन दसवा राउ उत्तीर्ण की बीक्षित प्रहेंना भी होती।

शिक्षार्थी प्रमुज्ञदिन

- 10. णिशायी प्रतुत्राचि के लिए प्रावेदन:--सिशायी धनुत्राच्छ की सजुदी या नवीकरण के लिए कोई प्रावेदन प्रधा 2 में किया जाएमा, और उसके साथ निस्तिविधिय होंगे:--
 - (क) नियम ७ में जैसा प्रत्यया उत्त्रतिक्षत है उपके सिवाय, प्रधा
 1 में एक चिकित्स। प्रमाणपत्न,
 - (ख) भाकेदम के हाल के फोटो की 5 सेटीनीटर × 6 सेटीनीटर भानार की दीन प्रतिया .
 - (१) सियम ⇒ में बिनिदिष्ट समूचिन फीस,
 - (ष) मध्यम माल यान, माध्यम यान्तां सोटर यान, भारी माल यान या भारी यान्नी सोटर यान के लिए ऋक्षेत्रन की दशा में, श्रावे-यक द्वारा धारित चालन अनुकाल ।
- 11. प्रारम्भिकः परीक्षण:--(1) उत्त निवम (3) में जैसा प्रत्यक्ष उत्तिन्छत है उसके सिवाब, णिकार्थी समुझान्ति के निष् प्रत्येत प्रावेतक प्रमुझान्ति के निष् प्रत्येत प्रावेतक प्रमुझान्ति प्राधिकारी के समझ ऐसी भारीख का, ऐसे स्थान तथा समय पर जो प्रमुझान्ति प्राधिकारी निवत करें, परीक्षण के लिए स्वयं उत्तिस्ति होगा, तथा ऐसे प्राधिकारी का यह समाधान करेगा कि प्रावेदक के पास निम्मानिक्षण निषयो की बाबन प्रयोग जान और समक्ष रूं, प्रयोत् .--
- (क) धारा 115 के धर्मीन बनाए गुणु भनायात निह्नु, पात्राना। सकेत और सङ्क के निदम,
 - (ख) जालक के कर्तव्य जब उसका यान दुर्घटनायस्त हो जाता है और जिसके परिणामस्बद्धः कियो व्यक्ति की मृत्युया भाषी... दिश क्षति था पर व्यक्ति की संगति को नुकसान होता है,
 - (ग) ऐसी रेल कासिय का, जिस पर कोई व्यक्ति कर्तव्य पर नहीं है, पार करने समय बरकी पाने वाली पूर्वाववानियां और
 - (ष) वे दस्ताबेज जो मोटर यान चलाते समय उसे प्राने साथ ल जाने पाहिए।
- (2) उनियम (1) में अन्तर्विष्ट कोई बात निस्ततिश्चित प्रवर्ग के आवेषकों को लागू नहीं होगी, अर्थात्:---
 - (वः) किसी प्रभावी वालन प्रतुत्रप्ति का घारक,
 - (का) ऐसी जातन अतुक्रांक्त का घारत, जिसकी प्रवीप्र समाग्यहा गर्द है फिल्तु पाच वर्ष सही बोते हैं,
 - (ग) इन नियमों के प्रकाशन की हारीख के प्रचात् जारी की गई या नकीकृत की गई थिमी शिक्षार्थी अनुजारिक का धारका।
- (३. अवयस्य द्वारा आवेदन को द्वारा में माता-निका या संरक्षक का त्रामी - जिला कि त्र पार्टी लाउट साइकिन की नामान को नामा-किए पार्टीण के लिए किया पार्टेडन की उला या, पार्टिन पर मान्न किए वा अवोधक में संरक्षक द्वारा हुर सक्षर निए काएं।

चालन धनुशदिन

- 1. चालन मनुवादित के निए श्राबेदन:--चानन भनुवदित के निए शाबेदन, प्रया : में किया जाएगा, और उसके साथ निम्निविद्धत होंने, थर्यात्:---
 - (क) उस प्रकार के यान की जिन्हों आवेदन संबंधित है, चलाने को कोई प्रभावी णिक्षार्थी अनुज्ञान्ति;
 - (ख) चालन मजगता परीक्षण के तिए और अनुजादि नारी करने लिए नियम 32 में विनिर्देख्य समुचित फीस,
 - (ग) मार्वेदक के 5 सेंटोनीटर × 6 सेंटोनीटर ऋकार के नबीनतम फोटो की तीन प्रतिया,
 - (घ) नियम ६ म यथा प्रत्या उत्पन्धित के भित्राय पहल 1 में चिकित्सा प्रमाणपत्र,
 - (ङ) उस स्यूल या स्याप्त में जहा झावेशक ने अनुदंश यदि काई हो, प्राप्त किए है, जारी किया गया प्रका 5 में जालन प्रमाणात ।
- 15. नारान परीक्षण:--(1) काई मी व्यापन भागन सक्षमता परा-क्षण के लिए तब तथा उमस्यत नहीं होता अब तक उसने कम सं तक छह मण्याह की श्रवीब के लिए कार्र शिनार्यी श्रवुशीन धारण नहीं की है।
- (2) घारा 9 को उपवास (3) में निर्देश वानत नजनना परी-भण, अनुजारन प्राधिकारी या ऐसे घटन व्यक्ति द्वारा, जो इस निमित्त राज्य सरकार द्वारा प्राधिकत हिना जाए, उन प्रकार के बात में किया जाएगा, जिससे आवेदन संबंधित किया जाएगा।
- (3) आबेदक परीक्षण करन वाने व्यानन का वह समाधान गारेना कि वह निस्तिविधित के लिए मजन हैं, प्रकृत्:--
 - (क) लेखे के पूष्पदली प्रवेण की व्यवस्थित करना और गाउँ की पैटा का नगता।
 - (ख) इचन चालू करने क पूत्र यथाचित मावधानी बरतना,
 - (ग) यान को एकवम सीधं तथा उत्तार मुरक्षित रूप से छीर निर्वाध सप मे उस समय भी ले जा गकता है जब वह टाप नियर के न लगा लेने तक सभी गिथर लगा रहा है,
 - (क) टाप शियर को निवले पियर में शील्रना से बदलना जब यानायान की परिस्थिति में इस प्रकार बदल लेना जरूरी हो,
 - (अ) यान को उतार उतार की ग्रोर चलाले हुए निचला गियर शीक्ष्रता से बदालना,
 - (च) यान का पीछे की क्षोर लुड़कने दिए बिना बलान पर ऊपर की भीर हाथ क्षेक या भरोटिल का और पास क्षेक का उचित प्रयोग करते हुए ठहरा कर किर से चालू करना, दाई और बाई सरफ टीक तरह से मोइना भीर सकेत देने के पूर्व पोछे के कृष्यदर्शी दर्पण का उचिन प्रयोग करना,
 - (छ) समुचित संकेत देते हुए अत्य यानो से आसे निकलने के लिए बराबर आकार या अन्य यानों को आसे निकलने देने के लिए उन्हें बराबर आने देकर या अन्य यानों के समानान्तर चल कर या आसे बढ़कर अन्य यानों के पथ पर उचित रूप से चलते हुए उचित समर्कता से समुनित रार्श पर चलना,
 - (क) हाथ मधा यान म लगं हुए त्रिसुन सूचका द्वारा यथांचिन समय पर यथांचित यातायात संकेत साफ़-साफ़ ग्रीर ज्ञांति रहित रीति से देना,
 - (स) नमुबित मंत्रेन यया सम्बन्ध मास्यानी महिन मार्ग बदलना,

- (त) भाषात स्थिति मे और अन्यथा यान का राकना भ्रीर ऐसी दशा म यान को सडक की यथोधिन दिशा की और सुरक्षापूर्वक, यथोबिन संकेन देस हुए खड़ा करना.
- (ट) पीछे के नियर बाल यान की दशा में, यान का पीछे की धार चलाना, परिसीमित स्थान में यान की दाई या बाई ग्रीर निय-क्षित रूप में श्रीर युक्तियुक्त मुद्धता सहित पीछे चलाना,
- (८) श्राक्ते सथा पं छि क गियरा की महायता मे यान का मृह विपरीत विशा मे करना,
- (ङ) यातायान संकेता, यातायात प्रकाशो, यातायात नियंक्षको, पुलिय के धार्वमियो द्वारा दिए गए सकेतो पर ठीक-ठाक धीर नुरस्त कार्रवाई करना धीर सब्क का प्रयाग करने वाल व्यक्तिया द्वारा दिए गए सकेतो पर समुखित कार्रवाई करना,
- (४) ऐस पैक्ष्ल पार पथा पर जो यातायात प्रकाणा या यातायात पुलिस द्वारा विनियमित नहीं हैं, सड़क पार करने आते व्यक्तिया को अधियान देस हुए, ठीक कार्य करना,
- (ण) सामान्य चालन म ठीक से बाई ग्रार रहना,
- (न) परिवर्ती सङ्का श्रीर यातायात दणाओं के लिए उपयुक्त भीत विनियमित करना,
- (थ) जैसा ग्रीर जब श्रावण्यक हा, विश्वासपूर्ण ग्रंग से स्टीर्वारग सभाल कर तथा धासानी से गियर बदलकर, ब्रेक लगाकर यान पर श्रपने सामान्य नियंत्रण का प्रदर्शन करना,
- (व) सकत बेने, स्थिति परिवर्तन करने, दूर हटने, श्रोधरटक करने क लिए दिशा परिवर्तन करने, काई सीर धूमने या राजने के पूर्व पीछे के दूश्यदर्शी शीशे का उचित उपयोग करना,
- (ध) सीधे चलाने हुए, दाई श्रीर मुस्ते हुए, आई श्रीर मुझ्ते हुए ग्रीर गाइक के संगम पर उचित साइड का उपयोग करना,
- (न) एक्सीलेटर, क्लच, गियर, श्रेक (हाथ श्रीर पैर का) रिट्यारिंग भीर हार्न का उचित उपयोग करना,
- (प) पैदल चलन बाला, प्रन्थ याना के चालको भीर साधिकल चलान बालो की किया का पूर्वानुमान करना,
- (५) चौराष्ट्रा पर श्रीर गडक मगमा पर निम्निलिखित की बाबल पूर्वावधानी बरतना.
- (1) पहुँच मार्रा पर गांत का समायाजन,
- (ii) पीछ के वृषयदर्शी शीश का उचित उपयोग
- (iii) दाई धोर बाई धोर मुख्ने के पूर्व श्रीर पत्रचात यान का महो स्थिति में रखना,
- (iv) दाए हाथ के कोना में मुडते स बचना,
- (v) दाएं देखना, सहक पार भरन या विश्वार्ध पड़ने पूर्व पुन प्राए श्रीर आए देखना,
- (य) भ्रमना ध्यान विश्वयिक्त किए बिना चालन मे ध्यान केन्द्रित करना
 भीर मस्तिष्क की उपस्थित का विशित करना
- (म) सड़क का उपयोग करन बाले श्रन्य व्यक्तियो औस पैवल चलन बाल, श्रन्य मोटर गाडियो के चालक या माडिकल चलाने वाले की सुरक्षा श्रीर सुविधा के लिए णिस्टता दक्षित करना

ात्म का सर्व सर्वास्त रा प्रथम (१) पन्त्रापन प्राधिकार अस् तत्म का सर्व या नवीकृत की गर्द पत्यक आधान अनुप्राप्त प्रथम तम सामा ।

(2) जहां अनुआपन प्राधिकारी के पास समिटिड कार्ड किस्म की शासन अनुस्थित जारी भारत के लिए सामध्यत साधिक हा, प्रहा ऐसी। साध करम की चालन अनुस्थित प्रकार 7 में हास ्स उपनियम के प्रारम्भ की तारीख में ही भ्रमुजापन प्राधिकारी द्वारा आरी की गई या नवीकृत की गई प्रस्येक चालन श्रमुज्ञप्ति प्ररूप 7 में हासी।

- 17 सालन धनुकान में परिवारत (1) सालन धनुकान में इसरे वर्ष या वर्णन क माटरयान के परिवर्धन के लिए धावेदन ध्रिधिनियम की धारा 11 की उपकारा (1) में निविध्ट धनुकापन प्राधिकारी, को प्रस्त ७ में किया जाएगा घौर उसके साथ निस्तालिखन दस्तालेज होगें →→
 - (क) क्रावेदन द्वारा धारित प्रभावी जिक्षाची धनुज्ञात या चालन धनु-ज्ञात
 - (ख) किसी परिवहन यान के परिवर्धन के लिए किसी श्रावेदन की वजा में प्रकष्ट 5 में चालन प्रमाणपत्र,
 - (ग) गैदाणिश घहेगाया का माध्य जैंगा नियम ६ म बिनिदिष्ट है,
 - (घ) समुचित फीस, जैसी नियम 32 में बिनिर्दिन्ट है।
- (2) धारा 9 की उत्थारा (1), उत्थारा (3) भीर उपधारा (4) के उपबंध यावनणक्य उपनियम (1) के भंधीन किसी आवेदन के संबंध में बैस ही लागू होंग जैसे के किसी जालन धनुजयित की मंजूरी के लिए किसी आवेदन के संबंध में लागू होते हैं।
- 18 चालन धनुक्रीप्त का नवीकरण --वालन धनर्जाप्त के सबीकरण के लिए कीई धावेदन उस क्षेत्र में, जिसमे यावेदक सामान्यता निवास है या कारबार करता है, श्रीकितरिता रखने वाले धनुजादन प्राधिकारी का प्राक्ष्य 9 में किया जाएगा धीर उसके साथ निस्तिलिखन होते -
 - (क) नियम 32 में विनिदिष्ट रूप में समृचित फीम,
- (ख) यदि प्रश्रप ७ में नवीकरण रिया जाता है तो ६ संटीमीटर :
 ५ सेटीमीटर के प्रायार के प्रावेदक के हाल के फाटो को तीन प्रतिया
 - (ग) ৰালন মনুরাদে
 - (भ) प्रस्प । म चिकित्सीय प्रमाणान्न ।
- (३) जहा चालन अनुजान एसी अनुज्ञान क भारक का कार्ड परिश्वहन यान और साथ कोई अन्य यान के चलाने के लिए प्राधिक्वन करनी है, बहा अनुज्ञापन प्राधिकारी चिकित्सीय प्रमाणपत्न पण किए जाने के अधीन रहते हुए, ऐसी अनुज्ञान का समृचिन अवधि के लिए, जा धारा 14 की उपधारा (३) में बिनिद्धिंट है, नवीकरण करेगा।
- 19, फीस का प्रतिवाय अहा अनुजापन प्राधिकारी धारा 15 की उपधारा (5) के प्रधीन किसी चालन अनुजाप्त के नवीकरण के लिए किसी छाबेदन की नामजूर करना है वहा जह प्रावेदक की ऐसी नवीकरण के लिए सदन की गई फीस के प्राधे का खाथेदन नामजूर करने का खाथे जा प्राप्त किए गान की नारीख में तीन दिन क अपव्चात उस निर्मित उसके बारा किए गए खायेदन पर प्रतिदाय करगा।
- 20 रक्षा विभाग क माटरयान चलान के लिए चालन धनुज्ञीण-धारा 18 की उपधारा (1) के प्रयोजन के लिए प्राधिकारी निम्नलिखिन हमों ---
 - (1) मजर की घीर उसन उपर की राक गना की यूनिटा क सभी विमान व्यक्तिस्त.
 - (2) लेफ्टीनेट कमाइर की घौर उससे ऊपर की रैंक के नांसेगा की यूनिटा के सभी कमान श्राफिशर,
 - (3) स्वधाङ्ग लीडर की ग्रीर उसमें ऊपर की रैंक के बायुमेना की यान्ता क सभी कथान ग्राफियर।

निग्हना

31 अपुकारन पाजित्वस का निरीद्ध करा का शाकाचा । बाज 19 की अधान (1) अखण्ड (न) के प्रशानन के निए क्षिमी जानता १९५वरित र पाल, जान के स्विधित अधी ता निष्य जानी जनता । निए स्यूमन का खाटा होगी, अभीन्

- (1) मोटर यान की चारी।
- (३) यात्रियो गरहमना।
- ()) यातियो की बैयभिनक चीजबर (की चारा)
- (4) सात बाहुत में ल आए जाने वाले माल की चौरा।
- (5) विधि के भवीन प्रतिविद्ध मान का परिवहन । 🐧
- (6) द्राइबर का यान चलाते समय इसरे ब्राको के साम बाचना।
- (७) यात्रियो का भगहरण।
- (८) माल बाह्न में भंबिक माने का ले जाता।
- (9) विनिर्दिष्ट सीमा से भावतः गीत नः चलाना ।
- (10) माल बाहुन में व्यक्तियों की, या ता द्वाइवर की कांबन या अन्दर उनको अमता से अब्रिक या गाडी पर, चार्ने भाडे के लिए हा या नहीं, से जाता।
- (11) धारा 134 के उत्त्वन्त्रों था धतुरायन न करना।
- (12) किनो व्यक्ति द्वारा, जा ऐना करत के लिए प्राविश्वत हो, सकेन दिए जाने पर न रोकना।
- (13) यात्रियो, श्रासियन यात्रियो या भाग के रावको और परेश्ति-तियों के साम दुर्वोबहार करना और श्राणिक्ष्या प्रशिणा। करना।
- (14) लाक मेंबा मानों का चनाते मनद बूक्रवान करना ।
- (15) किनी मार्वजनिक स्थान में यान की इस प्रकार छाड़ वेना प्रिम्स कि सड़क का प्रयोग करने बाले प्रत्य व्यक्तियों के और यान में यात्रियों की प्रस्तिवा हो।
- (16) मधिरा या मादर द्रव्य के प्रभाव में रहते हुए यान चनाता।
- (17) किसी अन्य याने पर चंद्रे हुए या चक्के का नैक्षणे करता हुए किसी अ्थिति को बाबा डालना ।
- (18) किनी व्यक्ति का इस प्रसार बैंडने बेना या । सना का इस प्रकार रखने देना जिसमें कि ड्राइवर के सड़क को स्वय्ट क्य में देखने में या यान का उजिन नियन्नण रखने में बाजा पड़े।
- (19) किसी मिलिली गाड़ी को प्रसुनोदित रोकत के स्थान में कंडक्टर या यान से उत्तरम की बादा करने वाले किसी यान्नी की मांग या संकेत पर किसी धुरिक्षिण और मुखिषाजनक स्थिति में पर्याप्त समय के लिए न रोकता और यान्नी बनने का बादा करने बाले किसी व्यक्ति की मांग या मकेत पर, जब ८४ कि यान में कोई स्थान न हो, न रोकता।
- (20) तिस्देश्य धुमता या शका में भ्रतस्यक रूप से जिलम्ब करन और यान की समय सारणी के अनुसार अयता जहा कार्ट ऐसी समय सारणी ने हा, पुनित्रहुता शिक्षण में रस्तास्य गन्सभ्य स्थान को भ्रमसर ने होना।
- (_1) ठेका गाड़ी की, किसी युन्तिबुन्त कारण की अनुरास्यति स अवकात द्वारा नामित गन्तव्य स्थान को लयुनन सार्ग से न लेजाना।
- (22) बिसी मोटर कैंब के ज़ाइवर द्वारा भावें की प्रथम स्थापना क का एम याना की जिसके लिए ऐसी अस्थापना की गई हु, रुखाई का ध्यास किए बिमा की गई हु। स्वाकार न करना।
- (23) किसी माटर की के कृष्टिय द्वारा उस कियाए से, जिसकी वर् जिसिन क्या में पूनदार है, मार्थिक की मार्च करात का ले निष्किता नरमा समया बोटर केंद्र जनाने ने कृष्टि एका।

(34) जान को किसी हडवाल में मार्ग लेने वैना श्रयका जनता या जाहिया को प्रमुखिया कारिन करने को दूष्टि से यंग्रोचिन कारण के बिनी जान का सहक से हुटा लेना।

चानन मनुशापितम पुष्ठाकत

3.5 न्यायालया द्वारा पुण्ठांकन--इसमें तीचे विनिधिष्ट भ्रत्राची म से किसी के तिए किसी अनुजिन के घारक की सिद्धदाब उहराने बाता न्यायालय ऐसी दोबसिद्धि की विशिष्टिया जायन प्रतृष्ठीय में गुळाका करेगा या करवाएंगा, भ्रयांसु --

- (क) अनुताप्ति के बिना या ऐसी अनुताप्ति के बिना जा प्रभावी है या ऐसी अनुताप्ति के बिना जो चाए गए थाउँ का लागू होती है, चनाना (धारा 3) !
- (बा) अन्य काबिन का अनुप्ताप्त का प्रयोग बारन बना धार। [6(2)]
- (६) निर्राहित हाने हुए यान चनाना (धारा ३३)
- (व) विषी भरिनस्त्रेकृत यान का चताना (धारा ३७)
- (ङ) ऐस परिषद्त यान को चनाना जा योग्यना प्रमाणाय के अन्तर्नन नहीं है (धारा 56)
- (च) धारा ६६ के उन्लंबन में परिवहन यान का चनाना।
- (%) नियम 118 के उल्लाधन में चलाता।
- (ज) धारा 114 के उपबन्धों का अनुपालन न करता।
- (स) प्रकृतिक या दोनेस्ट्रान्या प्रसासका प्रस्तुत कारत के विष्
 वितिर्देश्य समय के भागर इंगार कारता या उत्त अनुकतः
 रहुना ।
- (अ) यान को न रोकना (धारा 132)
- (द) रूष्टांकत को विशिष्टिया दिए बिना श्रनुजारेत ग्रामिप्राप्त करना या अन्त्रे लिए श्रावेरन करना (घारा 182)
- (७) ब्रह्मधिक पनि में यान चनाना (धारा 184)
- (इ) बारनाक इन से चनाना (धारा 184)
- (क) महता या औषधि के भगर म हाने हुए मोटर यात चलाना (धारा 185)
- (ण) उस सनय चनाना जब मानासक या माराश्कि का से बलाने का अवास्य है (बारा 186)
- (ग) पादा 183 वर्ष 186 के प्रजीत दण्डती तकता क्यरात का पुष्प्रेरण परना।
- (य) धारा 188 में बिनिरिष्ट नियो ग्रहाब दुष्प्रेश्ण करना।
- (य) प्रशाबिकत बीड या गति के परीक्षण म भाग लेना।
- (भ) किसो चान का प्रसुरिक्षित देशा में उपयोग करना (धार)190)
- (त) ऐस बार का चताना जिनम भार छान्निय सामा न स्राज्ञत है (बारा 194)
- (४) किसा प्रतृष्ठि में परिवर्तन करना या परिवर्तन अनुनान का उत्पार करना।
- (फ्रं) काराबान से वण्डनीय काई ऐसा प्रप्रशाब जिसके करने म नोटर यान का उस्मीन निया नवा या।

राज्य रजि≠ः~

23. ने 11 रही। (से 17 सन् एवन) प्रस्ता जा तथा तथा विश्व के प्रदेश प्राप्त की प्रदेश किया की प्रदेश किया की प्रदेश क

- (३) प्रत्येक राज्य सरकार, उपनियम (1) में निविष्ट रिपस्टर की मृदिन प्रति निवेणक (परिवहन ग्रमुसधान) भूतर परिवहन मंत्रालय, नई विल्लो का मंत्रेनी।
- 24 ज़ार्षावर स्कूल और स्थापन--(1) काई व्यक्ति अनुजात प्राधिकारी द्वारा प्रका 11 में मंजूर की गई अनुज्ञिन के बिना मोटर पान चलाने में किराए या इतान के निए प्रनुदेश देने के लिए हिमी ड्राइविंग स्कूल या स्थापन की स्थापना नहीं करेगा था उमें अनाए नहीं रखेगा।
- (2) उनिवम (1) के प्रवीत प्रतृशिक्त की मजूरी या नक्षीकरण के लिए कोई अर्थदन, अयस्थित, प्रष्टा 13 या प्रष्टा 13 में उस क्षेत्र में प्रविकारिता रखने यांत, जिनमें स्कूत या स्थानन स्थित है, धनुशापन प्राधिकारी की किया जावना और उनके मध्य निवम 32 में निनिदिष्ट समुख्यित फीस होती।

स्पर्धाः १२४--इस नियम और नियम 35 में 38 तर के प्रयोजना के लिए "श्रनुवासन प्राधिकारी" से ऐसा ग्रधिकारी श्रमिन्नेत है जा धारा 313 के श्रद्धान स्थानित नोटर यान विभाग के प्रावेणिक परिश्रहन प्राप्ति-कारी की पंत्रित से नीच का नहीं है।

- (3) अनुजापन प्राधिकारी, इस नियम के प्रधीन किसी धनुर्ज्ञान का मंजूरी या नवीकरण के लिए किसी धावेदन पर घिचार करने समय निम्ननिखित विषयों को ध्यान में रखेगा
 - (i) आबेदक और उसके अधीन कार्य करन वाले कर्मचारियुन्द ग्रन्छ नैतिक चरिक्र वाले है और चालन ग्रनदेश देने के लिए ग्रिटिंग है.
 - (ii) अह परिसर जहां स्कृल या स्थापन को जलाने का प्रस्ताव है या तो प्रावेदक के स्थापित्व में है या उसके द्वारा पहुं पर लिया गया है था उसके नाम में भाई पर लिया गया है थार उसके नाम में भाई पर लिया गया है थार उसमें क्यांब्या हाल प्रतिमानों के संप्रदर्शन के लिए कक्ष, प्रभायितिक धनुभाग, स्थापत कक्ष, सफ़ाई ब्लाक के लिए, अलाम में धनुदेश देने के लिए उपयोग किए जाने के लिए धार्मित यानों के तिए पर्याप्त पाकिए क्षेत्र के धातिरुक्त, पर्याप्त स्थान है.

परन्तु इन नियमा के प्रारम्भ के ठीक पूर्व मोटरयाना के चलाने में प्रनृवेण देने वाल या उनसे संयुक्त विषयों पर रहन या स्थापना के संबंध में, अनुज्ञापन प्राक्षिणारी उसी परिसर ने जहां स्कूल या स्थापन छह मास की सीमिल कालाबधि के लिए बना हुआ है, इस तथ्य के होते हुए भी कि परिसर इस खण्ड में प्राधिकियत गर्ती को पूरा नहीं बरता है, प्रमृदेण पमुविधाओं के सचालन करने की धमुजा दे सकेगा।

- (iii) प्रस्थापित स्कूल था स्थापन क वित्तीय स्रोत उसका सनुरक्षण बनाए रखने के लिए उपबन्ध करने के लिए पर्याप्त है,
- (IV) प्रावेदक उस किस्स के, जिसमें स्कूल या स्थापत से अनुदार दिए जाते है, कम से कम एक मोडरयान का स्थामी है भ्रीर उसका अनुरक्षण करना है ,
- (१) यान प्रमुवेश देने के प्रयोगन के लिए प्रमन्य रूप से उपलब्ध ई ग्रीर सभी ऐसे मान, मोटर साईकिलों को छाए कर, प्रमुदेशक को यान का तुरस्त नियत्नण करने या उससे रोकने मे समर्थ बनाने के लिए दोहरी नियंत्रण प्रसुविधा से युक्त है;
- (११) भावत्र्यं कं पाय निम्निनिक्ताः समयन जन्मः भीरः पन्य चर्यतम् तं, भया। तः—
 - (क) क्लैक बाह
 - (क) धावरमंक नाउस नंकेती के नाम सक्क का रेखांक बोर्ड भीर चार्ट;

- (ग) यातायान चिहनों का चार्ट;
- (घ) राचालित मतेती पर चार्ट और गाापात नियनको हारा', जब स्वचालित संकेत न हो, दिए गए सकेतो पर चार्ट ,
- (क्र) मांडरबान के सभी सघटकों का ब्यौरेबार दृश्य अदिशित करने बाल। सेवा चार्ट;
- (च) माटरयान का इंजिन गियर बाक्स, पीछे का एक्सल समंज्ञक केंसिस समंजन जो स्टिनरिंग यांत्रिकी के साथ सम्पूर्ण हो, नितम्बन एक्सन श्रीर ग्रेक गूज, श्रीर उस मोटरयान के किस्स के इस जिनमें स्कूल या स्थापन के श्रुत्रेश दिए जाते हैं (स्वाए बहा के जहा झावेंद्रक केंबन मोटरयान नताने में भनुदेश देने की बाधा करता है);
- (छ) टायर लगर के माथ पक्षर किट, ब्हं(ल क्षेप, जैक धीर टायर दाब सेज,
- (ज) स्पैनर (६ स्पैनरो का सैट, फ्रेंक गोनर, प्यायर न्फ्रमानर', ग्रीर हथाडा);
- (भ) चालन भनुदेश मैनुभल;
- (त) प्रणिक्षणार्थियां के लिए बेचे क्रीर मेत्र क्यार कार्य क जिए बेच,
- (ट) प्रकाशों, स्थत स्टार्टर, महनेमी कट-धाउट बैट्टी छीर स्विकों के कार्यकरण को दिशाल करने के लिए सस्पूर्ण विद्युत उपस्कर;
- (ठ) स्कीन सहित प्रोजीन्टर प्रौर सडक सुरक्षा थे बारे में सप्रधर्णन के लिए कम में कम 10 फिल्मे;

परन्तु जहा प्रावेदक प्रावेक्ट श्रीर रजीत रखन स असमर्थे है वहां यह पर्याप्त होगा यदि बाबेदक टैंशीविजन सा अस्य बैसे ही संप्रदर्णन उपस्कर द्वारा पूर्व प्रभितिखित विद्यो भेगेटा के माध्यम में सङ्क गुरक्षा पर दृश्य भन्य सुप्रदर्णन क लिए प्रबन्ध कर दे।

- (ष्ठ) प्राटांमोबाइल मोटर यात्रिका चालन, सङ्क भुरक्षा यातायान विनियम, मोटरयानों से मंबंधित विधियों और संबंधिन विधयों पर अंग्रेंकी और क्षेत्रीय भाषाओं में दोनों में किनावों वाला प्रशास्त्र ,
- (क) परिसर में श्रापात में उपयोग के लिए प्राथमिक उपचार पेटिक जो पूर्णतः मण्जित हो।
- (vii) किसी विशिष्ट परिश्रेष में स्भूत या स्थापन के लिए स्रायण्यकता:
- (viii) आवेशक या अनुदंश देने के लिए उसक द्वारा नियोजिन कर्मचारित्रुन्द के किसी सदस्य के पास निस्नलिखित यहंताए हैं, यश्रीष् :---
- (क) एगवे स्टैंडर्ड से उन्हों होने की स्थूननम गाधारण ग्रह्ना,
- (ख) साउरवांतिका पाठयत्रम में प्रमाणपत्न के प्रतिरिक्त पांच अर्था का स्थूनसम चालन प्रनुभव या केन्द्र प्रथना राज्य सरकार हारा या किसी राज्य सरकार के तकनीकी शिक्षा बाई हारा मान्यताप्राप्त मंस्था से यांत्रिकी इंजीनियरी में कोई प्रस्थ उम्मान पहना;
- (ग) आंचित्रिय का चतुमूचा व निर्मित्रित प्राप्तवा। चित्रेम अन और धीरा 118 के धवीन बनाए गए यक्षक पर उपयोगकरने बाल बिनियमां का पूर्ण झान;
- (म) नालों के विभिन्न संभटकों, पुंची के कुन्ने का तंत्रदर्गत करने भीर स्पष्ट करने की योग्यता;

(ए) अंग्रेजीया उस क्षत्र की, जिसमें स्कूल या स्थापन स्थित है, भोजीय भाषा नः पूर्ण जातः।

पासी कार्र एका क्यांका किया का निर्मा के ब्राप्ति पूर्व काम संकार की कार्यकों के किया का किया प्रकृतिक के किया कि है? को के इस सम्बद्धांट की समित्साका स, छट क्राप्त है।

- (1) पन्नावन पाधिकारी, उपनियम (2) के व्यवीन किसी मार्वेदन की पाप्ति पर भीर अपना यह समाधान करने के परना। कि धावेदन ने उपनियम (3) की अपेक्षाओं का अनुपालन कर लिया है, परण 11 में अनुभाष्ति की मंजूर कर सकेगा या संबोक्ति कर सकेगा।
- (3) अन्जिपि के लिए किसी प्रावेशक के लिए अन्जापक श्राधिक कारी द्वारा इकार नहीं किया जाएगा जब तक कि प्रावेशक की मुनवारी का घवसर न दें दिया गया हो और ऐसे इंकार किए जाने के लिए अनुजापन प्राधिकारी द्वारा लिखिन कप से कारण न दिए गए हों।
- 25 अनुक्राप्त की अविधि और उसका नवीकरण→ अरूप 11 में मंजूर की गई अनुक्राप्त वर्षों की अविधि के लिए अभावी होगी और उस अनुक्रापन आधिकारी को जिसने अनुक्राप्त मजूर की थी उसकी समाप्ति की नारीख में कम से कम साठ दिन पूर्व अरूप 13 में किए गए आवेदन पर नवीकृत की जा सकेती।
- 26. श्रम्कारित की दूसरी प्रति का जारी किया जाता (1) यदि किसी समय नियम 34 के उपनियम (4) के अधीन मंजूर की गई अनुकारित को जाती है या नष्ट श्री जाती है सो अनुकारित की धारक उसके खो जाने की सूचना स्टब्स उस अनुकापन प्राधिकारी को देशा जिसने अनुकारित मंजूर की श्री और उनन प्राधिकारी को प्रस्प 12 में दूसरी प्रति के लिए आवेदन करेगा।
- (2) नियम 32 में विनिर्दिष्ट नमुचित फ़ीस के साथ किसी आवेदन की प्राप्ति पर अनुज्ञापन प्राधिकारी अनुज्ञप्ति की दूसरी प्रति जारी करेगा जिस पर स्पष्ट इप से 'दूसरी प्रति' चिन्हित होगा।
- (3) यदि प्रमम्प्रापतः की दूसरी प्रति के जारी करने के पण्चात मूल प्रति मिल जाती है तो वह तक्काल उस अनुझापन प्राधिकारी की जिसने उसे जारी किया था, अर्म्यांगत कर दी जाएगी।
- 27 पिसी धनुक्राण्य के धारक द्वारा पालन की जाने वाली साधारण कर्तो नियम 24 के प्रधीन संजूर की गर्ड अनुक्राप्त का धारक ---
 - (क) प्ररूप 11 में वार्षिक श्राधार पर रिजस्टर रखेगा और वर्ष के दौरान दाखिल किए गए विद्यार्थियों के नाम की वर्णत्रमा, नुसार सूची रखेगा,
 - (ख) नियम 31 में बिनिर्दिष्ट पाठ्यत्रम के श्रनुसार प्रशिक्षण पाठ्यत्रम का सचालन करेगा,
 - (ग) उस अमुजापन प्राधिकारी को, जिसके समक्ष प्रशिक्षणार्थी को बालन अनुजाप्त प्राप्त करने के लिए उपस्थित होना है, प्रस्थेक प्रशिक्षणार्थी के संबंध में प्रकृप 14 में की गई प्रविष्टियो ना उद्धरण स्कृल या स्थापन में विद्यार्थी के प्रवेश के मात विन के भीतर भेजेगा।
 - (घ) प्रस्थेक विधार्थी को, जिसने पाठ्यशम पूर्ण कर लिया ै,
 प्रसप 5 में प्रमाणपत्र जारी करेगा,
 - (क) उस अनुज्ञापन प्राधिकारी को, जिसने अनुज्ञप्ति मंजूर की थी, ऐसी जानकारी या विवरणी को उसके द्वारा समय समय पर इस श्रध्याय के प्रयोजनो के लिए मांगी जाए, प्रस्तृत करेगा
 - (भ) उस अनुआपन प्राधिकारी के, जिसने अनुजिस मंजूर की थीं, लिखिल पूर्व अनुमोदन के बिना अनुजिस में विशेष परिसर से स्कृत या स्थापन की हटाएगा नहीं।
 - (छ) म्मूल या स्थापन के परिसर और उसके द्वारा प्रनुक्तित भक्तिकों भीर रिजन्टरों की सभी युक्तियुक्त समयों पर भणु-

ज्ञापन प्राधिकारी द्वारा या अनुज्ञापन प्राधिकारी द्वारा इस निर्मन प्राधिका किसी प्यक्ति उत्तर निरीयण के निर्मा द्वारा प्रक्रेता

- (३) गाला उने न लिए प्रतिम क्ति का बाल क्या अपके न की मोलप्यानी गर सहज्ञक्षक स्यास सकता का राजान का गास और पूरा पता और टेलीफोन नं यदि कोई हा स्पष्ट श्रक्षकों में डोडींगा रहेगा।
- (ज्ञा) प्रत्येक पश्चित्रणाया के लिए परूप 15 में प्रत्येक दिन किताई गए चालन बटों की संख्या प्रदर्णित करते हुए पृथक रूप से प्रितिक रखेगा
- (त्र) प्रथमे कार्यनाय के प्रमुख स्थापा पर मिन्निका पद्योग।
 करेगा ----
- (i) प्रनुकापन प्राधिकारी द्वारा स्कूल या स्थापन को स्ल मप से जारी की गई धनुकारित , भीर
- (ii) स्कूल या स्थापन द्वारा नियोजित अनुदेशको के नाम और पी,
- (ह) स्कूल या स्थापन से अनुदेश प्राप्त वरने के लिए कोई आवेदन करने वाले किसी अपित्र को इन नियमी के अनुसार अन्यथा व्यक्ति के लिए अपनी योग्यता के बारे में भूलाबा देने वाली या इस अध्याय के उपवश्यों को परिवचना देने की दृष्टि से किसी कार्य को करने या लोग करने में किसी अपनित्र के साथ मौनानुमित्र देने वाली रीति से कार्य नहीं करेगा।

28. अनुक्रित निलंबिन कारने या प्रतिसंहत करने के विष्य अनुक्रापत प्राधिकारी की शक्तिन - (1) यदि उस प्रतृत्रापत पाधिकारी का, जिसते अनुक्रित संज्ञर को थी. प्रतृत्ति के आरक्त को सुनवादि का प्रवसर देने के पश्चात, यह समोधान हो जाता है कि सह,

- (क) नियम 24 के उपनियम (3) में विनिधिकट प्रयोक्षाओं पा प्रमुपालन करने में प्रसफल रही है, या
- (खा) उन यानों को, जिनमें अनुदेश दिए जा रहे हैं, श्रव्छी दणा में रखने में श्रमफन रहा है, या
- (ग) श्रन्वेश देने में नियम 31 में विनिर्दिष्ट पाठ्यक्रम का श्रन्पालन करने में श्रनफल रहा है, या
- (ध) नियम 27 के किसी अस्य उपबंध का प्रतिक्रमण करता है,
 तो वह अभिलिखित किए जाने वाले कारणों से;---
- (i) विनिर्विष्ट प्रविधि के लिए अनुजानि को निलंबिन करने हुए,
- (ii) अनुज्ञिष्त को प्रतिसहत करते हुए,

भ्रावेका कर सकेसा।

- (2) जहां अनुक्राप्ति उपनियम (1) के श्रधीन निलंबित या प्रति-संहृत की जाना है वहा अनुक्राप्ति उसके धारक द्वारा अनुक्रापन प्राधिकारी को अभ्यपित कर दी जाएगी।
- 29. भ्रांतिल--नियम 24 के उपनियम (5), नियम 25 या नियम 28 के प्रधीन अनुजापन प्राधिकारी के किसी प्राचेण में ध्यथित कोई व्यक्ति हों में प्रादेश की प्राप्ति के नीस दिन के भीतर, श्राधिनियम की धारा 213 के प्रधीन गठिम भीटरयान विभाग के अध्यक्ष की प्राप्ति कर सकेगा।
- .40. भ्रमील के लिए प्रक्रिया —— (1) नियम 29 के अधीन कोई अपील अनुभागन प्राधिकारी के आदेश के संबंध में आक्षेपों के आधार उपदिणित करते हुए ज्ञापन के रूप में दो प्रतियों में की आएगी और उसके साथ उस आदेश की, जिसके विख्य अपील की गई है, प्रमाणित प्रति और नियम 32 की विनिद्धित्व समुचित फीस होगी।
- (3) श्रमील प्राधिकारी पक्षकारों को मुनकाई वा प्रयसर देने के पण्यात् श्रीर ऐसो और जास, यदि कोई हो जो वह आपण्यक रागसे, करने के पण्यान समृत्रिक भाषेस पारित कर सकेगा।

31	मोटर यानों के जालन में मन्द्रेश देने के लिए पाठ्यक्रम-(1)	स्कूनो	या स्वापना	र्हे मोटर	यानी	के चानन	Ħ	वन्दैश	वन	₩,	स्मिए	শাত্য -	নি শ্দলিখি ন
	मोगा :												

भ---कार्यानम् व्योगी--- ३

- प्राप्ते बाह्य को अप्रीयक्ष
- ्र बाहन नियंत्रण

फुट कन्ट्रोन

हैए कन्द्रोल

भूका नियंत्रण

- 3. हाइयिग-पूर्व जांच ·
- 4 डाइय मुरु करते समप्र

- ५ भड़क पर झाइबिंग:
- वीराहो पर हाइविंग :
- 7 स्किल जालन
- 8. रिश्वनिश
- ० पानिग
- 10. मार्ग पर दृष्ट्वर की जिम्मेदारी
- 11. बादें। बाहुनों के जिए सम्रा

ख~--दैपिकः शिद्यण--- 1

- च्राइकिंग विनियम .
- 2. हैंड सिगनन
- ३ टैपिय चिन्ह
- 4 है फिक पान्स्टेयन दैं फिक बार्टन के हैंड मिलाग।
- इ. चाहोमैटिक साइट सिगनल्य का परिचय ।

पारीमीबाइच अंगन और इसकी पार्यप्रणानी के लिए साओरण अनुरेण

फुट श्रेक - एक्सॉलैटर, क्लच दिलार (बतंम∤न माइल-म-नर्हा)

स्टीयरिंग ब्हील, हैडब्रेंक, हार्न, लाइट, बाइयर, इंग्निशन स्विच, स्टार्टर रिपर और इंडीकेट।

रियर च्यू मिरर (दायी और बायीं तरफ) इन्त्र्मेंग, क्ष्णसन्य गौतिज, टॉयलग, विंड स्कीन—उनके उद्देश्य

- (1) ड्राइजर की मीट पर बैठने से पुर्व।
- (2) ड्राइयर की मीट पर बैठने के बाद।

चलने से पूर्वमावधानिया

- → चलते समय
- -- बाइटिंग जाईट
- --- चलना
- --- स्टीयरिंग नियंत्रण
- --- गियर बदलना ।
- --- रोकना
- --- श्रेक लगाना
- --- ए**क्सीलेटर** (धीरे-धीरे भ्र**जा**नक)
- —-हैफिक जानकारी, मार्ग जानकारी, निर्णय, सड़क प्रयोक्नाओं के अनुसार पार्निंग और पोतीशर्निंग
- ----रिव्हिंग
 - पृथीमाम, प्रस्य सप्टक अयोगताओं के धनुसार निर्णयन एवं योज पोजीवानिया
- सिरर सिगनल और यक्षितकालन (एम एस एस) तथा पोतीणन स्पीड
- --- वेद्धना (पी एम एल)
- नजर काक्षेत्र।
- मिलन और ड्राइबिंगिंग युक्तिबालन—दाएं, बाएं युक्तिस संब्रह भीड़ 3 प्यार्टट मोड़, 5 प्यार्टट मोड़, खड़े बाहनों पर युन्टर्न, बाहन का दाएं धौर बाएं चलना ।
- --- बैटी स्थिति में नियमिंग कृद्धता, स्पीड नियंक्रण, एसर्वोड ग्रीर क्राम गर्निस्यों में रियमी स्टीयरिंग।
- समानन्तर कोणीय लम्बीय पाकिंग कैसिंग थविल पाकिंग फैंकिंग काउन हिल पाकिंग।
- --- **ड्राइविं**ग ,च्यतहार, घत्य सडक प्रयाक्तामा के लिए यिनम्रता और प्रतिस्पर्धापन भ्रति-प्राध्वस्त, धर्यारता और रक्षात्मक हाइविंग
- -- रेलबे असिंग पर ड्राइविंग मारी समय कारों के बीच इंगे।
 - -- प्रापातकास्त्रीन बाहत ।
 - भ्राग इंजिन सथा
 - --- एम्ब्लेस

मोटर यान भार्थानयमः 1985 की धारा 118 के श्रधीन वने सडक प्रयोग विनियम ।

मोरु यान अधिनियम 1988 की मनुसूरी।

- [माग [[-- खण्ड 3(i)] रोड मार्किंग्स का परिचय। राष्ट्रीय राजमातौ भौर नगर मातौ पर स्पीड विनियम। 8 भ्रापत्तिजनक स्थलो पर पार्किंग। 9 मोटर यान भविनियम, 1988 के कुछ महत्वपूर्ण उपबन्ध ---मोटरयान मधिनियम, 1988 की धारा 122, 123, 125, 126 मधा 128। 10. ड्राइब करने के लिए सक्षमता टैस्ट: केन्द्रीय मोटर यान नियम, 1989 के नियम 15 का उपनियम (3) ग—हरूके बाहन की ड्राइविंग प्रैक्टिम 1 बाहनों के विभिन्न भागों की पहचान 2 इंग्डिया में पूर्व जाना। स्टीयरिंग प्रैक्टिस 4 बाइटिंग प्लाईट मुनिग एण्ड गियर चेजिंग । ६ स्ट्रापिग 7 सडकपर बृद्धिक करने के लिए मृत्यांकन एवं पर्वाभाम का विकास। ८ रिवरिंग 9 मोङ्ना भौर पाकिंग : 10 लाइसैंसिंग । घ--वाहृत-रचना भीर मरम्मत 1. बाहन तैयार करना। 2. डीजल भीर पैट्रोल इंजिन का कार्य 3. ईंधन प्रणाली 4 कूलिंग प्रणाली .
 - -- ईंधन लाहने ।

पुण एंड पुल मैथड

--- नार्मल स्ट्रापिंग 🛶 ग्रापातकासीन स्ट्रापिग

— सीधेमे। --- "एम" झ्काव मे।

- -- ईंधन इंजेक्शन पप
 - धाटोमा६जर
- ---- एयर लॉक
- -- घायल ब्लाक
- ⊸- उद्देश्य
- --- रेडियेटर
- -- फ़्रीन सीफ/कैन बैस्ट]
- नाइयेटर बाटर वायिनग
- -- रेक्टोफिकेशन

5 लूबरीकेशन प्रणाली

- -- उद्देश्य
- रिजन लूबर्राकेशन
- --- चैमिस लूबरीकेशन
- --- ग्रायल ग्रेड नम्बर्सं युनीदवाइन ।

6 ट्रांसमिशन प्रणाली--

- (क) कल्**थच—का**र्य
- ⊸–भाग
- -- राइजिंग
- –⊸ लिकेंजिज
 - (ख) गियर बाक्स
- -- कार्य
- -- उद्देश्य
- -- भाग

	(ग) प्रापलर शापटः ————————————————————————————————————
	~—कार्य/उद्देश्य
	यॉक प्याईट
	सी जे बीयरिंग स्लिप
	+ यृ प्लाईट
	—-
	(च) विफरेनिमियल
	उहें थ ्य
	— कार्य/गोर
7. सस्पेशम प्रणाली :	
	 उद्देश्य
	स्त्रिंग
	रोकल, रोकल पिन मृ शिज, शॉक
	एबर्जाबसं तथा उनके बुधिज ।
 स्टीयॉरंग प्रणाली : 	उद्देश्य
W. William C. William C.	—-स्टीर्यारंग ज्या मिती
	स्टीयरिंग बिकेचेज
	- स्टी यरिंग गाय स
9. चेक प्रणाली:	उ हे श्य
	− <i>−हा</i> इष्ट्रालिक वेक भीर उसकी जानकारी ।
	 एसर एसिसटिड हाध्कालिक बैक और उसकी जानकारी।
	 - एयर चेक भीर इसकी जानकारी
	—संपूर्ण प्रणाली का बेक एकेजेस्टमेंट
10. विद्युत् प्रणाली	— बैट्री भौर इसकी स्थिति ।
*** **********************************	बायनेसा/प्रास्टरनेटर
	—-सैस्क्र मोटर -स् टार्सर्ट मोटर
	—-रेगुलेंटर्स
	साक्टेंएमपीयर मीटर में चार्जिग रेट पढ़ने का ज्ञान ।
11 दायर :	— टागरों का भाष्ययम ।
	— धनुरक्षण ।
	——दोवपूर्णं टायरों भीर व्हील एलाइनिमेंट के प्रभाव
· · · · · · · · · · · · · · · · · · ·	
12 इस्टूमेंट कस्सर्ट वैश बोर्ड मोटरें तथा उनके उद्देश्य भीर कार्य:	
४मं त्रोले भौर भारी बाहनों की ड्राइविंग	
बृह्मिंग थ्योरी-2	
1. ग्रम्स्टे ब्राइकर के शुण :	⊸-धेर्य-उत्तरवायिख-ग्रात्मविश्वा स, पृथािमास, एकाग्रचितता, विश्वता,
	रक्षात्मक द्राइविंगसङ्क नियम
	विनियमों का ज्ञान, बाहन नियंत्रण का ज्ञान, प्रनुरक्षण एवं
	साधारणं रचना ।
2. बाहुन निर्यक्षण का ज्ञान	Coine
2. वाह्य ।वयत्रण का शाय	प्रमुख नियंत्रण
	लघु नियंक्षण
 नियंक्षण की प्रतिकिथा 	एक्सीलेरेटर
	—
	— क्लच]
	स्टीयरिंग ।
4. ভুছেলিয় দুৰ্ব জাভ	
% कुश्चिम्पय हुए पाण	
 स्टीयरिंग स्हील पकड़ना, 	पृश एण्ड पुल मैय ड प्रैक्टि स
	पुरा ए॰ड पुरा मथड शानदस झान दी मूब
	गियर चैंज करते समध ।
	गोवर वज करत समय । मोड्ते समय ।
	सम्बद्धाः अस्तर्भः।

	प्रार्म देते समय।
	वैश बीडं स्थित चलाते समय।
	— सिगनल वेते समय।
	 भापात कालीन स्थिति में।
6. गियर बदलमा	 स्थल की-क्लचिंग महत्य भौर तरीका,
	सिगल क्लिंग
	गियर भ्रंप तरीका, मिचने गियर भिष्ट करना
	 पिथर काउन तरीका, उपरसे गिथर को शिफ्ट करना।
7 ड्राइविंग शुरू करना	1 गियर
	2 गियर
	3 गियर
	· 4 गियर
	— 5 गियर
	रिवर्स गियर
	मोबर ड्राइव/मापशनल।
8. एम एम एम भीर पी एस एल रोटीनज	
9 युक्तिचालन	पॉसिंग
•	मर्जिग
	~~ बाइ वर्जिग
	भोवर टेकिंग
	फ्रासिंग
	दर्निग
	कार्नीरिंग
	रिबर्सिग
	पाकिंग
, É	— नार्मेल स्टापिग
10. स्टापिंग	मापातकालीन स्टार्पिग
	इंजिन बेक/एग्जाहरूट वेक का प्रयोग ।
e e constan	रिएक्शन डिस्टैंस
11. स्टापिंग बिस्टैंस	१८५७मा । ७२७५ श्रेकिंग जिस्टैस
1 2. फ्रेचलोइंग विस्टैंस	⊶⊶ बे क्गि डिस्टैस
	प्रथं
	- डिस्टेंस मैचड
	— कार लैग्य मैथड
	2 सैकिंड टाइमकल मैंगड
1 3. पहचान, भविष्यवाणी, निर्णय भीर घमुपालन (भाईपी डी ई) नियम	
14. रक्तात्मक ड्राइविंग तकनीक	निर्णेय
	पूर्वानुमान
	निकलने का मार्ग
15. माइट ड्राइबिंग	→ हैंड लाइट स्थित की स्थिति
LOCHEN BUTT	प्रक्रिया
	लैम्पें जलाने का वायिल, लैम्प जलाने पर प्रतिबंध ।
and the second s	 पहाड़ी म ड्राइबिंग शुक्र करते समय पाकिंग मेंक सैथड का प्रयोग।
16. हिल द्राइविंग	• • •
	करूप मैचड छोड़ना।
	बृाहर्विग दी प्रप-हिल
	ड्राइनिंग-इम टाउन-हिल

17. भाषातकाक्षीन युक्ति—चालन	 इलाज से परक्रेज बेहतर है स्किंडिंग हार्न स्टेक फ्रायर व्हीलज कमिक हाउट श्रेक फ़ेल होना। कोक्षन स्टेब एक्सल। फंट टायर का बर्सट होना। स्टीयरिंग बॉबलिंग। स्टीयरिंग लंकेजिज की स्नैपिंग। एक्सीलेटर पैंडल का उछलना। क्लच रॉड की स्नैपिंग
	– ग्रयोग्य वाहन के साथ ग्र≒ानक टक्कर की विशिष्ट स्थिति में । ⊸ पहाड़ी उतरते समय त्रेक फ़ेल होने की स्थिति । – यान के समक्ष श्रचानक रुकावट ।
18. विशिष्ट स्थितियो में द्वादेशिंग	— भीग्रे मौसम में। सौझ, धुधलके तथा धूल भरी सड़कों में। द्रैफ़िक में।
19. टोविग (ट्रेलर ड्राइबिग)	─ प्रक्रिया। ─ टोव कोर्ड पर। ─ नियंत्रण की स्पीड। ⊶ रिवर्सिंग ग्रीर वाहन को ट्रेसर के साथ पोजीशन करना।
20. ईंधम बचत के तरीके।	
21. रिपोर्टे-⊷िषचारविसर्स	
(च) ट्रैफ़िक शिक्षण II	
1. ग्रपने मार्ग की जानकारी	─ कार्यात्मक वर्तीकरण। ← विजादन स्पीड। ─ मार्ग ज्यामिती। ← सर्फ़ेंस टाइपस एण्ड करेक्टरीस्ट्रिकस। ⊶ ढाल और ऊंचाई।
2. स्थलीय दूरी:	
-	⊶ भ्रकाबों पर। – चौराह्यों पर।
3. मार्ग-संयोजन	 - नियम एवं प्रकार। - टी संयोजन। - वाई संयोजन। - चार लेन वाले संयोजन। - फैल हुए (भटके हुए) संयोजन। - नियोबत संयोजन। - प्रमियंत्रित संयोजन।
4. ट्रैफिक द्वीप	─ चक्करवार मार्गों के प्रकार। - माध्यम।
 बाईपास, सबसे, एवर क्रिज-तथा फ्लाईभोवर 	ूँ- उद्देण्य। - ज्राइविंग प्रक्रिया।
6. बंस स्टाप, बस टॉमनल, बंस स्टैंड	— प्र वे ग । — निकास । — तरीका ।
7. मार्ग सीमांकन	⊶ सफ़ेद लाइन, लगातार ग्रौर ट्टी हुई। — पीली लाइन। - लाइन सीमांकन।

- **जॉ**बरा कासिंग।
- स्टाप लाइन।
- -- पाकिंग सीमांकन।
- मार्ग सिगनलों की दशा।

- 8. लेन का चुनाव और लेन भनुणासन।
- 9. स्वचालित लाइट सिगनल।
- मार्गं उपयोक्ता विशेषतासूचक :

- पैदल, शराब पिए हुए, बच्चे भीर भधे, बहरे भीर गुगे।
- जवान, बुद्ध, बच्चो महित स्त्रियां।
- धीमी गति के वाहन।
- 🛶 मोपेड ग्रीरमोटर साइकिस।
- म्राटों टैम्पू भौर वैनें।
- ⊸ बसें **घौ**र ट्रक।
- 🛶 वी आई पी, एम्ब्लैंस, आग इंजिन।
- पशु।

11. **दुर्घ**टनाएं।

- ⊶ दुर्घटनाम्रो के प्रकार।
- -- दुर्घटनाम्रो के कारण।
- बचाव के तरीके।
- कुर्यटनाएं होने पर ब्राइवर के दायित्व और जिम्मेवारियां।
- 12 मोटर यान मधिनियम, 1988 (1988 का 59) केन्द्रीय मोटर यान नियम 1989 क्षया राज्य मोटर यान नियम
- विभिन्न परिभाषाएं।
- → क्राइविंग लाइसेंस भीर उनका नवीकरण।
- ज्राइविंग लाइसेंस, पंजीकरण प्रमाणपत्न, फ़िटनैस घौर थीमा, परिमट टैक्सेशन कार्ड ध्रथवा परिमट टोकन का उठाना घौर जॉच घिं। कारी द्वारा मांगी जाने पर ऐसे कागजात उपलब्ध कराना।
- ट्रैफिक स्नपराध ग्रौर स्रक्षिनियमों व नियमों के स्रधीन निर्दिष्ट किए गए वण्डा।
- पेट्रोलियम अधिनियम, 1934 के सुसंगत उद्धरण।
- सिटी पुलिस अधिनियम
- भारतीय दंड संहिता, 1860।
- (छ) ड्राह्यरों के लिए सार्वजनिक सम्पर्कः प्रत्य सङ्क प्रयोक्ताओं के साथ नैतिक भीर विनम्न भ्यवहार के संबंध में कुछ प्राथमिक पहलू।
- (ज) भारी बाहन ड्राइबिंग प्रिन्टस:
- विभिन्न उपकरणो का परिचय-डायल शिंग भीर नियंत्रण
- 2. ड्राइविंग पूर्व जायः
- 3. हाइव शुरु करते समय:
- 4. ग्रामीण मार्री पर ड्राइविंग
- 5. तिर्णयन का विकास
- पूर्वाभास का विकास

- बार्झटग प्वांद्रट मूर्विग, उबल डीकल्च, स्टीर्यारग सांहत गियर बदलना स्टापिंग हैड सिगनल।
- भाई बी शी ई का प्रयोग-नियम।
- पॉसिंग, भ्रोवरटेकिंग मिंजिंग, डाइवर्शन एमं. ए्स. एम. भौर पी.
 एस. एल. प्रैक्टिस के स्टीन तरीके रक्षात्मक ड्राइविंग तरीको का सष्टी पालन।
- -मोड़ना, मिलना, चौराहों पर प्रवेश भौर मिलन, चुनाव भौर लेन नियम।
- -- चौराहा प्रवलोकन।
- 7. भीड़ वाली गॉलयों में ड्राइव करने की निपुणता विकसित करना।
- राम्नि कृषिण।
- म्राउटर कस्ट्री प्रैक्टिस श्रीर पहाड़ी ड्राइपिंग।
- 30. ग्रांतरिक ट्रेड टैस्ट।
- 11. पीछे मोड्ना (रिवर्सिंग) भौर पार्किंग प्रकटिस ।
- 12. लाइसेंसिग।

स. भाग संकटः

वाहन पर प्राग लगना प्रौर उसके बचाव के उपाय।

- ष्टा. वाह्स मनुरक्षण:
- 1 निक्षण्ट भीर भसावधान ड्राइधिंग के कारण वाहन के हिस्सों (कलपुत्रों) को प्रभा-जित करने वाले तत्व।
- 2. सामाध्य दैनिक अनुरक्षण और आवधिक अनुरक्षण।
- बैट्टी मनुरक्षण।
- 4. टायर धनुरक्षण धीर द्युब बस्केनाइजिंग।
- 5. इंजिन द्यून अप।
- ह्वील एलाइनमैंट जांच ।
- 7. बैक एडजस्टमैट।
- प्सीयेटर, शैक, क्लच-पैडल एडजोस्टमैट।
- 9. फ़ैन बेस्ट एडजें स्टमैंट।
- 10. हैश बोर्ड मीटरों का धवलोकन।
- 11 लूबंरीकेशन।
- 12. एयर लॉक घीर घॉयल ब्लाफ को हटाना।
- ट. प्राथमिक चिकिस्सा
- प्राथमिक चिकित्सा का परिचय।
- 2. प्राथमिक चिकित्सा की ग्राउटलाइन।
- 3. शरीर की संरचना और कार्य।
- क्रैसिंग और पट्टी करना।
- 5. रक्त-संचार।
- जसम भीर रक्तस्राव।
- 7. विशिष्ट क्षेत्रों से रक्तस्राव।
- ८. भाषात ।
- 9. श्वसन।
- 10. हक्कियों की भोट।
- 11. बर्मिंग स्केल्स।
- 12. ग्रवचेतना (इंटरसिबीलिटी)।
- 13. जहर।
- 14. प्रकीर्णशर्ते।
 - (2) नॉन-ट्रांसपोर्ट वाहनों के ट्रेनिंग क्राइवरों के लिए पाठों में उप-नियम (1) के भाग क, खा, ग, घ, च, छ, भौर ट कवर होंगे तथा इनके लिए प्रशिक्षण-काल 45 दिस से कम महीं होगा।
 - (3) ट्रांसपोर्ट वाहमों के ट्रेनिंग ड्राइवरों के लिए पाठों में उप-नियम (1) के भाग रू, च, छ, ज, भीर ट कवर होंगे भीर इनके लिए प्रशिक्षण काल भारी वाहनों के लिए 60 दिन तथा मध्यम या हल्के वाहनों के लिए 45 दिन से कम नहीं होगा।
 - (4) मान-ट्रांसपोर्ट बाहन चालन के प्रशिक्षणार्थियों के लिए बास्तविक चालन घंटे, जौबीस घंटे से कम नहीं होंते ग्रीर ट्रांसपोर्ट बाहन चालन के प्रशि-क्षणार्थियों के लिए बास्तविक चालन घंटे, तीस घंटे से कम नहीं होंगे।

32 फीम-वह फीस जो इस अध्याय के उपवन्धों के अधीन . भारित की जाएगी वह होगी जो नीचे भारगी में विनिधिव्द की गई हैं:

सारणी

	** **			
म सं	. प्रयोजन	रकम	नियम	<u>धारा</u>
(:	1) (2)	(3)	(4)	(5)
	प्रत्येक वर्ग के यान के लिए नौसिखिया धनुक्राप्ति जारी करने य उसका नवीकरण करने के संबंध में रकम	ा पन्त्रह रूपए	10	3
2.	प्ररूप 6 में चालन अनुज्ञाप्ति के जारी करने के संबंध में	बीस रुपये	14 (অ)	
3	प्ररूप 7 में चालन अनुक्राप्ति के जारी करने के संबंध में	पैतालीस रुपए	14 (ख)	
4	चालन के लिए सक्षमता परीक्षण के संबंध में	पन्द्रह रुपाएँ	14 (खr)	
	प्ररूप 6 में चालन भ्रमुज़प्ति में किसी दूसरे वर्ग के यान का पा वर्षन करने के संबंध में	रे- पन्द्रहरूपए	17 (1) (घ)	
3.	प्ररूप 6 में चालन अनुक्राध्ति के नवीकरण के संबंध में	पन्द्रह स्पए	15 (1) (客)	
;	ऐसे भोटरयान चलाने के लिए जिसके लिए प्रावेदन मनुग्रह धर्चा के पश्चात किया गया है, प्ररूप 6 में चालन भनुज्ञप्ति के नवी- करण के संबंध में			15 (4)
	प्ररूप 7 में चालन धनुज्ञा ^{ष्} त में दूसरे वर्ग के मोटरथान के परि- वर्धन ग्रौर प्ररूप 7 में चालन धनुज्ञा ^{ष्ट्} त के पंजीकरण के संबंध		17 (1) (घ) 18(1)(क)	15 (4)
	चालन में ब्रनुदेश देने के लिए किसी स्कूल था मंस्थापन के लि। प्रनुक्रप्ति के जारी करने धौर उसकी नवीकरण करने के संबंध में		24 (2)	
	चालन में मनुदेश देने वाले स्कूल या संस्थापन के लिए मनुक्राप्ति की दूसरी प्रति के जारी करने के संबंध में	पंचास रुपए	26 (2)	
	नियम 30 में निर्विष्ट भ्रनुज्ञापन प्राधिकारी के श्रादेशों के विरूद्ध किसी भ्रपील के संबंध में	पंचास रुपए	30 (1)	

अध्याय अ

मोटर यानों का रजिस्ट्रीकरण

33. रजिस्ट्रीकरण से छूट के लिए शर्त-ें व्यारा 39 के परन्तुक के प्रयोजन के लिए किसी व्योहारी (डीलर) के कब्जे में का मोटरयान रिजस्ट्रीकरण की मानश्यकता से इस शर्त के मधीन छूट प्राप्त हीगा कि वह उस रिजस्ट्रीकर्ता, प्राधिकारी से व्यवसाय प्रमाणपत्न भिष्मप्राप्त करता है जिसकी उस क्षेत्र में मधिकारिता है जिसमें व्योहारी (डीलर) का इस मध्याय के उपबंधों के ममुसार कारबार का स्थान है।

- 34. व्यवसाय प्रमाणपन--(1) व्यवसाय प्रमाणपत्न के विए जाने या उसके नवीकरण के लिए प्रावेदन, प्ररूप 16 में किया जाएगा और उसके साथ नियम 81 में विनिर्दिष्ट समुचित फीस होगी।
- (2) निम्नलिखित वर्गों के यानों में से प्रत्येक के लिए पृथक् माबेदन किया जाएगा, प्रयात्:—
 - (क) मोटर साइकिल,
 - (ख) भगकतयात्री गाड़ी;
 - (ग) हस्का मोटर-थान
 - (घ) मध्यम यास्री मोटर यान;

- (इ) मध्यम माल यान;
- (च) भारी यान्नी मोटर यान;
- (छ) भारी माल यान;
- (ज) विशिष्ट वर्णन का कोई ग्रन्थ मोटर यान।
- 35. व्यवसाय प्रमाणपत्र का दिया जान या नवीकरण--
- (1) किसी यान के संबंध में किमी व्यवसाय प्रमाणपत्नों के विए जाने या नवीकरण के लिए किसी प्रावेदन की प्राप्ति पर रिजस्ट्रीकर्ता प्राधिकारी, यि उसका यह समाधान हो जाता है कि प्रावेदक एक सप्भावपूर्वक व्यवहारी है और उसे प्रावेदन में निर्मिविट प्रमाणपत्नों की प्रपेक्षा है, तो वह प्रावेष द्वारा धावेदक को प्ररूप 17 में, यथास्थिति एक या प्रधिक प्रमाणपत्न जारी कर सकेगा और प्रत्येक प्रमाणपत्न की बाबत व्यवसाय रिजस्ट्रीकरण जिल्ला समनुवेशित करेगा जिसमें प्रत्येक यान के लिए प्रधिनियम की धारा 41 की उपधारा (6) के धधीन निकाली गई प्रधिसूचना में निर्विट रिजस्ट्रीकरण जिल्ला और दो प्रकार तथा तीन संक्थाओं से धनिक का एक संक्थांक होगा, जैसे:

कख--राज्य कोड़ को प्रकट करता है।

12---रजिस्ट्रीकरण जिला बोर्ड

व्यः पत्र---याम के लिए व्यवसाय प्रमाणपत्र।

- (2) व्यवसाय प्रमाणपत्न के लिए किसी धावेदन को रिजस्ट्रीकर्ता प्राधिकारी द्वारा पत्न तक नामंजूर नहीं किया जाएगा जब नक अधेवक को मुनवाई का अवसर रहीं दे दिया जाना है और ऐसी नामंजूरी के लिए सिखिल रूप में कारण नहीं विए जाते हैं।
- 36. प्रतिदाय --- जहां रिजिस्ट्रीकर्ता प्राधिकारी कोई व्यवसाय प्रमाणपव जारी करने या उसका नवीकरण करने से इकार करना है वहां वह प्रावेदक को प्रावेदन के साथ संदत्त फीस के प्रवास प्रतिगत का प्रतिदाय करेगा।
- 37. विधिमान्यता की अविधि—नियम 35 के अक्षीन दिया गया या नवीकृत किया गया व्यवसाय प्रमाणपत्न, उसके जारी अथवा नवीकृत किए जप्ने की तार्राध से बारह मास की अविधि तक प्रवृत्त रहेगा और समस्त भारत में प्रभावी होगा।
 - 38. प्रमाणपञ्च की दूसरी प्रति का जारी किया जाना---
- (1) यदि किसी समय व्यवसाय प्रमणपत्न गुम हो जाना है या नष्ट हो जाना है तो उसका धारक उसकी उस पुलिस थाने की, जिसकी प्रिष्ठ-कारिना में वह गुम या नष्ट हुआ है, रिपोर्ट करेगा और उस तथ्य की मूचना लिखित रूप में उस रिजस्ट्रीकर्ना प्राधिकारी को देगा जिसके द्वारा प्रमाणपत्न जारी किया गया था और प्ररूप 18 में नियम 81 में विनि-विष्ट रूप में समुचित कीम के माथ दूसरी प्रणि के लिए उक्षण प्राधिकारी को धावेदन करेगा।
- (2) फीस के साथ धावेदन की प्राप्ति पर रजिस्ट्रीकर्ती प्राधिकारी "सही प्रमाणपत्न" के रूप में दूसरी प्रति जारी कर संकेशा, जिस पर स्पष्ट रूप से "वृसरी प्रति" चित्तिन होगा।
- (3) यदि, प्रमाणपत्र की दूसरी प्रणि जारी किए जाने के पण्चात् मूल प्रणि बाद में मिल जाती हैतो वह तुरन्त उस रिजस्टीकर्ता प्राधिकारी को ग्राध्यपित कर दी जाएगी जिसके द्वारा वह जारी की गई थी।
 - 39 व्यवसाय रिजस्ट्रीकरण चित्र और संदर्शक का उपयोग--
- (1) एक व्यवसाय रिजर्स्ट्रीकरण चिह्न और मंख्यांक का उपयोग एक ही समय में एक से अधिक यानों पर या उस यान में भिन्न किसी यान पर नहीं किया जाएगा जो किसी व्यवहारी के कारबार के अनुक्रम में उसके सद्भावपूर्वंक कब्जे में हैं या ऐसे यान से भिन्न किसी प्रकार के यान पर उसका उपयोग नहीं किया जाएगा जिसके लिए व्यवसाय प्रमाणपत्न जारी किया गया है।
- (2) व्यवसाय प्रमाणपत्र मौमम रोधी परिपत्न फोलंडर में मोटर यान में ले जाया जाएगा और व्यापार राजिस्ट्रीकरण जिल्ल को यान में महज-बुग्य स्थान में मंप्रवर्शित किया जाएगा।
 - 40 व्यवसाय प्रमण्णपत्र या व्यवसाय रिजस्ट्रीकरण चित्रु और संख्यांक देः उपयोग पर निर्वाधन--

व्यवसाय प्रमाणपत्न का प्रयोग फेबल उस व्यक्ति हारा ही किया जाएगा जिसे वह जारी किया गया है और ऐसा व्यक्ति उसके संबंध में प्रमाणपत्न या समन्देशिया संख्यांक को किसी धन्य व्यक्ति हारा उपयोग किए जाने के लिए धनुजान नहीं करेगा या उसकी प्रस्थापना नहीं करेगा या उसका उत्योग नहीं होने देगा,

परन्तु इस नियम के उपबंध वहां नहीं लागू होंगे जहां ऐसा व्यक्ति जिसकी प्रमाणपन्न दिया गया है या उसके नियोजन में कोई ऐसा व्यक्ति जो उसके प्राधिकार के प्रधीन मक्षावपूर्वक कार्य कर रहा है, या कोई ऐसा प्रमाण व्यक्ति जो किसी व्यवसाय प्रमाणपन्न के घारक की ओर से सबभाव पूर्वक कार्य कर रहा है, यान में उपस्थित है या यदि ऐसा यान केवल एक व्यक्ति द्वारा उपयोग के लिए परिकल्पित है और उसका उपयोग उचित पराक्षण या जांच के प्रयोजन के लिए उस यान के किना भावी कैता द्वारा किया जाता है।

41 | प्रयोजन जिनके लिए व्यापार प्रमाणपत्न सिंहम मोटर यान को उपयोग किया जा सफेगा--

व्यवसाय प्रमाणपत्न का धारक उन प्रमाणपत्न के ग्रधीन किनी सार्व-जनिक स्थान में किसी मोटरयान का उपयोग निम्नलिखिन से भिन्न किनी प्रयोजन के लिए नहीं करेगा—

- (क) सिक्तमीण या मरम्मल के भ्रमुक्तम के बौरान या उसके पूरा होने होने के पण्चात किसी व्यवसाय प्रमाणपत्र के धारक द्वारा या उसकी ओर से जॉच के लिए,या
- '(खा) तोलन के लिए या उसके पश्चान् नोलसेनु को भ्राग्रसर या उसमे बापसी के लिए, या उसके रिजिड्डोकरणा के किनी स्थान को या उसके; या
- (ग) भावी केता के द्वारा या उसके फायदे के लिए उचित जांच या प्रदर्शन के लिए और उस स्थान को प्रथमर होने या उससे वापनी के लिए जहां ऐसा व्यक्ति उसे रखने क प्राणय रखना हो; या
- (घ) परिवान के प्रयोजन के लिए व्यौहारी के या केता के या किसी प्रस्य व्यौहारी के परिसरों को ध्रमसर होने या यहा से वापसी के लिए; या
- (क) यान में बाढी लगाने या बेंट करने या मरम्मत के उद्देश्य में किसी कर्मशाला को अग्रेमर होने या उससे वापसी के लिए; या
- (च) हवाई भड्डा, रेल स्टेशन, घाट के ग्राप्रमर होने या उससे वापसी के लिए ; या
- (छ) मोटर यान या किमी ऐने प्रन्य स्थान की प्रश्नोंनी को जहां यान विकथ के लिए प्रस्थापित किए जाने हैं या किए जा रहे है, भग्रसर होने या उससे वाग्सी के लिए ; या
- (ज) ऋष भाडा, पट्टा या आडमान के करार के उपबन्धों के अधीन अन्य पक्षकार की और से किसी तृटि के कारण जिनदाना ग्रारा या उसकी भीर से कब्जा लिए जाने के परवान यात को हटाने के लिए।
- 42. रिजिस्ट्रीकरण के प्रधीन यान का परिशान → व्यवसाय प्रमाणपत्न का कोई झारक ग्रस्थायी या स्थायी रिजिस्ट्रीकरण के बिना केना को मोटर यान का परिवान नहीं करेगा।
- 43. व्यवसाय प्रमाग पत्र का रिजिस्टर (1) व्यवनार प्रनागतत्र का प्रत्येक घारक प्रकृष 19 में दो प्रतियों में एक रिजिस्टर सम्बक्त रूप से बनाए रखेगा जो जिल्द चढ़ा पुस्तक में होगा और उनके पृथ्वों को क्रमांकि रूप से संख्योंकित किया जाएगा।
- (2) प्ररूप 19 में निर्दिष्ट विशिष्टियों का, प्रन्त 19 के स्तम्म 7 के अधीन विवरणों के समय को छोड़कर, व्ययसाय प्रमाणपत्न के आरक या उसके प्रतिनिधि द्वारा प्रस्थेक याता वौर के प्रारम्भ के पूर्व रिजम्बर में प्रविष्ट किया जाएगा और प्रत्येक याता दौर के प्रारम्भ के पूर्व वनाए गए प्ररूप 19 की दूसरी प्रतियान के ड्राइवर द्वारा याता वोर के दौरान ने जाई जाएगी, और अधिनियम द्वारा या उसके अधीन दस्तावेज पेश किए जाने की मांग करने के लिए समजत किमी अधिकारी द्वारा मांग किए जाने पर, पेश किए जाले।
- (3) व्यवसाय प्रमाणपत्न का धारक, यात्रा दौर की समाध्ति पर, प्रक्ष 30 के स्मम्भ 7 (मूल और तूमरी प्रति दोनों) को भरेगा भीर रिजस्टर भीर तूमरी प्रति की प्रतितिति या प्रकष रिजस्ट्रीकर्ती प्राधिकारी हारा निरीक्षण के लिए खुला व्हेगा।
- 44 व्यवसाय प्रमाणनक्र का निलम्बन या रह किया जाना → यदि राजस्ट्रीकली प्राधिकारी के पास यह विश्वास करने का कारण है कि किसी

व्यवसाय प्रयाण पक्ष के धारक ने नियम 39 से 43 तक के उपवन्तां का अनुपालन नहीं किया है तो वह धारक को सुनवाई का अवसर देने के पश्चाल, उसके ब्रारा धारित व्यवसाय प्रमाणपत्र को निलम्बिय या उह कर सकेगा।

- 45 अगील नियम 35 या नियम 41 के अधीन रिजन्दीकर्ता प्राधिकारी के किसी आवेश से व्यथित कोई व्यक्ति, ऐसे आदेश की आित के तीन दिन के भीतर, धारा 213 के अधीन स्थागित सोटर यान विसाग के विभागाध्यक्ष की प्राप्ति कर सकेगा।
- 46 प्रापील के लिए प्रक्षिया (1) नियम 45 में निविष्ट प्रापील दो प्रतियों में नापन के प्रक्षप में की जाएगी जिसमें रिजम्द्रीकर्ता प्राधिकारी के ब्राह्मेश की बाबन ब्राक्षियों के ब्राह्मारों का सक्षेप में उल्लेख किया जाएगा और उसके साथ नियम 81 में विनिधिष्ट सम्बित फीम बीर उस ब्राह्मेश की एक प्रमाणित प्रति होगी, जिसमे विष्यत ब्रापील की गई है।
- (2) श्रपील प्राधिकारी, पक्षकारों का मुनवाई का श्रवसर देने के पश्चान और ऐसी जांच यदि कोई हो, करने के पश्चात जो वह आवश्यक समसे. समुचिन प्रादेश पारित कर के ता।

रित्रस्ट्रीकरण

- 47 मोटरयानों के रिजस्ट्रीनरण के लिए धाबेदन --(1) भैंगेटर यान के रिजस्ट्रीकरण के लिए धाबेदन यान का परिदान लेने के समय में दी दिन की धविध के भीतर, जिसके धंतमत यावा धविध नहीं है. रिजस्ट्री-कर्ना मधिकारी को प्रस्प 20 म किया जाएगा और उसके साथ निम्तनिक्षिम गंत्रस्त होंगे :--
 - (क) धरप 21 में विक्रय प्रभाणपञ्च,
 - (ख) विश्विमान्य बीमा प्रमाणपत्र,
 - (ग) ट्रैलर या अर्क्ड ट्रेलर की दणा में, उपके डिजाइन का अनुमोदन करने वाली राज्य परिवहन प्राधिकरण की कायवाहिया नी प्रति,
 - (ग) गेन। के भूतपूर्व यान की दला में संबंधित पाधिकारियों में प्रस्प 21 में मल विकय प्रमाणपत्न,
 - (ड) नियम 1 में निर्दिश्ट दस्ताबजों में में किसी एक के रूप में गते का मधन,
 - (त) अस्थायी रजिस्टीकरण यदि कोई हो,
 - (छ) प्ररूप 22 में विनिर्माता से गइक उपयुष्तना का प्रमाणपता,
 - (ब) प्राथातित यानों की दलः में अनुक्राप्ति और बंधपत्र, यदि कोई
 हो, के साथ सीमाण्यक निकासी प्रमाणपत्र, ग्रीर
 - (झ) नियम 81 में विनिर्दिष्ट समृवित कीस।
- (2) अस्थायी स्प रो रिजस्ट्रीकृत यान की बावत, उपनियम (1) के श्रधीन आवेषन, श्रस्थायी रिजस्ट्रीकरण की समाध्य के पूर्व किया जाएगा।
- 48. रिजस्ट्रीकरण प्रमाणपत्र का जारी किया जाता → नियम 47 के अधीन किसी प्रावेदन की प्राप्ति पर और उसके साथ दिए गए दस्तावेजी के मत्यापन के पृष्पात रिजस्ट्रीकर्ना प्राधिकारी, धरा 44 के उन्नावेजी अधीन रहते हुए मोटर यान के रवामी की प्रस्प 23 में रिजस्ट्री करण प्रमाण पत्र जारी करेगा।
- 49. रिजस्ट्रीकरण श्रीभिलेखों का रिजस्ट्रीकर्ता प्राधिकारी द्वारा रखा जाना प्रत्येक रिजरट्रीकर्ता प्राधिकारी प्रस्प 24 में धारा 41 के प्रजीत उमके द्वारा रिजस्ट्रीकर्त मोटर यानों का और अन्य राज्यों के मोटर वानों का, जिनके लिए नया रिजस्ट्रीकरण चिक्री धारा 47 की उपधारा (2) के प्रधीन उमके द्वार ममनुदेशित किया गया है, एक स्थायी प्रभिलेख रखेंगा और संधित रिजस्ट्रीकरण मंख्यांक के प्रधीत ऐसे श्रीभिलेखों में ऐसे सभी परिवननों को भी दर्ज करेगा जो धारा 41 की उपधारा (14), धारा 49 को

्पद्मारा (5), घारा 50 की उपधारा (6), घारा 51 की उपधारा (1), (2), (3) भौर (5), द्वारा 52 की उपधारा (4) भौर धारा 53 के अधीन निलम्बन के आवेगों भौर धारा 54 के अधीन रह

- 50. मोटर साइकिल छीर स्रशस्त यासी गाडी से भिन्न यानों की बाबत रिजिस्ट्रीकरण चिहनों ना आकार और उनके प्रवर्शन की रीति (1) धारा 41 की उपधारा (6) में निर्दिष्ट रिजिस्ट्रीकरण चिहन यान की किसी प्लेट या उनके भाग के मादा तल पर स्पष्ट स्प से और मुवाठ्य रूप में दिशित किए आएंगे जो सामने या पीछे बोनों और सीधे सामने या पीछे की और मुख किए हुए नीस अंग से अनधिक उर्जा स्प से भूके हुए नहीं होंगे, जो निम्तलिखन रीति से होंगे, अर्थात् : -
 - (क) मोटर साहिकल धौर प्रणक्त यादी गाडी मे भिन्न मोटर यानो की दणा में, रिजस्ट्रीकरण चिहन कम मे जम 6.5 मेंटीमीटर ऊंचा धौर 1.5 मेंटीमीटर मोटा होगा जिस पर कम से कम 9 सेंटीमीटर ऊंचाई धौर 2 सेंटीमीटर मोटाई के ग्रंक होंगे शौर विभिन्न ग्रक्षरों या श्रंकों के बीच या अंकों घौर ग्रक्षरों के बीच रिक्त स्थान होगा और मादा तल का किनारा 1.5 मेंटीमीटर में कम नहीं होगा:

परन्सु

- (क) परिव्रहन यान के पिछले भाग पर प्रदिशित रिजिस्ट्रीकरण चिहन जमीन से एक मीटर से भ्रनिधक की दूरी पर वाएं हाथ की छोर यान पर लगाया जाएगा जो यान की वाड़ी के प्रकार को ध्यान में रखते हुए उचिन रूप में संभव हों;
- (ख) किसी परिवहन यान की दशा में, रिशास्त्रीकरण चित्रन यान की बाडी पर दाई श्रीर बाई श्रीर भी लिखा जाएगा ;
- (ग) किसी संजिली गाड़ी या टेका गाड़ी की दशा में, रिजस्ट्रीकरण जिहन ड्राइवर थौर यात्रियों के बीच, यात्रियों की सीटों की भौर मृख किए हुए उपलब्ध विभाजन पर भी लिखा जाएगा और प्रदिश्ति किया जाएगा या जहां ऐसा वोई विभाजन नहीं हैं वहा वह इाइवर की सीट के बाई और यात्रियों की सीट के सम्मुख, छत के निकट यान के अस्वर बाले भाग पर लिखा जाएगा और मोटर कब या मक्सी कब की दणा में यशि रिजस्ट्रीकरण जिहन देख थोड़ पर लिखा जाना है तो यह पर्यान होगा;
- (घ) ट्रेलर की दणा में रिजिस्ट्रीकरण चित्रन उसके बाएं हाथ की धोर सावा प्लेट या तल पर धीर उसके पीछे वाले भाग पर या ट्रेलर के अत्लिम वाले भाग पर, उस चालन मोटर यान के जिससे ऐसा ट्रेलर संलग्न श्र. रिजिस्ट्रीकरण चिह्न के अलावा, प्रदर्शित किया जाएगा।
- 51. मोटर साइकिल धौर अग्रवन यात्री गाड़ी की बाबत रिजिस्ट्रीकरण चिन्हों का आकार धौर उनके प्रदर्शन की रीति → मोटर-साइकिलों या अग्रवन यात्री गाड़ी की वणा में, रिजिस्ट्रीकरण चिह्न कम में कम 4,5 मैंटीमीटर ऊंचा धौर 1 मेंटीमीटर मोटा होगा धौर संख्याएं कम री कम 6 सेंटीमीटर उंचा घौर 1 सेंटीमीटर मोटी होगी जिनमें किसी अक्षर 1 संख्या के बीच रिक्त स्थान होगा या सादा तल का किनारा कम से कम 1 सेंटीमीटर का होगा,

परन्तु किसी मोटर साइकिल की दया में, रजिस्ट्रीकरण चिन्ह को यान के एक्सिस के साथ लाइन में प्लेट पर संप्रविशत किया जा सकेगा धीर यदि ऐसा किया जाता है तो वह प्लेट के दोनों घोर संप्रदर्शित किया जाएगा।

52. रजिस्ट्रीकरण प्रमाणपत्र का नवीकरण — (1) परिवहन यान से भिन्न किसी मोटर यान के स्वामी द्वारा या उसकी भीर में रजिस्ट्रीकरण प्रमाणपत्र के नवीकरण के लिए भावेदन उस रिजस्ट्रीकर्ना प्राधिकारी की जिमकी अधिकारिता में यान है, प्राहप 25 में उसकी समाप्ति की तारीख से साठ दिन से ग्रनधिक पूर्व किया जाएगा जिसके माथ नियम 81 में विनिर्विष्ट समुचित फीस होगी।

(2) उपनियम (1) के भ्रयोन किसी श्रावेदन की प्राप्ति पर, रिजिस्ट्री-कर्ता प्राधिकारी धारा 56 की उपधारा (1) में विनिर्विष्ट प्राधिकारी को यान की निर्वेशित करेगा भीर उस प्राधिकारी से टीक हालन में होने का प्रमाणपद्ध स्रिप्ताप्त करने के पण्यान रिजिस्ट्रीकरण प्रमाणपद्ध का नदी-भारण करेगा:

परन्तु उस वशा में जहां ठीक हायत में होने का प्रमाण पत्न, रिकम्झी-करण प्रमाणपत्न की समाप्ति के पश्चात् की तारीख को विया जाता है वही नवीकरण ठीक हालत में होने का प्रमाणपत्न दिए जाने की तारीख में पांच वर्ष की अर्थाध के लिए किया जाएगा।

- (3) पाँचबह्न यान से भिन्न कोई मोटर यान, रजिस्ट्रीकरण प्रमाणपक्त में प्रविष्टि विधिमान्यता की अवधि की समाति के पश्चात, धारा 39 के प्रयोजनों के लिए विधिमान्य रूप से रजिस्ट्रीकृत नहीं समझा जाएगा और किसी ऐसे यान का किसी सावजनिक स्थान मे नब तक प्रयोग नहीं किया जाएगा जय तक कि रजिस्ट्रीकरण प्रमाणपत्र का उपनियम (2) के अधीन मशीकरण नहीं किया जाता है।
- 5 . राजिस्ट्रीकरण प्रमाण पक्ष की दूसरी प्रति का जारी किया जाना----
 - (1) यदि किसी समय रजिस्ट्रीकरण प्रमाणपक्ष खो जाता है या नव्ट हो जाता है हो स्वामी, ऐसे पुलिन थाने में रिपोर्ट करेगा जिसकी प्रशिकारिता में वह खोबा है या नव्ट हुआ है और इस तथ्य की लिखिन सूचना ऐसे रजिस्ट्रीकर्ता श्रिधिकारी को देगा जिगने र्राजस्ट्रीकरण प्रमाणपत्र जारी किया था।
 - (2) रिजस्ट्रीकरण प्रमाणपत्र की दूसरी प्रति आरी करने के लिए भावेथन मुल रिजस्ट्रीकर्ता प्राधिकारी को प्ररूप 26 में किया आएगा और उसके साथ नियम 81 में विनिविष्ट समृचिन कीस होगी ।

54. नए र्राजस्ट्रीकरण चिक्क का समृतुवेशन :---(1) धारा 47 की उपधारा (1) के अधीन नए रिजस्ट्रीकरण चिक्क के समृत्वेशन के लिए आवेदन उक्त धारा में विनिर्दिष्ट अविध की समाप्ति की नारीख से तीम विन के भीतर प्राक्ष्य 27 में किया जाएगा और उसके साथ प्रस्प 28 में निराक्षय प्रमाणपत्र और नियम 81 में विनिर्दिष्ट समृचित फीम लगी होगी:

परन्तु जहां कोई यान उस राज्य में बारह मास से श्रीधक की श्रवि के लिए रखा जाना हो श्रीर ऐसे यान का नामी इस श्राणा की घोषणा कर देता है वहां श्रावेयम उस्त बारह माम की श्रविध के भीतर किसी समय किया जा सकेगा।

- (2) उपनियम (1) के भाषीन धावेदन की प्राप्ति पर, राजिस्ट्रकर्ता प्राधिकारी, धारा 44 के उपबंधों के प्रधीन रहने हुए, यान को राजिस्ट्री-करण चिह्न समनुदेशित करेगा ।
- 55. स्वामित्व का अन्तरण :--(1) जहां किसी मोटर यान का स्वामित्व भन्तरित किया जाता है वहाँ भ्रन्तरक ऐसे भन्तरण प्रक्ष्य 29 में रिपोर्ट उस रिजस्ट्रीकर्ता प्राधिकारी को करेगा जिसकी भधिकारिता में भ्रम्तौरती निवास करता है या जिसका कारोबार का स्थान है।
- (2) धारा 50 की उपधारा (1) के खंड (क) के उपखंड (1) के प्रधीन किसी मोटर यात के स्थामित्य के अन्तरण के लिए ग्रावेदन, ग्रहप 30 में ग्रंतरित द्वारा किया जाएगा ग्रीर उसके साथ निस्नलिखित होगा----
 - (i) रजिस्ट्रीकरण प्रमाणपस्त,
 - (ii) बीमा प्रमाणपक्ष, भीर
 - (iii) नियम 31 में बिनिविष्ट समुचित फीस।
- (3) धारा 50 की उपधारा (1) की खंड (क) के उपखंड (ii) के क्रमीन मोतर यान के स्वामित्व के अन्तरण के लिए आवेदन, प्रकृप 30 में किया जाएगा और उसके साथ उपनियम (2) में निर्दिष्ट दस्ताबेजों

ग्रीर फीस के भतिरिक्त निम्नलिखित में से कोई एक दस्तावेज संयम किया जाएगा, ग्रर्थात् :---

- (क) धारा 48 की उपधारा (3) के मधीन रिजन्द्रीकर्ता प्राधिकारी द्वारा दिया गया निराक्षेप प्रमाणपत्न, या
- (का) बारा 48 की उपधारा (3) के प्रधीन निराक्षेप प्रमाणपत्र देने से इन्कार करने वालम राजस्ट्रीकर्ता प्रधिकारी का प्रावेश, या
- (ग) जहां, यथास्थित, निराक्षेप प्रमाणपत या भावेण प्राप्त सही किया गया है वहां भ्रम्तरफ द्वारा की गई यह बोपणा कि उसने कोई संसुचना निम्नलिखित के साथ प्रधिप्राप्त नहीं की है:----
- (i) धारा 48 की उपधारा (2) के प्रधीन राजिन्द्रीकरण प्राधि-कारी में अधिप्राप्त रामींद : अथवा
- (ii) जहां निराक्षेप प्रमाणपत्र के लिए श्राबेधन डाक से भेजा गया है, बहा रिजस्ट्रीकरण प्राधिकारी से प्राप्त डाक पायती ।

56 यान के स्वामी को मृत्यु हो जाने पर स्वामित्य का अस्परण :---

- (1) जहा किसी मोटर यान के स्वामी की मृत्यु ही जाती है, वहा यान का कटका लेने बाला धगला व्यक्ति यान का प्रयोग तीन मास की कालाबिट के लिए इस प्रकार कर सकेगा मानो इसे उसके नाम में घनत-रित कर दिया गया है जहां ऐसे ब्यक्ति ने उक्त यान के स्वामी की मृत्यु के तीम दिन के भीतर रिजस्ट्रीकरण प्राधिकारी को उक्त स्वामी की मृत्यु और उक्त यान कां प्रयोग करने के धगर्न ध्रावय की सूचना दे दी हो।
- (2) उपनियम (1) में निर्दिष्ट व्यक्ति, तीन माम की प्रयिधि के भीतर, उस यान के स्वामीत्व के प्रपत्ने नाम में प्रकारण के लिए रिजस्ट्रीकरण प्राधिकारी के, निम्नक्षिण्वत के साथ प्रकृप 31 में भाषेदन करेगा
 - (क) निथम 81 में बिनिर्दिष्ट समुचित फील ;
 - (ख) र्गजस्ट्रीकृत स्थामी से संबंद्ध मत्य प्रमाणपत्र ;
 - (ग) राजिन्हीकरण प्रमाणपत्न, भीर
 - (घ) बीमा प्रमाणपत ।
- 57. लोक नीलामी में अप किए गए यान के स्वामित्व का घन्नरण:--
- (1) वह व्यक्ति, जिसने कोई मोटर यान केन्द्रीय सरकार ग्रथवा राज्य सरकार द्वारा या उस की ग्रोर से की गई नीलामी में भिजित या श्रम्म किया है, रिजिस्ट्रीकरण प्राधिकारी को यान का कबजा लेने के तीस दिन के भीतर प्रक्रम 32 मे, निम्निखित के साथ, ग्रावेदन करेगा---
 - (क) नियम 81 मे विनिविष्ट समुचित फीस;
 - (ख) रजिस्ट्रीकरण श्रीर बीमा प्रमाणपन्न;
 - (ग) ग्रानने नाम में यान के विकय की पुष्टि करने वाला प्रमाणपन्न या आदेश जिस पर नीलामी करने के लिए प्राधिकृत व्यक्ति के सम्पन हस्ताक्षर हों;
 - (घ) यान की नीलामी को प्राधिक्वन करने वानी केन्द्रीय सरकार या राज्य सरकार के श्रावेश की प्रमाणित प्रति ।
- (2) जहां नीताम किया गया यान ऐसा यान है जो बिना किसी रिजिस्ट्रीकरण चिह्न के है या जिस पर ऐसा रिजिस्ट्रीकरण चिह्न हैं जिसे सत्यापन पर सूटा पाया गया है तो रिजिस्ट्रीकरण प्राधिकारी, घारा 44 के उपबन्धों के प्रधीन रहते हुए, यान की नीतामी करने वाली केन्द्रीय सरकार या राज्य सरकार के विभाग के नाम में यान की नया रिजिस्ट्रीकरण चिह्न समनुदिष्ट करेगा और उसके पश्चीन यान के स्वामित्व के भन्तरण की, उस व्यक्ति का नाम और पता वेते हुए, प्रविष्टिया भ्रभिलिखित करेगा, जिसे यान का विकय किया गया है।

- 58. निराक्षेप प्रमाणपत्र :---(1) किमी मोटर यान की बावन धारा 48 के ब्राचीन निराक्षेप प्रमाणपत्र के जारी किए जाने के लिए आवेदन उस रिजस्ट्रीकरण प्राधिकारी को प्रसप 28 में किया जाऐगा, जिसके हारा यान का पहले रिजस्ट्रकरण किया गया था और उसके साथ निम्नलिखित संद्रान होगा---
 - (क) रजिस्ट्रीकरण प्रमाणपत्र की प्रमाणित प्रति,
 - (खा) बीमा प्रमाणपत्र की प्रमाणित प्रति,
 - (ग) अप्रतन मोटर यान कर के संवाय का माक्य,
 - (ष) यदि किसी कतिपय कालावधि के लिए कोई कर संदेय नहीं है तो कर संबहण प्राधिकारी से इस झालय का प्रमाणपत्र कि उक्त कालावधि के लिए यान से कोई कर शोध्य नहीं है।"
- (2) किसी परिवहन यान की दशा में, उपनियम (1) में विनिर्दिष्ट दस्तावेजों के अतिरिक्त, निम्नतिखित सामलों की बाबत दस्तावेजी साक्ष्य की पेश किया जाएंगा, अर्थातु:--
 - (क) उक्त यान किसी परिवहन प्राधिकरण द्वारा जारी किसी श्रनुशा-पत्न के श्रन्तर्गत नहीं श्राता,
 - (का) धारा 86 की उपधारा (5) भीर उपधारा (6) के स्रधीन अनुज्ञापत्र के धारक द्वारा संदत किए जाने के लिए करार की गई धनराशि की, यदि कोई हो, वसूनी संवित नहीं है,
 - (ग) निराक्षेप प्रमाणपक्ष के लिए द्यावेदन करने की लारीख नक तस्ममय प्रवृत किसी विधि के ध्रधीन यात्रियों खीर मास पर कर के संदाय का साक्ष्य ।
- (3) उपनियम (1) के ब्रधीन किसी श्रावेदन की प्राब्ति पर, र्राज-स्ट्रीकरण प्राधिकारी प्ररूप 28 के माग 3 की भरेगा श्रीर सम्यक रूप से हस्माक्षिरत उस भाग को आवेदक को लौटा देगा।
- (4) जहां रिजिस्ट्रीकरण प्राधिकारी, निराक्षेप प्रमाणपत्न संजूर करता है या संजूर करने से इत्कार करता है, यहां यह उक्त प्ररूप की दूसरी प्रति, श्रावेदक को, श्रीर उसकी तीसरी प्रति उसके माग 2 को भरकर धौर उस पर सम्पक रूप से हस्ताक्षर करके श्राव्य रिजिस्ट्रीकर्ता प्राधिकारी को लौटा देगा।

59. पते में परिवर्शन :--

किसी मोटर यान के रिजम्ट्रीकरण प्रमाणपत्त में प्रभिक्षित्वित पते में कोई परिवर्तन करने के लिए आवेदन प्ररूप 33 में यान के स्वामी द्वारा किया जाएगा भीर उसके साथ रिजम्ट्रीकरण प्रमाणगत्र ग्रीर निवम 4 में विनिर्दिष्ट रीति में पते का बहुत तथा नियम 81 में विनिर्दिष्ट समु-िजन कीम लगी होगी।

60. भाड़ा क्य करार ग्रादि का पृथ्ठांकन :--

किसी मोटर यान के धारा 51 की उपधारा (2) के अक्षीन अपै-क्षित रिजस्ट्रीकरण प्रमाणपत में किसी भाड़ा क्ष्य या पट्टे या आध्रमान के किसी कारण की प्रविष्टि करने के लिए आधेदन प्ररूप 34 में किया जाएगा और वह यान के रिजर्म्ट्रीइन स्वामी और वित्तपोषक द्वारा सम्यक रूप में हस्ताक्षरित होगा और उसके साथ रिजस्ट्रीकरण प्रगाणपत्न क्षथा निथम 81 में विनिधिष्ट समुचित कीस संलग्न होगी।

- 61. भाड़ा क्य करार मादि की समाध्ति.
- (1) धारा 51 की उपधारा (3) में निदिष्ट भाइ। ऋष, परु या आडमान के किसी करार की समाप्ति की प्रविष्टि के लिए श्रावेदन प्रक्ष 35 में किया जाएगा धीर वह यान के रिजम्हीकृत स्वामी और विनयोगक द्वारा गम्यक ६५ से हरताक्षरित होगा और उपके गाथ निधम 81 म विनिदिष्ट समुश्विस फीस संलग्न होगी।

- (2) धारा 51 की उपधारा (5) के प्रधीन नया रिजस्ट्रीकरण प्रमाणपद्म जारी करने के लिए प्रावेदन, प्ररूप 36 में किया जाएगा घीर उसके साथ नियम 81 में बिनिर्दिष्ट फीस संलग्न होगी।
- (3) जहां रिजस्ट्रीकृत स्वामी, रिजस्ट्रीकरण प्रमाणपत्न वित्तपौषक को परिपत्न करने में इंकार कर देता है या फरार हो जाता है बहां रिज-स्ट्रीकर्ता प्राधिकारी यान के रिजस्ट्रीकृत स्वामी को प्ररूप 37 में सूचना जारी करेगा।

ठीक हालत में होते का प्रमाणपत्र

- 62. ठीक हालस में होने के प्रमाणपत्न की विधिमान्यत। :--
- (1) किसी परिवहन यान की बाबन धारा 56 के भ्राधीन मंजूर किए गए ठीक हासत में होने का प्रमाणपत, प्रक्ष 38 में होग। भीर जब ऐसा प्रमाणपत मंजूर किया जाएगा या नदीकृत किया जाएगा तो यह नीचे श्रीम का तर्वात के निए विश्विम न्य होगा --
- (क) मया परिवहन य.न

दो वर्ष

(श्व) उपरोक्त (क्ष) में उस्लिखित यानों की बाबन ठीक हालत में होने के प्रमाणपन्न का नवीकरण, उस समय तक जब तक बात के नये यान के रूप में पिछले रिजर्म्यूनिस्ण की तसीख में दम वर्ष पूरेन हो जाएं।

एक दर्भ

(ग) इसके परचात् ठीक हालत में होने के प्रमाणपत्र का नवीकरण

छह्मास

(घ) श्रायातित यानों का नया रिजस्ट्री-करण बही कालावधिओ भारत में विनिमित यानो की उनके विनिमीण की तारीख को देखते हुन, दशा में है।

- (2) ठीक हालत में होने के प्रमाणपत्त के दिए जाने या नधीकरण के लिए फीम बह होगी जो नियम 81 में बिनिर्दिष्ट है।
- 63. प्राधिकृत परीक्षण केन्द्र का विनियमन श्रीर नियंत्रण
- (1) प्राधिकृत परीक्षण केन्द्र का कोई भी भापरेटर रजिस्ट्रीकर्ती प्राधिकारी द्वारा प्ररूप 39 के दिये गए प्राधिकार पत्न के गिना धारा 56 के अधीन किसी परिवहन यान को ठीक हालत स होन को न तो प्रमाणपत्न जारी करेगा और न ही उपका नत्रीकरण करेगा।
- (2) उपनियम (1) के श्रश्लीन प्राधिकार पक्ष देने या उसके नवी-करण के लिये एमें रिजम्ट्रीकर्ता प्राधिकारी को, जिसे उस क्षेत्र में, जिसमें सर्विस केन्द्र या गैरज स्थित है, श्रधिकारिता प्राधा है, प्ररूप 40 में भावेदन किया जाएगा और इसके साथ निम्निशिवन लगे होंगे:--
 - (क) नियम 81 में बिनिर्दिष्ट समुचित फीत ।
 - (ख) ऐसी रीति में दल हजार स्पये का प्रतिभूति निशेष, जैसा राज्य सरकार बिहित करे।

सपटीपरण रा नियम और नियम 64 से नियम 72 के प्रमोजनों के लिए "रिजस्ट्रीकर्ता प्राधिकारी" से ऐसा प्रधिकारी प्रभिन्नेत है जो धारा 213 के प्रधीन स्थापित मोटर यान विभाग के प्रादेशिक परिवहन प्रधिनारी की पंक्षित से नीजे का नहीं है।

- (3) राजिस्ट्रीयातां प्राधिकारी श्रधिकार पक्ष देन या उसकं नयीकरण के लिये विषे गये श्रावेदन पर विचार करते समय निम्नलिखित बाक्षों को ध्यान में रखेगा, श्रर्थात् :----
- (ग) भ्राविक या ठीक शहात में होने का प्रमाणपत्र जारी कर्ध या उसका नवीकरण करने के लिए प्रयोजन के लिए परिवहन यानों के

निरीक्षण के लिए उसके ब्रारा नियुक्त कर्मचारिकृत्द में से कम से कम एक के पास निम्नलिखित स्पूनतम श्रहेताएं होंगी——

- (1) स्राटोमोबाइल इंजीनियरी या यांत्रिकी इंजीनियरी में डिप्लोमा या कोई समतुल्य झहुंता;
- (2) किसी ऐसी प्राटोमोबाइल कर्मशाला में कम से कम पांच वर्ष का सेवा का प्रमुभव हो जहां भारी माल यानों, भारी यात्री मोटर यानों, मध्यम मोटर यानों घौर हल्के मोटर यानों की मरम्मल होती हो;
- (3) मोटर साइकलों, भारी यात्री मोटर यानों ग्रीर भारी माल बाहनों को चलाने के लिए चालन ग्रनुकपित ग्रीर कम से कम पांच वर्ष का चालन ग्रनुभव;
- (4) ध्रधिनियम श्रीर उसके ध्रधीन बनाए गए नियमों, विशेषकर मोटर यानों के रिजस्ट्रीकरण श्रीर मोटर यानों के सिक्षमीण उपस्कर श्रीर श्रनुरक्षण से सर्विधत श्रध्यायों का पूर्ण ज्ञान;
- (ख) उस परिसर का, जहां प्राधिकृत परीक्षण केन्द्र स्थित हों, या तो धावेरक स्थवं स्वामी हो या उसने श्रपने नाम में पट्टे पर या किराए पर लिया हो भौर उसमें प्रणासन भनुभाग, स्वागत कक्ष भौर स्वच्छता खंड के लिए पर्याप्त व्यवस्था हो तथा परीक्षण उपस्कर भौर भ्रष्य साधिन्नों के परिनिर्माण के लिए पर्याप्त जगह हो।
- (ग) इमारत के पार्थस्थ में उसी कंपाउण्ड में या ऐसे अन्य स्थानो पर जिन्हे रिजस्ट्रीकर्ता प्राधिकारी का अनुमोदन प्राप्त हो, निरीक्षण की ध्यवस्था हो;
- (ष) परीक्षण उपस्कर भौर साधित्र ऐसे ढंग से प्रतिष्ठापित किए गए हों कि यान श्रासानी से श्रीर गति से गुजर सकें;
- (इ) ग्रायेदक निम्नलिखित उपस्करो और सामिद्रों का, जो ठीक हासत में हों, स्वामी हो भौर उसने उन्हे अनुरक्षित रखा हो, अर्थात्:---
 - (1) निष्कासक गैस निरोधक
 - (2) धूम मीटर
 - (3) ब्रेक परीक्षण मशीन (ब्रेक आइनमो भीटर)
 - (4) अग्रदीप संस्थान परखी
 - (5) ध्रमपहिया धनुयोजन परखो
 - (६) प्रधान ग्रवशोषण
 - (1) वृष्य निरीक्षण पिट रैम्प या मोटरपुक्त उत्तोलन
 - (8) ब्रैक
 - (१) प्ले संसुषक
 - (10) पहिया प्रफ़म
 - (11) इंजन के वास्तविक निष्पादन परीक्षण के लिए मूल परखी
 - (12) संपीडिम परस्री
 - (13) संकेतन उपस्कर परखी
 - (14) चालकमापी परखी
 - (15) ग्रमिशमक उपस्कर
 - (16) प्राथमिक उपचार किट
 - (17) शोरस्तरकी जाचके लिए यस्र।
- (च) भ्रावेदक के विलीय साधन उसके निरन्तर मनुरक्षण के लिए पर्याप्त हों;
- (छ) ग्रावेदक इन नियमों भौर संबद्ध राज्यों के मोटर यान नियमों की ग्राच्यतन प्रति रखता हो;

- (4) रिजस्ट्रॅ.वर्सा प्राधिकारी इस नियम के प्रधीन प्रावेदन परिवचार करने समय इस बात को भी ध्यान में रखेगा कि प्राधिकृत परीक्षण केन्द्र स्थापित करने से यानी की संख्या और ऐसी सुविधाओं के समीप्य के समध में इस क्षेत्र में परीक्षण मुविधाओं के उपलब्ध हीने में और सुधार लाया जा सके।
- (5) रिजिम्ट्रीकर्ता प्राधिकारी उपितयम (2) के प्रधीन भ्रावेदन प्राप्त होने पर और भ्रपना यह समाधाद हो जाने पर कि भ्रावेदक ने उपितयम (3) भौर (4) की भ्रपेक्षाश्रो की पूरा कर दिया है आनेदफ की प्रस्प 39 में प्राधिकार दे सकेगा या उसका नवीकरण कर सकेगी; परन्तु प्राधिकार पन्न के लिए किसी भ्रावेदन की रिजिस्ट्रीकर्ता प्राधिकारी द्वारा तब तक नामंजूर नहीं किया जायगा जब क्षक कि भ्रावेदक की सुनवाई का भ्रवसर न दिया गया हो और रिजस्ट्रीकर्ता प्राधिकारी द्वारा के लिखित कारण न दिए गए हो।
- 61. प्राधिकार पत्र के नवीकरण की कालाबधि .—दिया गया या नवीकृत पत्न उसके दिए जाने या नवीकरण की सारांश से पाच वर्ष की भ्रविध के लिए प्रभावी संदेय होगा।
- 65. साधारण णतं जिनका प्राधिकार पक्ष का वारक ध्रनुपालन करेगा:—प्राधिकार पत्न का धारक—
- (क) एक ऐसा रजिस्टर रखेगा जिसमें प्रस्थेक यान के लिए पृथक पृट्ट होगा भीर उसमें उस यान का रजिस्ट्रीकरण संख्यांक जिसके लिए टीक हालत में होने का प्रमाणपन्न दिया गया हो या जिसका नवीकरण किया गया है, यान का मेक भ्रीर माइल, यान का इंजन संख्याक भीर चेसिस सख्यांक भीर साथ ही चेसिस सख्यांक का पेसिल विन्तु, यान के स्वामी का नाम भीर पता ऐसे दान के किसी भनुना पन्न का ब्यीरा, भ्रमुद्द या नवीकृत टीक हालत में होने के प्रमाणपत्न की विधिमास्यता की श्रवधि को होगी भीर उस पर यान के स्वामी या उसके प्रधिकृत प्रविनिधि के हम्नाक्षर होगे;
- (स्त्र) ठीक हास्ता में होने का प्रमाणपन्न दिए जाने पर या उनकें निवासरण के दो दिन के भीतर उन परिवहन यानों का क्यौरा, जिनकें लिए ठीक हास्ता में होने के प्रमाण पन्न दिए गए है या जिनका नवीकरण किया गया है, उस प्राधिकरण का प्रेपित करेगा जिसने परिवहन यान की बाबन परिमिट दिया है भीर जहां परिवहन यान परिमिट के अन्तर्गत न धाता हो वहां उस परिवहन प्राधिकार को प्रेपित करेगा जिसके ध्रिधिक कारिना वाले सोन्न में यान को रखा जाए;
- (ग) धारा 56 की ध्रपेक्षाध्रो को पूरा करने वाले प्रत्येक परियहन यान के संबंध मे नियम 62 के उपबन्धों के धनुसार ठीक हालल में होने का प्रमाणपत्र आरी करेगा;
- (घ) प्राधिकार पक्ष में उल्लिखित कार्य स्थान को उस राजिस्ट्रीकर्ता प्राधिकारी के लिखित पूर्व अनुमोदन के बिना, जिसने प्राधिकार पक्ष दिया है, नहीं बदलेगा।
- (ङ) परीक्षण केन्द्र के परिसर श्रीर ध्रपने द्वारा रखे जाने वाले श्रिभिलेख श्रीर र्राजस्टर श्रीर परिसर में सभी मशीनो, उपस्कर श्रीर साधित्र राजस्ट्रीकर्सा प्राधिकारी या क्षारा 213 के श्रधीन स्थापित राज्य सरकार के मोटरयान विभाग के किसी श्रन्य व्यक्ति द्वारा, जो राजस्ट्रीकर्ता प्राधिकारी द्वारा इस निमिक्त प्राधिकृत किया गया हो, निरीक्षण के लिए यथा- समय खुला रहेगा।
- (च) श्रपने मुख्य कार्यालय में किसी महत्वपूर्ण स्थान पर निम्नलिखित उपविभिक्त करेगा :--
 - (1) रजिस्ट्रीकर्ता प्राधिकरण द्वारा प्राधिकत परोक्षण केन्द्र को जारा किया गया मुख प्राधिकार पक्ष,
 - (2) ठीक हालत में होने का प्रमाण पक्ष जारी करने या उसके नवीकरण करने के लिए प्राधिकृत व्यक्ति का नाम भीर पता,
 - (3) नियम 62 के उपनियम (3) के खंड (क) में निकिट व्यक्तियों की महैताएं

(छ) ठीक हालत में होने का प्रमाण पक्ष आरी करने या उसके नवीकरण के प्रयोजन के लिए क्यिम S1 में विनिदिष्ट संमुचित फीस से अधिक फीम भारित नहीं करेगा

- (ज) खंड (क) में निर्दिष्ट रिजस्टर के सभी पृष्ठ प्रविष्टियों से भर जाने के बाद और किसी भी हालत में उसके पूरा होने के बाद दी दिन के प्रपच्चात उसे क्षेत्रीय परिवहन प्राधिकारी अभ्यपित कर देगा जिमे उस क्षेत्र के मबंध में अधिकारिता प्राप्त है।
- 66. प्राधिकार पत्न की दूसरी प्रति का जारी किया जाना .--(1) यदि किसी समय नियम 63 के उपनियम (5) के प्रधीन विए गए या नवीकुल प्राधिकार पत्न की दूसरी प्रति खो जाती है या नष्ट हो जाता है तो प्राधिकार पत्न का धारक उसकी रिपोर्ट उस ग्रधिकारिया के ग्रन्तगैत थाने में करेगा जहां वह खोया है या यह नष्ट हुग्रा है ग्रीर उस तथ्य की लिखित मूचना उर जिस्ट्रीकर्ता प्राधिकारी को देगा जिसने प्राधिकार पत्न विया था उसका नवीकरन किया था ग्रीर उसका दूसरी प्रति के लिए आवेदन देगा।
- (2) नियम 31 में शिनिर्दिष्ट समुचित फीम श्रीर उपनियम (1) में निर्विष्ट पुलिस रिपोर्ट की प्रांत गहित श्राबेदन प्राप्त होने पर रिजर्स्ट्रोकर्ता प्राधिकारी प्राधिकार पत्र की दूसरी प्रति, जिस पर स्पष्ट रूप से "दूसरी प्रति" शब्द श्रीकृत होने, जारी कर सकेंगा।
- (3) यदि प्राधिकार पत्र की दूसरी प्रति जारी करने के पण्चात् मूल प्रति सिल जाती है तो उसे तुरना रजिस्ट्रीकर्ना प्राधिकार को लौटा दिया जाएगा जिसने उसे जारी किया था।
- 67. प्राधिकृत परीक्षण केन्द्रों का पर्यवेक्षण:—रिजस्ट्रीकर्ता प्राधिकारी या राज्य सरकार के मोटर यान विभाग का कोई प्रधिकारी, जिसे इस निमित्त रिजस्ट्रीकर्ता प्राधिकारी ने सम्यक रूप से प्राधिकृत किया हो। किसी भी समय प्राधिकृत परीक्षण केन्द्र के परिसर में यह सुनिश्चित करने के लिए परीक्षण कर सकेगा कि प्राधिकृत परीक्षण केन्द्र ने यानी का उचित रूप से गरीक्षण कर सकेगा कि प्राधिकृत परीक्षण केन्द्र ने यानी का
- 68. रजिस्ट्रीकृत प्राधिकारी या क्षेत्रीय परिवहन प्रधिकारी की जान-कारी मांगने की गक्ति .---प्राधिकृत परीक्षण केन्द्र ऐसे रजिस्ट्रीकर्ता प्राधि-कारी या क्षेत्रीय परिवहन प्राधिकारी को, जिसे उस क्षेत्र के संबंध में ग्राधिकारिता प्राप्त हो, ऐसी जानकारी या विवरणी प्रस्तुत करेगा जो ऐस ... प्राधिकारी समय समय पर उससे मागे।
- 69. पिजस्ट्रीकर्ता प्राधिकारी की प्राधिकार पत्न को निखंबित था रह्न करने या प्रतिभृति निक्षेप को समपह्नत करने की शिक्त:---(1) यदि रिजस्ट्रीकर्ता प्राधिकारी को, किसी प्राधिकार पत्न के धारक को सुनवाई का श्रवसर देने के पण्यान यह समाधान हो जाता है कि बह--
 - (क) नियम ७८ के उपनियम (८) के उपखंड (३०) में निर्दिष्ट उपस्कर, मणीनरी और माधित को धच्छी हासन में रखने में प्रसफल रहता है, या
 - (ख) नियम 63 के उपनियम (3) में श्रिधकथित ग्रन्थ ग्रपक्षाधों को पूरा करने में श्रमफल रहता है, श्रीर
 - (ग) ठीक हालन में होने का प्रमाण पत्न देने या उसके नवीकरण से पूर्ण परीक्षण के मही मानकों का, जैसा कि नियम 67 में निर्विष्ट परीक्षण पैक के समय पना लगे, या उन दुर्घटनाधीं की आवृश्ति के जो यान में किसी शांत्रिक दोप के कारण हुई समझी जाएं, जिनसे ये परिवहन यान संबंधित हो और जो परीक्षण केन्द्र द्वारा अनुदन या नवीकृत ऐसे ठीक आजत में होने के प्रमाण पक्ष के अन्तर्गत आते हैं परीक्षण के सही मानकों का अनुपालन करने में असफल रहता है तो बह--
 - (1) किसी विनिर्दिण्ड अविधि के लिए प्राधिकार पत्र को निलंबित कर संकंगा, या
 - (2) प्राधिकार पञ्च को रह कर सकेगा, या

- (3) परिक्षण केन्द्र द्वारा दिए गए प्रतिभूति निक्षेप के समप-ष्टरण का प्रावेश दे सकेगा।
- (2) जहां उपनियम (1) के अधीन काई प्राधिकार पत्न निलंबित या रह किया जाता है, वहां प्राधिकार पत्न का धारक उसे तुरन्त रिजस्ट्रीकर्ता प्राधिकारी को अभ्यपिक्ष कर देगा।
- (3) जहा उपनियम (1) के प्रधीन प्रतिभृति निक्षेप समपद्भुत किय। जाता है वहा प्राधिकार पत्न का धारक समपहरण का आदेण प्राप्त होने के तीस दिन के भीतर राजिस्ट्री-कर्ती प्राधिकारी को श्रादिष्ट समपद्धत रक्तम भेजेंगा नाकि प्रतिभृति के निक्षेप के सबस्य में नियम 63 के उपनियम (2) की अपेक्षाओं को पुरा किया जा नके।

70. अपील:---नियम 63 के उपनियम (5) या नियम 69 के उपनियम (1) के अधीन रिजस्ट्रीकर्ता प्राधिकारी के किसी आदेश से व्यथित कोई व्यक्तित आदेश के प्राप्त होने के तीस दिन के भीतर राज्य सरकार के मीटर यान विभाग के अध्यक्ष को अपील कर सकेगा।

- 71 अपील की प्रिश्य:--नियम 70 के श्रधीन ध्रपील ज्ञापन के रूप में दो प्रतियों में दी जाएगी जिसमें रिजरट्रीकर्ता शाधिकारी के श्रादेश के संबंध म श्राक्षेपां के श्राधार दिए हुए होंगे श्रार इसके साथ नियम 81 में विनिविष्ट समुचित फीम श्रीर ऐसे श्रादेण की प्रमाणित प्रति खगी होगी ।
- (2) अपील प्राधिकारी, पक्षकारों को सुनवाई का अवसर देने के पण्चात और ऐसी जांच करने के पश्चात, जो यह आक्षस्यक समझे, समुजित श्रादेश पारित कर सकेगा।
- 72. प्राधिकार पत्न का स्विष्ण्यक प्रस्थर्पण :--(1) प्राधिकार पत्न का धारक किसी भी समय से जारी किए गए प्राधिकार पत्न को ऐसे रिजस्ट्रीकर्ता प्राधिकारी को जिसने प्राधिकार पत्न दिया था, प्रभ्यपित कर सकेगा और ऐसे प्रभ्यर्पण पर रिजस्ट्रीकर्ना प्राधिकारी, प्राधिकार पत्न तुरन्त रह कर देगा।
- (2) उपनियम (1) के प्रधीन प्राधिकार पत्र के रहीकरण के पण्यात, रिजस्ट्रीकर्ता प्राधिकारी, प्राधिकार पत्र के धारक को नियम 63 के उपनियम (2) में निर्दिण्ट प्रतिभूति निक्षेप की पूरी रकम बिना किसी ब्याज के लौटा देगा।
- 73. परीक्षण केन्द्र को प्रस्तुत किए जाने वाला कर समाशोधन प्रमाणपत्न कोई भी प्राधिकृत परीक्षण केन्द्र ठीक हालत में होने का प्रमाणपत्न देने या उपके नवीकरण के लिए ब्रावेदन तब तक स्वीकार नहीं करेगा जय तक उसके गाथ उस केंद्रीय परिवहन प्राधिकारी या भीटर यान मिरीक्षक का, जिसे उस क्षेत्र में प्रधिकारिता प्राप्त है, ऐसे प्रस्प में जो राज्य सरकार द्वारा यिनिर्दिष्ट किया जाए, इस ब्रागय का कर समाशोधन प्रमाणपत्र न लगा हुया हो कि उस यान की यावत मोटर यान कर या धारा 86 की उपधारा (5) ब्रौर उपधारा (6) में निर्दिष्ट सहमत फीस बकाया नहीं है।

रक्षा के प्रयोजन के लिए प्रयुक्त केन्द्रीय सरकार के याना का रजिस्ट्रीकरण

74 रक्षा के प्रयोजन के लिए प्रयुक्त कर्न्याय सरकार क याना को रिजस्ट्रीकरण जिन्ह का दिया जाना--धारा 60 की उत्थारा (1) स निर्दिष्ठ प्राधिकारी रक्षा के प्रयोजन के लिए प्रयुक्त केन्द्रीय सरकार क यानों को निम्निषिक्षन रीति से रिजस्ट्रीकरण जिन्ह देगा, ग्रर्थान :--

अकों का एक सभद जिसके बाद एक बन शतर. एक चील तीर, छह से अनिधिक धीन और एक बड़ा शक्षर या प्रक्षर भनूह होगा। रिजदी-करण चिन्ह, अंग्रेजी अक्षरों में होगा और अंकों का रूप अरबी होगा।

मोटर थानी का राज्य रिजस्टर

7.5. मोटर थानो का राज्य र्राजस्टर---(1) प्रत्येक राज्य सरकार, राज्य में रिजस्ट्रीकृत मोटर यानों की बाबत मोटर थाना का राज्य रिजस्टर प्रकृष 41 में रक्षेगी।

(2) प्रत्येक राज्य सरकार, उपनियम (1) म निविष्ट रिजस्टर की मृद्धित प्रति, निवेशक (परिवहन अनुसंधार), जा भूनल परिवहन महास्य, नई दिल्ली को भेजेगी।

राजनियक ग्रधिकारिया ग्रादि के मोटर यानों के रिजम्ट्रीकरण के लिए विशेष उपवध

76. शजनियक प्रोर कॉमरीय अधिकारिया के यानो ना रिजिस्ट्रीकरण---(1) किसी राजनियक अधिकारी या कौमलीय अधिकारी द्वारा
या उमकी श्रोर में धारा 12 की उपधारा (1) के अधीन किसी मोटरयान
के रिजिस्ट्रीकरण के लिए प्रत्येन श्रावेदन, प्रक्ष्य 12 में तीन प्रतियों म
मिशन या कौनशीय कार्यालय के अध्यक्ष द्वारा किया जायेगा श्रीर सक्षम
प्राधिकारी के माध्यम स रिजिस्ट्रीकरण प्राधिकारी को भेजा जाएगा श्रीर
उसके साथ नियम 17 म निदिष्ट सुसगर दरसायेज या फीस होगी।

- (2) सक्षर प्राधिकारी, सबधित रिजर्स्ट्राकरण प्राधिकारी को प्रावेदन की एक प्रति भैजेगा प्रीर इसके साथ एक ऐसा कथन भैजेगा जिस में रिजर्ट्राकरण के लिए सावेदन करने बाल व्यक्ति का सर प्रनाणित होगा स्रीर आवेदक को आवेदन को एक प्रति लाटा देगा। प्रावेदन की तासरी प्रति को सक्षम प्राधिकारी अभिनेख के लिए अपने पास रख सकेगा।
- (3) रिजस्ट्रीकरण प्राधिकारी, उपनियम (2) के ग्रजीन सम्बक्त रूप से पृष्ठाकिन याबेदन की प्राप्ति पर, उस यान को धारा 44 के उपक्राओं के ग्राधीन रहने हुए रिजस्टर करेगा।
- (4) रजिस्ट्रीकरण प्राधिकारी, उपनियम (3) के सबीन अपने आर. रिजस्ट्रीकृत किसी मोटर यान के स्वामी को प्ररूप 43 मे रिजस्ट्रीकरण प्रमाणपत्र जारी करणा और ऐसे प्रमाणपत्र की विशिष्टिया अपने द्वारा रखे जाने बाले अभिनेख मे प्रविष्ट करेगा।
- (5) रिजस्ट्रीकरण प्राधिकारी, मोटरयान पर प्रदर्शन क लिए नियम 77 म त्रिनिर्दिष्ट रीति से, यथास्थिति, उपनियम (6) या उपनियम (7) के उपनयों के प्रनुसार रिजस्ट्रीकरण चिन्ह गमन्दिष्ट करेगा।
- (७) दिल्ली स राजनियक मिणन या किसी कीसलीय पद (पोस्ट) या उसके राजनियक या कॉमलीय श्रक्षिकारियों के किसी मोटर यान पर "सी डी" श्रक्षरों वाला रिजस्ट्रीकरण चिन्ह समनुदिष्ट किया जायगा श्रीर इससे पूर्व भारत सरकार के विदेश मंत्रालय द्वारा मिणन या पद को खाबंदिस संख्यात होगा श्रार इसके बाद रिजस्ट्रीकरण प्रादिकारी द्वार । निम्निस्तिक रीति से यान को श्रावदित सख्याक होगा, श्रयांनू .--
 - (i) किसी मिणन या पद (पास्ट) के प्रधान के प्रयोग के निए किसी गरकारी यान को '1" सक्याक आवटित किया जायगा,
 - (11) मिणन या पद के प्रजान के बैयक्तिक यानी का "1" संख्यांक आबंदित की जाएंगी भीर इसके पश्चात "ए" प्रजर से भारम्भ होकर निग्नार वर्णानुकम में होगी।
 - (111) ऐसे संकारी थानो का, जो खण्ड (1) मे निद्दिष्ट यानो से निम्न है, "2' संख्यांक से धारम्य होकर निरन्तर संख्याक श्राबंदित किया जाएगा,
 - (1v) मिणन था पद क अन्य अधिकारिया के यानों का खण्ड (iii) के अर्धान प्राथटिस अतिम सङ्घाक क पश्चात् कमवार सञ्चाक आर्थटिस किया जाएगा,
 - (v) मिलन या पद के प्रधान से भिन्न, किसी मिन्नन या पद द्वारा, अथवा इसके राजनियक या कीसलीय अधिकारियों द्वारा अजिन यानी बते, उभ प्रति पर त्यान दिए बिना कि ऐसा यान भिजन या पद की अथवा उसके किन्हीं अधिकारियों के शासकीय या

- वैयक्तिक प्रयोग के लिए ही, खण्ड (iv) के श्रधीन श्रावटित भेतिम संख्याक के पश्चात कम बार संख्याक श्रावटित किया जाएगा.
- (vi) खण्ड (i) से (iv) में से किसी खण्ड के श्रद्धीम किसी याम की श्राविटन संख्यांक, जो ऐसे याम के विक्रय या निर्मात के कारण ग्रश्चित पड़ा है श्रवता इसकी संख्यांक रह होने पर उस यान का संख्यांक उसी खण्ड के श्रद्धीन किसी श्रन्य यान को श्राविटत किया जा सकेगा जिसकी बाबत आवेदन उपनियम (1) के श्रद्धीन किया गया है।
- (7) दिल्ली से बाहर किसी कौसलीय पद या उसके किसी प्रधिकारी से किसी मोटर यान को 'सौ सी' मंख्यांक वाला रिजर्स्ट्रीकरण किन्ह समनुविष्ट किया जायथा जिससे पहले मारत सरकार के विदेश मंत्रालय द्वारा इसे प्रावंदित पद सच्याक होया और जिसके बाव उस पद के लिए आवंदित संद्यांक के ब्लाक में से राजस्ट्रीकरण प्राधिकारी द्वारा निम्नलिखिन रीति में प्रावदित संद्यांक होगा, प्रणीत ...-
 - (i) किसी कौसलीय पद के प्रधान के प्रयोग के लिए प्राथित किसी सरकारी यान की उस पद को धार्मटित संख्याकी के अलाक से पहला संख्याक बार्मटित किया जायगा।
 - (ii) महाकांसल के वैयल्सिक यान को खण्ड (1) में निर्दिष्ट सल्याक श्राबंटिन किया जाएगा भीर उसके पश्चात वह संज्याक श्रीजो के "ए" श्रक्षर से श्रारंभ होने याने श्रक्षर से निरुत्तर वर्णान कम में होगा।
 - (iii) खण्ड (1) में निर्दिष्ट यानों से निम्न सरकारी यानों को उपत पद को श्राबटित संख्याकों के ब्लाक में से दूसरे संख्याक से श्रारम्म होने वाला निरन्तर संख्याक श्राबटित किया जाएगा।
 - (iv) पद के प्रस्थ प्रक्षिकारियों के यानों को खण्ड (iii) के प्रधीन ग्राबंटित श्रीतिम संख्यांक के पश्चात क्षमवार संख्यांक ग्राबंटित किए जाएंगे।
 - (v) पद के प्रधान से निक्ष, किसी पद द्वारा या कौनलीय अधिकारी द्वारा घर्षित यान की, खण्ड (iv) के अधीम प्रावंदित अस्तिम संख्यांक के पण्णात कमवार संख्यांक इस बान के हाँसे हुए भी ब्रावंदित किए आएंगे कि ऐसा यान पद के या उसके किसी अधिकारी के सामकीय या वैयक्तिक प्रयोग के लिए हैं,
 - (vi) खण्ड (i) से (it) में से किसी खण्ड के प्रधोन किसी थान को प्राविद्या संख्यांक, जो ऐसे यान की विश्वय या निर्मात के कारण अप्रयुक्त पड़ा है प्रयंथा उसका संख्यांक रह होने पर, उस यान का सख्यांक उसी खण्ड के प्रधीन किसी भ्रम्य यान को प्राविद्या किया जा सकेगा जिसकी बाबन आवेदन उपनिथम (1) के प्रावित्य किया गया है।

स्पष्टीकरण--इस नियम भीर नियम ७१, नियम ७६ भीर नियम ७३ के प्रयोजनों के लिए "सक्षम" प्राधिकारी से श्रीभेषेत्र हैं--

- (i) ऐसे न्याचार श्रविकारी या कौसलीय श्रधिकारी के संबंध में, शिसका भारत में निकास स्थान हैं, भारत सरकार के विदेश मंत्राख्य (न्याकार प्रमाग) का सिवत, ग्रौर
- (ii) ऐस त्याचार प्रक्रिकारो या कौमजीय प्रक्रिकारी के संबंध में जिसका विसी प्रत्य स्थान पर निवास स्थान है, राज्य सरकार का मुख्य साधवा।

77. रअिस्ट्रोकरण किन्ह का प्रवर्णन---

(1) नियम 76 के उपनिथम (3) के उपनिथम (2) के प्रधीन गमनृद्धित किये जान वां। एजिस्ट्रीकरण चिन्ह की थान क शार्व धीर पीछ दीनों मीर ऐसी प्लेट की सादी सतह पर जो 41 सें.मी.14

सें.भी. के बाकार की होगी, या यान के किसी माग पर निक्निनिखन रीति में स्पष्ट रूप से प्रवर्णित किया जाएगा--

- (i) निद्यम 26 के उप नियम (6) में निर्दिष्ट मीटर यानों की बाग में गुड़रे नील पृथ्होंकन के नाथ, सुक्षेत्र रंग में रिडास्ट्रीकरण चित्र कीर संदेश ।
- (ii) नियम 76 के उपनियम (7) में निरिष्ट मोटर यानों की दणा में, पील पृष्ठांकन की नाथ, कार्य जो में -िएट्रेकरण चिन्छ श्रीर संदेश ।
- (2) रिजस्ट्रीकरण चिन्ह प्रोग्नेजी प्रक्षारों में होगा घीर प्रवीं का क्षा प्रस्की में होगा घीर--
 - (i) सिवाय किसी मोटर साइकल पा किसी विगर्श हुई गाड़ी की देणा में, अक्षर की किसी भी भाग में उच्चाई 6 सें.मी. और मौटाई ? में.मी. में कम नहीं हागी, संस्थांक की किसी भी भाग पर प्रचाई ? में.मी. में कम नहीं हागी, संस्थांक की किसी भी भाग पर प्रचाई ? में.मी. में कम नहीं हांगी और किसी अक्षर और किसी अंक और किसी अक्षर तथा अंक की बोच खार्ला स्थान होगा और मार्श सतह का मिरा 1 में.मी. में कम नहीं हांगा और किसी ये अवसी के बोच और किसी दो अवसी के बोच और किसी दो अवसी के बोच और किसी दो अवसी के बोच चाली स्थान 1 में.मी.
 - (ji) किसी मोटर साईकल या बिगड़ी हुई गाड़ी की बणार्स, अक्षरों ग्रोर श्रीकों का शाकार खंड (1) में विभिविष्ट शाकार के टी तिहार्ड में कम नहीं हागा। ~
 - (3) पूर्वोक्त सादी सतह उन्हें से तास दियां ने व्यक्ति सुकी महीं, होगी। यक्षर धौर यंक निम्निशित रूप में प्रदिश्ति किए आएंगे ध्यान्:-
 - (i) परिष्ठम यान की दग। में, रिकस्ट्रीकरण चिन्छ, दौ झलग-ब्रलग श्रीतणीय लाइनों से प्रविचन किया जायगा, पहली लाइन में गिशन या पद को आवंटित संख्यांक, के बाद दूसरी लाईन में रिजर्मिकरण प्राधिकारी हारा ब्राइंटिस संख्यांक होगा, श्रीर
 - (ii) सभी अन्त मामलों में, राजस्ट्रीकरण चिह्न में प्रक्षर ग्रीर ग्रंक यातो यथापूर्वोक्त दो क्षेत्रिजीय लाईनों में ग्रम्था एक क्षेतिजीत लाईन में प्रविशत किया जा सकेगा।
- (4) उपनियम (1) में किसी बात के होते हुए भी, किसी मोटर साईकल या बिगड़ी हुई गाड़ी की श्रगली ओर प्रदर्गित राजस्ट्रीकरण चिह्न यान की धुरी की सीध में प्लेट पर प्रदर्गित किया जा सकेगा, ग्रीर ऐसे किसी मामले में प्लेट के बोनों श्रीर प्रदर्शित किया जाएगा।
 - (5) किसी ट्रेलर की दशा में :---
 - (i) रिजस्ट्रीकरण चिन्ह ट्रेनिर के बाई घोर प्लेट या सतह पर प्रदक्षित किया जाएगा, घक्षरों घीर घंकों का घाकार उपनियम
 (2) में तिर्निदिन्ट धाकार के दो तिहाई से कम नहीं होगा,
 - (ii) ट्रेलर के पिछली घोर लगाया जाने वाले किसी खींचने बाले मोटर यान का रजिस्ट्रीकरण चिक्र्न मोटर यान के पिछले भाग में लगाए जाने वाले रजिस्ट्रीकरण चिक्र्न से संबंधित इन नियमों के उपवन्त्रों के धनुरूप होगा।
- रजिस्ट्रीकरण चिन्ह परिवहन यान की बार्डा की वाहिनी और बार्ड कोर मुक्रित किया जाएगा।

78. यान के किसी अन्य राज्य के लिए हटाए जाने पर नए रिजिस्ट्री-करण विह्न का समन्देशन --

- (1) यान के किसी अन्य राज्य के लिए हटाए जाने पर धारा 47 की उपधारा ।(i) के अधीन किसी राजनियक अधिकारये(या कौंसलीय अधिकारी द्वारा उसकी और से नए रिजस्ट्रीकरण चिहन के समन्देशन के लिए प्रत्येक आबेदन प्रकृप 44 पर में प्रतियों में रिया जाएगा और उसे गक्षम प्राधिकारी के माध्यम रे रिजस्ट्रीकर्वा प्राधिकारी को संबोधित किया जाएगा और उसके साथ नियम 54 में निविष्ट यसंगत दरक्षावेज और कीस होगी।
- (2) नियम 75 के उपनियम (2) में (7) के उपनियम (1) के अधीन किए गए आवेदन को वैसे ही लागू होंगे जैसे वे नियम 75 के उपनियम (1) के अधीन किए गए आवेदन को लाग होने हैं।

79 नियम 76 के प्रधीन रिजस्ट्रीकरण यानों के रिजस्ट्रीकरण का निलंबन और रद्वकरण .

यदि धारा 53, धारा 54 या धारा 55 के उपबन्तों के स्नष्टीन, नियम 76 के प्रमुमार किसी मोटर यानका रिजस्ट्रीकरण निलंबित या रख्द कर दिया जाता है तो नितम्बन या रद्दकरण के प्रायेण की प्रति प्रस्थेक ऐसे प्रधिकारी या ध्यतिन के प्रतिस्थित जिसको उक्त धाराओं के ग्राधीन प्रति भीती जाती हैं, सक्षम प्रधिकारी को भीती जाताती।

- 80. नियम 78 के प्रधीन रिजस्ट्रीकृत मोटर यान का व्ययन या अन्तरण—
- (i) जहाँ नियम 76 के अनुसार राजस्ट्रीकृत किसी मोटर यान का विक्रम द्वारा या श्रन्यथा श्रन्तरण किया जाता है, वहा श्रंतरक चीदह दिन के भीतर, उस व्यक्ति के, जिसे याम श्रन्तरित किया गया है, पूरे नाम श्रीर पते के साथ उक्त श्रन्तरण के सभ्य की रिपोर्ट उस राजस्त्रीकरण प्राधिकारी की बेगा जिसकी श्रश्विकारिता के भीतर श्रन्तरण किया गया है और श्रम्के गाथ-माथ रिपोर्ट की प्रतियो निम्नसिखित को भेडोगा ।
 - (क) श्रन्सरिती;
 - (ख) सक्षम प्रधिकारी ;
 - (ग) यान के प्रायात के पतन का सीमाशुल्क कलक्टर भीर बहां श्रायात के पतन का पता लगाना संभव नहीं, बहां श्रम्सरिसी के प्रधान कार्यालय के निकटतम केल्बीय उत्पादगुल्क या सीमा-णुल्क कलक्टर ; ग्रीर
 - (य) याँव अन्तरित किसी यान राजस्ट्रीकरण आधिकारी की अधिकारिता में किया गया है तो मूल राजस्ट्रीकरण आधिकारी जिसके अभिलेख में यान का राजस्ट्रीकरण अधिकांखत है; और उक्त यान की बाबत नम्बर प्लेट को उस राजिस्ट्रीकरण प्राधिकारी को भी अध्यापित करेगा जिसके अभिलेख में यान का राजस्ट्रीकरण अभिलिखित हैं, किन्तु यह तब जब बहु अन्तरण राजनिक अधिकारी या कौसलीय अधिकारी से भिन्न किसी अधिकारी की भिन्न किसी अधिकारी से
- (2) जहां ब्रन्तिस्ती कोई राजनियक प्रधिकारी कौसलीय प्रधिकारी है वहां उसके द्वारा या उसकी और से किया गया पाबेदन, नियम 76 के उपबन्धों के धनुसार यान के राजस्त्रीकरण के लिए राजस्त्रीकर्ती प्राधिकारी को किया जाएगा ।

फ़ीस—

8 . फ़ीस इस प्रध्याय के उपबंधों के अधीन प्रभारित की जाने वाली फ़ीस वही होगी जो नीचे की सारणी में विनिधिट है :---

सारर्णए

कम	मं. प्रयोजन	रकम	नियम	 धार
	1 2	3	1	
J.	. प्रत्येक यान की बावन व्यवसाय प्रमाणपत्न का दिया र	गना धोर		~
	उसका नवीकरण−		34 (1)	
	मोटर गाइकिल	पच्चीस रुपए		
	प्रशस्त योवी गाडी -	प ण्य ीस रूपाग्		
	प्रत्य	एक सौ रुपए		
2	व्यवसाय प्रसाण पत्न की दूसरी प्रति		38 (1)	
	मोटर साइकल	पन्द्रह रूपए	,	
	श्रणक्त यास्री गाडी	पन्द्रह रूपए		
	भ्रन्य	पन्द्रह् रूपण्		
3.	नियम 46 के प्रधीन			
	ग्र पील	पचास स्पाप	46 (1)	
4	र्राजम्हीकरण प्रमाणपत्र का जारी किया जाना और उर	पका नवी-	•	(-)
	करण तथा नए रजिस्ट्रीकरण चित्रन की समनुदेशन		47 (1), 52; 54(1), 76	
			और 78 (1)	(1)
	भ्रमक्त यादी गाड़ी	वस रुपाए	, ,	
	मोटर म,इकल	तीस रूपए		
	हत्का मोटरयान–	एक सी क्यम		
	मध्यम भालयान-	दो सी रूपए		
	मध्यम यात्री मोटर यान	वो सौ भपए		
	भारी मालयान	तीन सौ रूपए		
	भारी यात्री मोटर यान	तीन सी एपए		
	भ्रायांतित मोटर यान	चार सौ रुपए		
	श्रायातित मोटर साइकिल	एक सौ स्पए		
	कोई श्रन्य यान जो उत्पर वर्णित नहीं है ।	एक सौ पचास रुपए		
5.	रजिस्ट्रीकरण प्रमाणपक्ष को दूसरी प्रति जारी करना	कमांक 4 में विणित फीस की श्राधी रकस	53 (2)	
ì.	स्वामित्व का श्रंतरण	कर्माक 4 में वर्णित फीस की ब्राधी रकम		~ -
		रागर में ये संस्था भाग सह आखा एक्स	55(2) (iii), 55 (3), 56 (क) भौर 57 (1) (क)	
, ·	निवास स्थान में परिवर्तन	दस रूपए	59	
	रिजस्ट्रीकरण प्रमाणपत्र का श्रभिलेखन श्रौर उममें परिवर्त	न गच्चीस क्षण	7.00	52 (1)
. 3	थ्रवऋय/पट्टः/श्रायमःन करार का पृष्ठकिन			
. 9	भ्रवक्रय/पट्टा/भ्रायमान करार का र ढ करण या नए रि ज र्स्ट्र	ोकरण		
	प्रमाणपत्र को जारी किया जाना	पचास रूपए	61 (1),	
			61 (2)	
	टीक हालत में होने का प्रमाणपत्न दिया जाना ग्रॉर उनक 	ा नवी-	-	
	हरण 		62 (2)	
	हत्का मोटर यान	एक सौ रूपए		
	मध्यम माल∤यात्री मोटर यान	वो सौ रुपए		
	भारी माल/यात्री मोटर यान	तीन सौ रुपए		
	गिधिकार पत्र का दिया जाना श्रौर उसका नवीकरण	पांच हजार रुपए	63 (2) (事)	-
Я	।।धिकार पत्न की दूसरी प्रति का जारी किया जाना	पांच सी कपए	56 (2)	
	नेयम 70 के श्रधीन भ्रपील	दो सौ भ्यम्	71 (1)	

ग्रध्याय ४

परिवहन यान का नियंक्षण पर्यटक परिमट

82 पर्यटक परमिट :

- (1) पर्यटक यान की बाबन परिमट (जिसे इन नियमों में उसके परिमात पर्यटक परिमट कहा गया है) देने के लिए श्रावेदन राज्य परिवहन प्राधिकारी को प्ररूप 45 में किया जाएगा।
- (2) (क) किसी भी ऐसे मोटर यान की बाबत पर्यटक पर्रामट नहीं किया जाएगा जो वै। वर्ष से ग्राधिक पुराना हो ।
- (ख) किसी पर्यटक परिमट को उस तारीख से श्रवधिमान्य समझा जाएका जिस तारीख को परिमट के श्रेतरीत श्राने वाला यान, जहां यान मीटर के अंतर्गत श्राता हो सात वर्ष पूरे कर लेता हैं और जहां यान से भिन्न हो, पांच वर्ष पूरे कर लेता है, जब तक कि उस याम को बबस नहीं दिया जाता है।
- (ग) जहां किसी पर्यटक पर्रासट के प्रतिर्शेत प्रानेवाले किसी यानको किसी दूसरे यान द्वारा बदलनेका प्रस्ताल हो वहां पल्चासवर्तीयान ऐसे बदले जाने की तारीख को दो वर्ष से ग्राधिक प्राना नहीं होगा।

स्पष्टीकरणः क्स उपनियम के प्रयोजनों के लिए दो वर्ष, पांच वर्ष या नात वर्ष की अविध की संगणना मोटर यान के आरंभिक रिज-स्ट्रीकरण की नारीख से की जाएगी।

8.3 प्राधिकारी पत्न की फीम ——पर्यटक परिमट के किए प्राधिकार पत्न दिए जाने के लिए धावेदन प्रारूप 46 में किया जाएगा धौर उसके साथ बैंक ड्राफ्ट के रूप में प्रति वर्ष 500 कo की फीस होगी

- (2) प्रत्येक प्राधिकार-पत्र मंबंधित राज्यों द्वारा उद्गृहित कर या फीम के यदि कौई हो, संदाय के धप्रीत रहते हुए प्रारूप 47 में दिया जाएगा।
- (3) प्राधिकार पत्न की विधिमान्यता की प्रविधि किसी समय एक वर्ष मे प्रधिक नहीं होती और बह वर्ष की 31 मार्च को समाप्त होती। 84 यान जलाने का प्रधिकार— किसी भी पर्यटक परीमट के बारे में यह नहीं समझा जाएगा कि वह किसी ऐसे राज्य में, जिसे नियम 83 में निविष्ट प्राधिकार में मस्मिलिल नहीं किया गया है, यान जलाने का प्रधिकार प्रवान करना है और न ही इससे किसी राज्य में उद्देशीय कर या फीम के यदि कोई हो संदाय ने किसी यान के स्वामी को छूट मिलेती।

85. पर्यटक परमिट की प्रतिरिक्त शतें ---

घ. धारा 88 की उपधारा (9) के प्रधीन मोटर कैंब से भिन्न किसी पर्यटक थान को विषे गए प्रत्येक पर्यटक परमिट की श्रतिरिक्त कर्ते निम्निष्यित होंगी, श्रश्नीत :---

- (1) परिमिट का धारक प्रत्येक यात्रा की बाबन यान में ने आए जाने वाने पर्यटक यात्रियों की सूची तीन प्रतियों में तैयार कर याएगा जो उस क्षेत्र के जिसमें पर्यटन प्रारम्भं होता है, कार्यपालक मिजस्ट्रेट या पुलिस उपनिरीक्षक या राज्य परिवहन प्राधिकारी या प्रावेशिक परिवहन प्राधिकारी के किसी राजपित प्रधिकारी द्वारा जा इस निमिन्न प्राधिकृत किया जाए, सम्यक रूप से अनुमाणिन होगी भीर जिसमें नीच दिया गया पूर्ण स्थौरा होगा —
- (क) यान्नियो का नाम
- (स्रा) यात्रियों का पता
- (ग) याक्तियों की आयु,
- (घ) आरंभ और संतक्ष्य स्थान
- (2) पर्यटक यान्नियों की सूत्री की एक प्रति, रमीदी रिजस्ट्रीकाक कारा उस प्राधिकारी को भेजी जाएगी जिसने भ्रभिनेख के निए परिमट जारी किया था। दूसरी प्रति पर्यटक यान में साथ ले जाई

- जाएगी श्रीर उने श्रिधिनियम द्वारा या उसके श्राद्धीन वस्ताबीज पेण करने की मांग करने के लिए प्राधिकृत श्रीधकारियों द्वारा मांगे जाने पर प्रस्कृत किया जाएगा। तीयरी प्रति परिमट के धारक द्वारा सुरक्षित रखी जाएगी।
- (3) पर्यंटक यान प्रथनी यात्रा वर्तुल रूप में या प्रन्यथा अपने ही राज्य में या प्रारम्भ या समाप्त करेगा किन्तु ऐसा इस शर्त के अधीन होगा कि यान प्रपंत राज्य के बाहर दो सास से श्राधिक नहीं रहेगा। परिमट का धारक इस बात का भी घ्यान रखेगा कि पर्यंटक यान की श्रपने राज्य में प्रत्येक वापसी की रिपोर्ट परिमट जारी करने वाले प्राधिकारी को दी जाए:

परंत जहां संविदा की गई यात्रा ध्रपने राज्य से बाहर समाप्त हो वहां यान को ध्रपने राज्य में किसी स्थान की वापसी यात्रा के सिवाय उस राज्य के भीतर या उस राज्य से किसी ध्रन्य राज्य के लिए काड़े पर नहीं दिया जाएगा,

- (4) पर्यटन यान, ऐसे वर्तृल पर्यटन स्थानों में जो प्रनत्य रूप से अपने राज्य में या अपने राज्य के ब्रहार पहते हैं, बलाए जा सकेंगे यदि ऐसी वर्तृल पर्यटन याजा, पर्यटक एतिहासिक, धार्मिक महत्व के स्थानों की याज्ञा के लिए प्रपने राज्य के पर्यटक विभाग द्वारा अनुमोदित सूची में आती हूं और ऐसी पर्यटन याज्ञा को पहले ही सम्यक रूप से विज्ञाणित किया गया हो।
- (5) परिमिट का धारक था उसका प्राधिकृत स्विमकर्ता भाड़े पर ले जाने वाले अ्यक्ति द्वारा उसे संवक्त रकम की रसीद जारी करेगा और उसका प्रतिवर्ण उसके पास उपलब्ध रहेगा और उसे श्वाधितयम द्वारा या उसके ध्वधीत दस्तावेज मांगते के लिए मशक्त श्रीधिकारियों हुदारा मांगे जाने पर प्रस्तुत किया जाएगा।
- (6) पर्यंटन यान की संजिली गाडियों द्वारा प्रयुक्त किसी बस स्टैण्ड पर खड़ा किया जाएगा धौर न ही के ऐसे बस स्टेण्ड से चर्लेगी।
- (7) पर्यटन यान पर सफ़ेद रंग का पैंट किया जाएगा बाड़ी के बाह्य भाग के तीच में पांच सेंटीमीटर चौयाई में मीला रिवनहोगा और साध सेंटीमीटर व्यास के सकैल के भीतर इस यान के दोनों और ''पर्यटक'' कब्द लिखा जाएगा।
- (4) पर्यामटका धारक पर्यटक यान की ृमजिली गाड़ी के रूप में नहीं चलाएगा।
- (10) पर्रापट का घारक बैनिक लाग बुक रखेगा जिसमें परिमट धारक का नाम श्रीर पत्ता श्रीर यान का रिजस्ट्रीकरण चिह्न बलबा का नाम श्रीर पत्ता तथा उसकी चालन श्रनुक कीं, विधिष्टियां श्रीर यात्रा का भ्रारम्भ श्रीर शतस्य स्थान, यात्रा पर जाने, यात्रा से श्राने तथा भाड़े पर के जाने घाले व्यक्ति का नाम श्रीर पत्ता उपदर्शिन किया जाएगा।
- (11) परिसट का धारक शर्म (10) में ग्रंसविष्ट जानकारी प्रत्येक तीत मास में उस परिवहन प्राधिकारी को देगा जिसने उसे परिसट विद्या था और साँग बुक को तीन वर्ष तक सुरक्षित रस्ता जाएगा और उसे मर्त (2) और गर्त (4) में निविष्ट ग्राभिनेखों सहित मांगे जाने पर उक्त प्राधिकारी को उपलब्ध। किया जाएगा।

स्पष्टीकरण: इस नियम में "झपना राज्य से वह राज्य झाँभप्रेत है जिस ने झारा 88 की उपझारा (9) के झझीन पर्रामट विया है।

भतः मोटर कैंब की बाबत प्रस्थेक पर्यटक परमिट की निम्नलिखित सक्रिरिक्त शर्ते होती .---

- (1) "पर्यटन यान" शब्द यान के दोनों भीर 25 सें. भी. के ज्यास की कुल्त के भीनर पेंट किया जाएगा।

राष्ट्रीय पर्रामट

8 . राष्ट्रीय परिमट के लिए आवेदन :---

राष्ट्रीय परिमट के दिए जाने के लिये ब्रावेदन धारा 69 में निर्दिन्ट ब्राधिकारी को प्ररूप 48 में किया जाएगा।

- 87 प्राधिकार पत्र का प्ररूप, भीतवस्तु भीर कालावधि ---
- (1) राष्ट्रीय पर्रामट के लिए प्राधिकार पत्न विए जाने के लिए धार्वेदन प्ररूप 46 में किया जाएगा और उसके साथ वैंक ड्राफ्ट के रूप में पांच सौ रुपए प्रतिवर्ष की फीस होती
- (2) प्रस्पेक प्राधिकार पत्र संबंधित राज्यों द्वारा उद्गृहीत कर या क्रीस के, यदि कोई हो, संदाय के भन्नीन रहते हुए प्रकृप 47 में दिया वाएगा।
- (3) किसी प्राधिकार पक्ष की विधिमान्यता की भविष्ठ, किसी समय एक वर्ष से भिक्षिक नहीं होती और वह वर्ष की मार्च के 31वें दिन को समाप्त होती।
 - 88. राष्ट्रीय पर्रापट के प्रयोजन के लिए मोटरयान की समयावधि:-
- (1) कोई राष्ट्रीय परिमट किसी ऐसे माल बाहन के संबंध में नहीं विया जाएगा जो किसी समय पर नौ वर्ष से आधिक पुराना हो ।
- (2) राष्ट्रीय पर्रामट उस तारीख से र्घाधमान्य हुमा समझा आएगा जिसको पर्रामट के अंतर्गत भाने वाला यान भागने प्रारंभिक रिजस्ट्री-करण की सारीख संनौ वर्ष पूरे कर लेता है।
- स्पष्टीकरण:----इस नियम के प्रयोजन के लिए, नौ वर्ष की स्रविध की संगणना संबद्ध माल बाहुत के प्रारंभिक रिकस्ट्रीकरण की नारीख से की जाएगी।
 - 89. किसी राष्ट्रीय पर्रामट के धारक द्वारा भरी जाने वाली स्नैमार्मिक विवरणी:---

किसी राष्ट्रीय पर्रामट का धारक, राष्ट्रीय पर्रामट के स्रंतर्गत माने काल मोटरयान की बाबत ऐसे प्राधिकारी को, जिसने राष्ट्रीय पर्रामट दिया है, प्ररूप 49 में विवरणी फ़ाइल करेगा।

90 राष्ट्रीय पर्रामट की म्रातिरिक्त शर्ते ---

भारा 88 की उपधारा (12) के भधीन जारी किया गया राष्ट्रीय परिमिट निम्निलिखत मितरिक्त शर्तों के प्रधीन होगा, भर्यात्:---

(1) राष्ट्रीय परिमट के भंतर्गत चलाने वाले यान को 30 सेटी-भीटर चौड़ी सफैद पट्टी में सूखी पत्ती के भूरे रंग से रंगा जाएगा और "राष्ट्रीय परिमट" शब्द 60 सेंटीमीटर के ब्यास के वृत्त के भीतर मोटे अक्षरों में यान के दोनों और लिखे हुए होते:

परंपु खतरनाक या परिसंकटमय माल ले जाने वाले टैंकर की नाडी को मगने भाग पर बीच में कारों ओर 5 सें मी के सूखी पली के मूरे रिवन सहित सफ़ेव रंग से रंगा जाएगा।

- (3) ऐसे किसी यान में प्ररूप 50 में बहनपत्न के बिना कोई माल नहीं ले जाया जाएगा।
- (4) यान में कम से कम दो चालक होंगे ग्रीर यान में चालक की सीट के पीछे उसकी पूरी चौड़ाई में एक मीट होगी जिन्ने ग्रिनिरिक्त चालक के लिए भाराम करने भीर सोने के लिए मुविधा दी जाएगी।
- (5) यान के साथ हमेशा निस्तिलिश्वन दस्तावेत ने जाए जाएंसे श्रीर वे प्रधिनियम द्वारा या उसके प्रधीन दस्तावेत मांगते के लिए सशक्त प्रधिकारी द्वारा मारों जाने पर प्रस्तुत किए जाएसे। प्रथीत् ----
 - (1) ठीक हालन में होने का प्रमाणपत्न,
 - (2) बीमा प्रमाणपन्न,
 - (3) र्राजस्ट्रीकरण प्रमाणपन्न,
 - (4) राष्ट्रीय परमिट,
 - (5) कराधान प्रमाणपत्न,
 - (6) प्राधिकार पन्न।
- (७) यान सभी स्थानीय नियमों का किसी राज्य सरकार द्वारा ऋषिरोपित नियन्धमों के अधीन होगा।
- (7) यान एक ही राज्य में स्थित हो स्थानों के बीच माल नहीं उठाएगा या नहीं उनारेगा।

घध्याय 5

मोटरयानों का निर्माण, उपकरण भीर अनुरक्षण प्रारंभिक

- 91. परिभाषा --- (1) इस अध्याय में, जब तक संदर्भ से अस्यथा अपेकित न ही ,---
- (क) किसी खतरनाक या परिसंकटमय माल के संबंध में "क्लास लेक्स" में मामिन्नेत है, नियम 137 की सारणी के स्तंभ 3 में निर्दिष्ट क्लाम लेक्स ।
- (ख) मालवाहक द्वारा ढोए जाने वाले खतरनाक या परिसंकटमय माल के संबंध में, "परेषक" से श्रभिन्नेत हैं, ऐसे खतरनाक या परिसकट-मय माल का मालिक,
- (ग) ''श्वतरनाक या पारसंकटमय माल'' से भाषप्रेत है, नियम 137 की सारणी-1, स्तंभ 2 भीर में बिनिविष्ट मानव जीवन के लिए स्तरनाक या परिसंकटमय प्रकृति का माल,
- (च) "म्रापानकालीन सूचना पैनल" से श्राभित्रोत है, नियम 132 में विनिविष्ट पैनल,
- (ड.) किसी खतरनाक या परिसंकटमय माल के संबंध में, "प्राथमिक जोखिम" से धांभप्रेत हैं, सबसे धांधक सणक्त जोखिम जो ऐने मालों से उत्पन्न हो सकती है,
- (भ) किसी स्वतरनाक या परिसंकटमय माल के संबंध में, (महायक फोसियम, से भ्रमिन्नेत है, ऐसी सहायक जोस्विम को ऐसे मालों द्वारा प्राय-मिक फोसियम के भ्राना उत्पन्न हो सकती है।

92. साधारण--

- (1) कोई क्यांकरा किसी भी सार्वजानक स्थान में किसी भी ऐसे मोटर यान का न तो इस्तेमाल करेगा या न ही चलाने के लिए देगा या न ही चलाने की अनुमति देगा जो मोटर यान इस अध्याय के उपबंधो का अनुपालन नहीं करता।
 - (2) इस नियम की कोई बाट ऐसे मोटर यान की लागू मही होंगी।
 - (क) जो जिल्लो टुर्बटना में अपितप्रस्त हो गमा है अथवा किसी ऐसे यान को लागू नहीं होगा जो ईसन की कमी या अन्य

- अस्थायां चाराण की कारण प्रेमें स्वात में जहां दुर्घटना या चाराबी हुई है, रका हुमा है या अवस्त हो गया है:---
- (ख) जो खराब या क्षनिग्रस्त है भीर भरम्मत या व्ययन के लिए किसी निकटस्थ स्थान को ले जाया गया है या
- (ग) जो उसके रिजस्ट्रीकरण की नारीज से पचास वर्ष से अधिक पुराना है श्रीर जिन्टेज कार रैजी में भाग लेने के किए ले जाया गया है:

परस्तु जहां कोई मोटर यान, चनाने वाने व्यक्ति के प्रभावी नियंत्रण में नहीं रहा है नहां नह टोबिंग के पिशाय मावृत्रनिक स्थान में प्रयोग नहीं किया जाएगा।

- 93 मोटर यान की सकल विस्तार:
- (1) समलम्ब सत्तहों के बीच नाइर वाइन के समकाग से धुरा प्रत्येक मोटर यान की सकत चीड़ाई जिसमें किनारे के मंगी बिन्दुमों के साथ वो निम्नलिखन से श्रीक्षक न हो---
 - (i) किसी मोटर यान की दशा में जिसमें परिवहन यान शामिल नहीं है 2.5 मीटर,
 - (ii) किसी परिवहन यान के मामने में 2.7 मीटर।

स्पष्टीकरण: — इस नियम के प्रयाजनों के लिए, पिछनी दुष्टि वाक्षा शीशा एक सब-रेल या दिला सूचक (जब प्रवालन में हो)] उसे किसी मोटर बाहुन की सकत जोशाई मारत के निर्धात में नहां रखा } जाएगा।

- (2) ट्रेनर के इतर प्रत्येक माटर यान की मुनकन लम्बाई निम्न-लिखित से ग्राधिक नहीं होगी—
 - (1) किसी परिवहन यान जिनके दो से प्राप्तिक धुरा न हो, के अलावा किसी मोटर यान के मामले में 9.5 मीटर,
 - (2) दो या उससे अधिक धुरा वाले रिजिड फेम वाले किसी परि-वहन यान के मामले में 11.25 मीटर,
 - (3) प्रार्टकुलेटेड यान जिसमें दो से प्रधिक श्रुत्त हो, उसके मामले में 16 मीटर,
 - (4) ट्रक ट्रेलर या ट्रैक्टर ट्रेलर कम्बीनेयानों के मामले में 1 मीटर।
- (3) आर्टिकुलेटेड वाहन या ट्रैक्टर ट्रेलर कर्म्बनिशन को दशा में ज विशेष रूप में काफा लम्बे प्रविमाज्य लम्बे मार का बुलाई के लिए निर्मित हो-
 - (1) यदि यान के सर्वा चक्कों में न्यूमेटिक टायर लगे हैं, या
 - (२) यदि यान के समी चक्कों में सब तक न्यूमेंटिक टायर महीं लगे हैं, जब तक वे प्रति बंटे 25 कि मी. की गति से प्रविक गति से चलाएं नहीं आप सो, सकप लम्बाई 18 मंदिर से प्रविक नहीं होगी।

स्पर्दाभरण: -इस नियम के प्रांशियों के लिए, पकल लब्बाई से श्रामिप्रेन है, समानाक्तर सनहों के बीच मार्पा गई यान की लब्बाई जो थान के बाहरी उमरे बिन्दुओं से गुजरती है जिसमें निस्निखित शामिल नहीं है:--

- (i) कोई चालू करने याला हैंडल,
- (ii) जब डाऊन हो, तो कोई हड,
- (iii) कोई फायर इस्पेक जो बाहन से जुड़ा हो,
- (iv) कीई पोस्ट प्राफिस लेटर बाक्स जिसकी लस्बाई बाहन के घुरा के समानान्तर मापी गई है, वह 30.5 सेस्टीमीटर से प्रधिक ही है,

- (5) किसी यान की छन से लावने या उतारने के लिए प्रयुक्त सीक्षी था किसी बाहन में लगा कोई सिरा या सूचक प्रकाश या नस्वर प्लेट,
- (6) किसी मौन से लगा काई फालतू जनका मा स्पेमर ख्रीस जैकेट मा सम्पर।
- (7) कोई टौनिंग हुक या अन्य फिटमेंट जो इस उप नियम के अनुक्छेद (iii) से (vi) तक किसी फिटमेंर के बाहर नहीं निकला हो।
- (4) किसी मोटर यान की सकल अंबाई जिसका उसे सतह सं माप किया गया हो जिस पर यान खड़ा है,
 - (i) डबल डेक्ट मीटर यान से िम्म किसी यान की देशा में
 3.8 मीटर से प्रथिक नहीं होगा,
 - (ii) ब्बल डैनड मोटर लग को दशा में 4.75 मीटर से प्रधिक नहीं होगा।
 - (iii) प्राईएस मो सिरीज। फेट कटेनर बंजि वाले लवे ट्रेलर की दशा में 4.2 भीटर से अधिक नहीं होगा,

परन्तु खंड (i) से खंड (iii) के उपबंध कायरहरूकेच वो वैगनों और धन्य विशेष प्रयोजन के यांनों को लागू नहीं होंगे जिन्हें रिजस्टरकर्ती प्राधिकारी के साधारण या विशेष झादेश द्वारा छूट दी गई है।

- (5) किसी ट्रैक्टर का श्रीवर हैंग 1.85 मोटर से श्रीधक नहीं हॅंगा।
- (6) किसी ट्रैक्टर से निन्न किसी मोटर थान का प्रोबर हैंग उख दूरी के 60% से प्रधिक नहीं होगा जो सतह के समलम्ब से मोटर थान के धुरे के बीच का दूरी जो प्रगले चक्के के केख था केन्नों या चक्कों और प्रगले सीधी सतह से होकर गुजरती हैं, जहां से प्रोबर हैंग की मार्थ की जानी है,

स्पटिशिक्षरण्ं: --इस नियम के प्रयोजन के लिए, "मोबरहैन" से मिमिनेत है, यान के सड़ा के सतह के समक्कोण के बीच की सीधी भीर समानात्सर दूरा का माप को ऐसे घुरे पर हो को नोचे विनिद्धित दो बिन्सुओं से गुकरता हो,--

क. थाम का सबसे विश्वला बिन्दु जिसमें निम्नलिखित सिम्मिलत नहीं हैं:--

- (1) काई मो हड अब नोचे ही,
- (2) कोई मो पोस्ट प्राफिस लेटर बक्स जिसको यान से सोधे हुरे के समानान्तर मापो गई लम्बाई 30 सेन्टीमीटर से प्रधिक न हो,
- (3) कोई सोटेः जो याम में लगे टर्न-टेबल फायरबस्केय का धंगं हो,
- (4) अब बान छत से लोडिंग या धनलंडिंग के लिए **खड़ा है,** तो उस इस्तेमाल की गई कोई संदी, या किसी यान पर लगी। पिछली बसी या नश्यर प्लेट,
- (5) किसी याम का स्पेथर व्हाल या स्पेयर व्हाल वैकेट, जो यान में लगा हो,
- (6) किसी मोटर यान में फिट किया गया काई छाने कैरियर जिसका मिमाण सिर्फ यात्रियों भीर उनके असवाय ढोने के जिए किया गया है भीर जालक की छोड़कर सात से अधिक व्यक्तियों को छोड़कर सात से अधिक व्यक्तियों को ढोने के लिए बनाया गया है,
- (7) कोई भी टोविंग हुक या भ्रम्य फिटमेंट जो उपरोक्त कांड (2) से (6) में उल्लिखित किसी फिटमेंट से बाहर नहीं निकलता हो.

)

परन्तु किसी मंजिली गाड़ी की दशा में---

- (क) यान के पीछे किसी बस्पर या विज्ञापन पैनल का विस्तार 15 सेस्टीमोटर से अधिक नहीं हो,
- (ख) किसी बिजापन पैनल का विस्ताप ऐसा नहीं होगा जो पिछले शीश की दृष्टि में बाधा डालेगा ध्रथवा भ्रापासकालीन द्वार से पीछे या दोना और से बाहर निकलेगा या दिखाई देगा।
- (1) किसी ऐसे बान की देशा में जिसमें सिर्फ दो धुरा है जिसमें से एक स्टीयिंग एक्सल महीं हैं, उस एक्सल का केन्द्र बिन्दु था
- (2) किसी ऐसे यान की वणा में, जिसमें सिर्फ तीन एक्सल हैं, जहां अगला एक्सल ही स्टीयरिंग एक्सल है, वहां नीधी रेखा के केन्द्र में 102 मिली मीटिंग पीछे जो पिछले और बीच वाले एक्सल से केन्द्र खिन्दू पर मिलते है।
- (3) किसी ऐंग बान की देशा में को भारत में इन निश्कों के प्रारंभ से पहले रिजस्ट्रीकृत है यह पर्योध्त होगा कि यान की सकल लम्बार्ड से फ्रोबर हैंग 7/2 । प्रधिक नहीं होगा।
- (।) किसी ऐसे मोटर यान की दक्षा में जिसमें सिर्फ र्सन धूरा हा जहा अगला दो एक्सल स्टीयरिंग एम्सल हो, सबसे पिछले एक्सल का केन्द्र बिन्धु:
- (5) किसी ऐसे मोटर यान का वशा में जिसमे चार एमसल है, जहा प्रगति को एक्सल स्टीयरिंग एक्सल हैं वहां सबसे विख्ले दो एक्सलों के केन्द्र बिन्दु से जुड़ी सीक्षी रेखा के केन्द्र से 1 से 2 किलोमीटर विखे एक स्थान।
- (6) किसी अन्य दणा में, यांच के खड़े धुरा पर स्थित कोई बिन्दु और यह इस प्रकार हो कि इससे उस धुरा से समक्षीण पर खीची गई रेखा बाहन के न्यूमलम टर्निंग सर्वेक्ष के केला से होकरगुजरेगी।
- (7) विकारी स्थल से िशन्त यान का कोई भाग, जब प्रवासन में हो, इश्रया हाई जिग दर्गण, इकहरे पिछले पहिमो की दशा में, पिछ के पहियों की सेंटर लाइन के परे 355 मि.मी. से भाविक प्रोजेक्ट मही होगा अथवा दुहरे पिछले पहियों की दशा में बाहरी टाबरों के सबसे बाह्य सिरे के परे 152 मि.मी. से भाविक प्रोजेक्ट मही होगा अथवा दुहरे थिए से पहियों की दशा में बाहरी टाबरों के सबसे बाह्य सिरे के परे 152 मि.मी. से अधिक प्रोजेक्ट मही होगा,

परन्तु राज्य सरकार या राज्य सरकार द्वारा इस निमित्त प्राक्षित्त कोई प्राधिकारी, यदि जसका यह सम्मधान हो जाता है कि किसी मझ क या पुल के प्रकार के कारण या लोक ग्रदका के हित में यह धावय्यक है तो, किसी विनिदिष्ट मार्ग या क्षेत्र में मोटर यान के प्रचालन की प्रति-शिद्ध या प्रतिबंधित रख सकेगा जब तक कि ऐसा यान, ऐसे मार्ग या क्षेत्र के लिए राज्य सरकार द्वारा विनिद्धित अपेकाओ का क्रनुपालन नहीं करता है।

- (7) कोई मोटर यान ऐसी रीति से नहीं लोडा जाएगा कि भार या उसका कोई माय---
- (1) बॉडी के माइड के पर निकल जाए,
- () यान की भाग आर्डा के सबसे प्रगले भाग के पर, प्रगले भाग में निकल जाए.
- ं (3) यामें के सबसे पिछल भाग क पर, पाछे निकस जाए,
 - (1) उपनियम (1) में विनिद्धिट सीमा के परे, ऊंचाई में निकल गए.

- परस्तु खटों (3) किस। मास बाह्न का लाग् नहीं हांगी लब बह फिसी खस्या या सलाख। या ध्रविमाज्य भार से लावा जाता है जब तक कि प्राजैस्ट होंने वाका माग मोटर यान के सबसे पिछले बिन्दु के परे, एक मीटर की दूरी से ध्रधिक नहीं निकल जा। है।

	सारणी				
टायर का प्राकार	्रतन्त्रे/ट्रक टाय ^र (डायगनल) _{निर्मा} ताग्रों द्वारा विनिधिष्ट प्लाइ रेटिंग	चोने के लिए अनुकात ऋधिक तम भार (कि या एकल/दाहरा			
(1)	(2)	(3) (4)			
6.00-16	6	705/620			
6.00-16	8	830/230			
6.50-16	6	795/700			
6.50-16	8	935/820			
6 70-15	6	7 5 5/6 7 0			
6.70-15	ε	89 0/2 9 0			
7 - 00 15	6	850/750			
7 00-15	8	1005/885			
7 00-15	10	1140/1003			
7 00-16	6	≿ E 5/275			
7 00-16	8	1050/925			
7 00-16	10	1195/1050			
7.50-16	8	1200/1055			
7 50-16	10	1370/1200			
7 50-16	12	1530/1350			
7.50-16	I 4	1675/1475			
	ट्रक भीर बस टायर				
7,00-20	10	1660 1450			
7.50-20	10	1855 1630			
7.50-20	12	7060 1805			
ξ. 25 - 20	12	2365 2075			
ε 25-20	14	2585 2275			
9.00-20	12	2710 2380			
9 00-20	1.4	2980 2615			
9 . 00-20	16	3075 2695			
10.00-20	1.4	3180 2790			
10.00-20	16	3480 3050			
11.00-20	14	3470 3040			
11.00-20	16	3785 3325			
11 00-20	1.4	3910 3435			
12.00-20	<i>l</i> 1	3685 3230			
12.00-20	16	4070 3575			
$12 \cdot 00 - 20$	18	4320 3785			
	मोटर स्कृटर टायर				
3.00-10	4	150			
3 50-8	4	170			
3 50-10	4	195			
	माटर स्कटर उरिवेटि	₹ 4			
3 50-10	6	375			
4.00-8	4	340			
4.00-8	6	400			
4,50-10	8	520			

[]'ART II—SEC. 3(1)			THE (
(1)		(2)	(3)
मो	टर साइकिल टाबर		
3 00-18	4	175	
3.00-19	4	185	
3 . 25- 16	4	180	
3 25 ← 18	4	200	
3,25-19	4	210	
3.50+18	4	225	
3,50~19	4	2 3 0	
कृषि स्टीर्थारग ही	ाम द्रैक्टर टायर (डायगनल प्याई)	
4,0019		1	355
5, 5016		4	425
5. 5016		6	525
6.0016		4	450
6.0016		6	5 60
6.0019		4	510
6.0019		6	640
6.5016		4	510
6.5016		6	615
6.5020		4	600
6.5020		6	725
कृषिं, चालित ह	द्गील ट्रैक्टर टायर ।	(डायगंतन प्लाई)	
8.3/5-1.24		4	625
8.3/821		6	810
8.3/832		4	715
8.3/832		6	9 2 0
11.2/1028		4	900
11.2/1028		6	1115
11.2/10 - 28		8	1305
12.4/11 - 24		4	945
12.4/11; -25		6	1200
12.4/1128		4	1005
12.4/11 - 28		6	1275
12.4/1128		8	1510
12.4/11-36		4	1135
12.4/11 36		6	1440
12.4/1138		4	1165
12. $4/11 \rightarrow -38$ 13. $6/12 \rightarrow -28$		6	1480
13.6/1228		4.	1100
13.6/1228		6 8	1430 1615
13.6/1223		6	1660
13.6/12-38		8	1910
16.9/1428		6	1840
			1040

- टिप्पण: (1) 'उररोक्त प्रधिकतम भार भारतीय मानक भा० मा० 1988 ना 10914 के अनुसार है और उनमें उरविण अधिकतम र्णा फुलाव दाब के लिए है और वह मोटर पान प्रधि-नियम, 1988 की धारा 112 के श्रवीन स्वता में दी गई गतिसीमाओं के लिए समायोगि। किया गया है।
 - (2) परिवहन प्रानों (माल और यात्री वाहत) के टायरों की बाबत उपरोक्त भार इस गर्त के प्रधीन लागू होगा कि एक्सिल भार अनुकान सीमाओं से अधिक नहीं होता है। यह ऐस रिजस्ट्रीज़र एक्सिल भार के संबंध में लागू होता है जो यान के रिजस्ट्रीज़र प्रमाणयन में अभितिखा है

मेक्स और स्टियरिंग शियसं

- 96. ग्रेक्स (1) बिना गिथर की मोटर भाइकिन, ग्रणकृतयात्री नाडी, ट्रेंसर श्रयका रोड रोलर से मिन्न प्रत्येक मोटर यान में दो स्वतंत्र और दक्ष ग्रेकिन प्रणालियां, श्रयांत्, हैंड ग्रेक्स और पैर-चालित सर्विस ग्रेक्स होंदी।
- (2) प्रेक्षिण प्रणाली से उन नियम (8) में विनिर्दिष्ट दूरी के अंदर यान का रोजने की क्ष्मिता होगी और उसे हर हालन में रोकने में समर्थ होगी और ऐसे सभी क्षेत्र हर समय समुखित हंग से जुड़े होंगे और उन्हें दक्ष हालन में बनाए रखा जाएगा,

परन्तु बिना निथर की मोटर साइकिल में एक स्वतंत्र और दक्ष इक-हरी द्वेषिन प्रणाली होनी जो ऐसे मोटर साइकिल को रोकने में समर्थ होनी जब वह पूरी धरह से लवा हुया हो, सात में एक के धनुपान में स्थिर हो।

- (3) प्रत्येक मोटर यान में प्रचावन के किसी एक साधन द्वारा संच जिल क्रेक सीधे ह्वील पर लगेंगे न कि ट्रासमिशन गियर के माध्यम से ।
- (4) इस उर नियम के प्रारम्म को तारीख को और उससे, पैरवा-लिससींबय, जैसे मुख्य ब्रेकिंग प्रणाली, इस प्रकार सिप्तिमिन और बनाई रखी जाएगी कि उनके किसी एक भाग को प्रसफतता से कम दो पहियों पर ब्रेकों में बाधा न पड़े या एक पहिए पर चार से ब्रधिक पहिए बाले किसी यान की दणा में ऐसे पहियों की घुमने से प्रभावी रूप से राकने के प्रवालन में या यान को रोकने में बहा प्रभाव रखने में बाधा न पड़े सानी ऐसे पहिए रोके जीने हों।
- (5) सिवाय थिसी नोटर साइकिल को दशा में, ग्रेकिंग प्रणाली या किसी मोटर यान की एक क्रेकिंग प्रणाली इस प्रकार सिव्सिस और बनाई रखी जाएगी कि वह इस प्रकार प्रभावी रूप से सेट की जा सकती है कि उससे कम से कम दो पहियों का या केंग्रल सीन पहिए वाले किसी मोटर यान की वणा में, कम से कम एक पहिए को घुमने में रोका जा सकें जब ऐसा यान श्रकेशा छाड़ विया जाता है।
- (b) ऐसी क्रोंकन प्रणाली या उसके भाग को जो पूर्वोक्त रीति से कार्य बस्ता है, पाकिल क्रोंक के रूप मे जाना आएका और जहा ऐसा पाकिल क्रोंक हाथ से चलाए जाने के लिए प्रसिक्तित है बहा वह हैंड क्रोंक के रूप में जाना जाएका।
- (7) किसी धाणक्त मार्ग गाड़ी या रोड रोलर से लिप तोन से धिक ह्वील याने निसी मोटर वाहन की देशा में जहां कोई बेक शू प्रचालन के किसी एक पाधन द्वारा लगाया जा सके वहां सभी ह्वीलों में बेब लगे होंगे जिनमें सभी प्रचावन के किसी एक साधन द्वारा प्रचामित हैं:--

परान्तु तिसी ट्रैक्टर के मामले में--

(1) जहा किसी मोटर यान में छह से प्रश्लिक ह्वील हैं, जिनमें बाम से फम चार स्टीयरिंग ह्वील हैं बहा इस उर-नियम का पर्याप्त प्रनुपालन होगा यदि दो स्टीपरिंग ह्वील से भिन्न समी, ह्वीलों पर बेक लगे हैं जो यान के विरसीत दिशा में लगे हैं, और ऐसे क्रेक प्रचलन के किसी एक मध्यत द्वारा उसते हैं,

- (2) जहां किसी मोटर यान में चार से प्रधिक ह्वाल हैं और विशेष ियर या ड्राइविंग ह्वील वाले एक्सन के बीच समान नैकेलियम के अंतः क्षेप के बिना स्टोयिंग ह्वीन के इत्तर ड्राईव ट्रांसिट किया जाता है, तो इसे इस उन नियम का पर्याप्त अनुपालन समझा आएण यदि प्रवालन को कोई एक साम्रत यानों के विपरीत दिणाओं पर स्थित वो ड्राइविंग ह्वीलों पर बेक लगाना है और प्रचालन के भ्रत्य साम्रत इस उन्न नियम द्वारा लगाए जाने वाले के घन्य सभी ह्वीलों पर लगे होते हैं।
- (8) प्रचालन के एक साधन द्वारा प्रचालित बेकिंग प्रणाली, यात के लंदे होंने अथवा बिन लंदे होंने के अनुसार रोक्ते में समर्थ होंनी और समय-समय पर यथा संगोधित दोपहिया के मामने में आई एस: 11716 (1987) जोर अय श्राटोनोबाइल वाहनों के मामने में आई एस: 11852 के अनुक्य हांगी। 97. देवरों के लिए बेक:
 - (1) प्रश्नेक ट्रेलर जिसका सार 500 किलोग्राम से ब्रधिक है उसमें ऐसी वक्ष ब्रेकिंग प्रणाली होगी, जिलके ब्रेक उन समय भी लगाए जा सकते है जब यह चल रहा हो--
 - (i) ऐसे ट्रेलर की दशा में जिसमें दो से प्रधिक एक्सल न हों एक एक्सल के सभी पहिलो पर, ध्रयवा
 - (ii) ऐसे ट्रेलर की वणा में जिसमें दो से ऋषिक एक्सर हों, कम से कम दो एक्सलों के सभी पहियों पर:

परस्तू क्रेकिन प्रणाली इस तरह सैयार की जाएनी कि वह चल रहे यान के इंजिन के रुपने एक निष्प्रभावी न हो।

- (2) उप निधम (1) के उपबंध निम्निखित को लागू नहीं होंने-
- (i) किसी मोटर यान द्वारा चलाए जाने वाले भूमि उमकरण,
- (ii) काई ट्रेलर जिसे स्थानीय प्राधिकरण द्वारा गलियों की सफाई के लिए अथवा भनितामन सेना द्वारा प्रनितानन के निए उपयोग के लिए तैयार किया गया और उपयोग में लागे जा रहे ऐसे कोई ट्रेलर जो धपने भाववयक गियर और उत्स्करों के धलावा धन्य कोई भार नहीं होते,
- (3) कोई बिगशे हुए पाड़ी जिसे बिगड़ी हुए होने के फलस्वरूप विसी मोटर यान द्वारा खीचा जा रहा हो।

98. स्टियरिंग गियसं:-- (1) प्रत्येक मोटर यान के स्टियरिंग गियर का श्रन्छी दणा में रख-रखान किया आएगा, स्टियरिंग ब्हील पर 30 खिन्नी से श्रीयक वैकलेण से मुक्त रखा जाएगा, सभी राष्ट्रस और श्रामंस की समुजिन रूप से रखर कैंगों बारा सुरक्षा को जाएगी और जहा होक्शनों को पोल्टों श्रयमा पिनों से पनना किया गया हो बहा बोल्टों श्रयमा विनों को प्रमानी छंग से लाक किया जाएगा।

(2) प्रत्येक नोटरथान का स्टीयरिंग गीयर इस प्रकार निर्मित होगा ताकि यह समय-ममय पर यथा संशोधित भारतीय मानक माई एस : 12222 (1987) के भनुरूप हो ।

स्पष्टीकरण: इस उप-नियम के प्रयोजन के लिए ऐसा व्यास पाउंड लेकल पर व्हील ट्रैक के ठोक भाउटर एज के संदर्भ में निर्धारित किया जाएगा।

- 99. आने और पीछे गिनशीलता: —मोटर साइकिय और तीन पहिए वाली असक्त यात्री गाड़ी से भिन्न प्रत्येक मोटर यान ग्रवनी शक्ति में आगे अखना पीछे चलने में सभर्य होगा।
- 100. सुरक्षा शीणाः (1) प्रत्येक मोटर यान के विवस्कीन का शीणा और विवहितयों का शीणा मुक्का शीणा होगा: परम्नु तीन पहिए बाले यान तथा हुइ और साइड कंडर थाने तन की क्शा में, विवृत्तियां रिकीलिक पारवर्षी चावर की हो सकेंगी।

स्वच्छीकरणः--- इस निगम के प्रयोजन के लिए:----

- (i) "सुरक्षा गीगा" से अभिनेत हैं, भारतीय मानक ब्यूरो द्वारा अनुमोदित भीर इस तरह से निर्मित अथवा नैयार किया गया गीगा कि यदि यह टूट जाए तो विखरता नहीं अथवा ऐसे टूकड़ों में नहीं छिटकता जिनसे तेज खरोंच लगें,
- (ii) किसी यान के सामने की विष्क्षित प्रथवा खिन्नि की जिसकी अंबरूनी सतह यान के अनुदैध्यें एक्सिल से तीस डिग्री से अधिक के कोण पर हैं, उसे सामने की और सममा आएगा।
- (2) प्रत्येक मोटर यान के विडल्कीनों ग्रीर जिडिकियों का गीमा ऐसा होगा भ्रीर उसे ऐसी स्थिति में बनाए रखा जाएगा कि वह स्थब्दतः पारवर्गी हो भौर भंदर से बाहर भीर बाहर से प्रदेश की जीए साध्य हम से दिखाई बेता रहें।
- 101. विश्वस्कीन वाष्ट्रपर नियर:--- प्रत्येक मोटर यान में एक स्त्र-भारित विश्वस्कीन वाष्ट्रपर लगाया जाएगा।

संकेत उपकरण, लैम्प्स धौर रेपलेक्टर्स

- 102. विशा सूत्रक और स्टाप लाइटें (1) वाएं या बाए मुक्ते के इरावें के संकेत विद्युत दिशा सूत्रक द्वारा विया जाए और सूर्यास्त के भाषा घंटा बाद भौर सूर्यादय से भाषा पहले की श्रवीं के दौरान रुकने का संकेत विद्युत स्टाप लाइट द्वारा दिया जाए।
- (2) प्रत्येक विश्वत विशा सूचक, जब प्रचालन में हो, यान के सामने और पिछ वोनों भीर से विखाई वेगा और निन्तिविश का में होगा--
 - (1) एम्बर रंग का प्रकाशमुक्त संकेत चाहे स्थिर हो प्रथवा पर्लेशिंग टाइप का हो, जो भारतीय मानक व्यूरों द्वारा प्रतुमोदित हो,
 - (2) नियत ग्लास पैनल जो प्रकाश युक्त हो घौर प्रकाश प्रशिषण दर न्यूमतम प्रकाशयुक्त क्षेत्र की प्रति मिनट साठ से कम न हो धौर एक सौ बीस से ग्राधिक न हो--
 - (क) बरीर भार लदे हुए यान की वशा में जिसका भार दो टन से अधिक न हो अथवा दुशहवर और सामान को छोड़कर साल व्यक्तियों को ले जाने के लिए हो, में 22.5 वर्ग सेन्टीमीटर,
 - परन्तु यान को ट्रेनर खींकने के लिए प्रधोग में नहीं लाया जाता हो, चार पहियों से कम अथवा चार पहियों बाले ट्रेनर को छोड़कर जिसमें प्रत्येक साध्व में एक साथ जुड़े वो पहिए लारे हो, अथवा
 - (ख) ग्रन्थ सभी वंशान्त्रों में 60 वर्ग सेन्टीमीटर, श्रीर प्रकाश-मुक्त मतह बाहन के मामने श्रीर पीछे दोनों तरक से विखाई वेंगी।
- 103. विशा सूचक की स्थित :— (1) दिशा गूनक इस प्रकार डिजाइन किया जाएगा घौर लगाया जाएगा कि यान का चालक केन वह प्रपनी इंग्रहिंग सीट पर है, उसे यह जात हो कि यह मही ढ़ंग से काम कर रहा है।
- (2) मोटर साइकलों की दशा में वितंतर प्रगचली के बिल्ट-इन दिशा सूचक भागे भौर पीछे योनों तरफ लगाए आएंगे।
- (3) इस उप नियम के प्रारम्भ की तारीख को या उप भाटर साइ-किल से भिन्न प्रत्येक मोटर यान में ऐसे उनकरण लो होंगे कि जब यान ब्रेक डाउन हालत में हो तो सभी साइड-मूचक धन्य सड़क प्रयोकताओं को खातरे की चेतावनी देने हुए एक साथ फ्लैश हो जाएंगें।
 - 104. परावर्तकों का फ़िटमेन्टः—(1) प्रत्येक परिवहन यान में नम्नलिखत लगाए जाएंगें—
 - (क) दो रियर लाल परावर्तक जिनका बाडी के वोनों मोर प्रत्येक का ब्यास 80 मिलीमीटर से कम नहीं होगा, ग्रौर

(व्य) आडी के सामने की फ्रोर ठीक दायी तरफ नीचे वायी तरफ कार्नर पर सामने की घ्रीर एक सफ़ेद परावर्तक होगा जिसका व्याम 80 मिलीमीटर से कम नहीं होगा, जो ग्राउंड लेक्स से 1.2 मे 1.5 मीटर के बीच की ऊंचाई पर होगा।

- (2) प्रत्येक गैर-परिवहन यान में पीछे 50 मिलीमीटर ज्याम का एक परावर्नक भ्रयवा रिफ्लैंक्टिंग टेप लगाया जाएगा जिसकी चौड़ाई 30 मिलीमीटर से कम नहीं होगी भौर लम्बाई 15 सेन्टमीटर से कम नहीं होगी।
- (3) प्रत्येक माल यान भ्रथना हैक्टर ट्रेलर भ्रथमा ट्रक ट्रेलर कम्बिनेशन की वशा मे ट्रेलर में भ्राट सेन्टीमीटर ब्यास के दो केंद्रस भाई रेपलेक्टर लगे होतो, एक सामने की भ्रोर दायी सरफ़ नीचे कार्कर में भीर दूसरा सहसे पीछे बाकी के कास बीम पर भ्रथना ऐसे माल यान की वशा में जिसमें पीछे बाकी का निर्माण न विया गया हो। पीछे की नम्बर प्लेटो के उत्पर पीछे बायीं श्रोर की लाइट के पाम होगा। सामने के परावर्तक का रंग सफ़ेद होगा और पीछे बाले का रंग लाल होगा।
- (4) इस नियम में निर्विष्ट परावर्तक, भारतीय मानक व्यूरो के विनिदेशों के अनुमार पलुक्षोरेसेन्ट टाइप का होगा।
- 105. लैम्प्स:— (1) इसमें इसके पश्चात् वें सा उपबंधित है उसके सिवाय प्रत्येक मोटर यान, जब वह सूर्यास्त से भ्राधा बंटा बाद भौर सर्यादय से श्राधा बंटा पहले की समयावधि के वौरान सार्वजिनिक स्थान पर हो जब इतना पर्याप्त प्रकाश न हो कि व्यक्तियों भौर सड़क पर यानों को एक सी पचपन मीटर भ्रासे से स्पष्ट पहुंचाना जा मके, निम्निचित्त लैम्प्स (जिन्हें इसमें इसके पश्चात् भ्रानिवार्य हैंड लैम्प्स कहा गया है) जलते हुए श्रीर श्रविधी दशा में रखे जाएंसे.—-
 - (क) सिवाय मोटर साइकिल भीर बिगड़ी हुई गाड़ी की वशा में, फल्ट वर्णाने वाले दो लैंगा, जिनका सफेद प्रकाश होगा भीर एक सी पचपन मीटर की दूरी से विखाई देगा।
 - (ख) मोटर माइकिल भीर बिगड़ी हुई गाड़ी की दशा में फल्ट वर्णाने वाला एक लेंग्य, जिसका सफेद प्रकाण सामने की ख़ोर होगा श्रीर एक सी पच्णान मीटर की दूरी से विखाई देशा भीर जहां रजिस्ट्रीकरण चिन्छ मान के फल्ट पर प्लेट के दोनों झोर दर्शाया गया हो, उसे इस सरह सगाया जाएगा कि प्लेट के दोनों झोर प्रकाण पड़े।
 - (ग) किसी मोटर साइकिल के साथ जुड़े साइड कार की दशा में साइड कार के एकदम बाई स्नोर एक लैम्प लगाई जाए जिससे ग्राग्ने की घोर एक सौ पचपन मीटर की तूरी से लकेंद्र रोगती दिखाई थे।
- (2) मोटर साइकिल और तीन पहिए वाले यान से निम्न ऐसे प्रस्थेक मोटर यान में निम्नलिखित भी रहेंगे:---
 - (1) एक लैम्प (जिसे इसमें इसके पश्चात् "रीयर लैम्प" कहा गया है) पीछे से लाल बसी वर्शाए जो पीछे से एक सौ पचान मीटर की दूरी से दिखाई दे झौर मोटर साईकिंग की वशा में, दृष्यता सीमा पचहत्तर मीटर होगी, और
 - (2) एक लैम्प को रीयर लैम्प या अन्य युक्ति हो को यान के पीछे रिजस्ट्रीकरण चिन्ह को पूरी तरह मनेद रोमती से प्रकाशित करे लांक पीछे पन्द्रह मीटर की दूरी में स्मप्ट हो जाए,

परन्तु जब कोई मोटर यान वूसरे यान या यानों को खींच रहा हो भीर ऐसे यानों के बीच की दूरी 1.5 मीटर से अधिक नहीं है नव यह पर्याप्त होगा यदि पीछे खींचे जाने वाला यान पिछली बसी या रीयर राजस्ट्रीकरण चिन्ह प्रकाणिन करने वाली बसी जनाए।

(3) इस उपानयम के प्रारम्भ की तारीख को या उससे, मोटर यान के सभी भ्रनिवार्य भगली हैंड लैम्प यणासंभव लगभग उननी ही गांक्त होगी भीर उसकी ऊंबाई जमीन से हैंड लैम्प के नीचे के किनारे तक एक मीटर से अधिक नहीं होगी।

- (4) पीछे का लैस्प या तो यान की सेन्टर लाइन पर प्रथवा दायों ग्रोर भौर परिवहन यान की दशा में ऐसी ऊंचाई पर लगाया जाएगा को जमीन से एक मीटर से प्रधिक ऊंचा न हो।
- (5) परिवहन यान की दशा में पीछे की लाइट ऐसे स्तर पर लगाई जा सकेंगी जो रिजिस्ट्रीकरण चिन्ह को प्रकाशित करने के लिए ग्रावश्यक हो।
- (6) सैर परम्परागत श्रध्या झसाधारण किस्म के प्रत्येक भारी माल यान में तीस सेन्टीमीटर× दस सेन्टीमीटर के झाकार का एक लाल सूचक लैग्प लगाया जाएगा जो सबसे पीछे बाढी के क्रास बीम पर होगा और ऐसे यान की दशा में जिसमें पीछे बाढी का निर्माण न किया गया हो, सूचक लैम्प पीछे की दायो झोर की लाइट के समीप पीछे की मम्बर प्लेट के ऊपर लगाया जाएगा।

106 प्रकाश का विक्षेपण:----

- (1) किसी मोटर यान में सामने प्रकाश डालने वाला कोई लैम्प प्रयुक्त नहीं किया जाएगा (चाहे उनमें इकहरा प्रयवा बोहरा हैंड लैम्प लगा हो) जब तक कि ऐसा लैम्प इस तरह निर्मिन, फिट धौर प्रनुरक्षित म किया गया हो कि उससे निकलने वाली प्रकाश की किरण——
 - (क) स्थायी रूप से उस मीमा तक नीचे की फ्रोर विक्षेपित हो कि वह यान के समान क्षेतिज समतत पर क्षेत्र्य से फ्राठ मीटर की दूरी पर खड़े किसी ब्यक्ति को चकाचौंध करने में समर्थ न हो जिसका नेत्र स्तर समतल से एक सौ सेन्टीमीटर से कम न हो,
 - (ख) जालक द्वारा इस ढंग में नीचे की भ्रोर विश्लेषित किए जाने में समर्थ हो कि उक्त परिस्थिति में एेसे किसी व्यक्ति को चका-चौंघ करने में समर्थ न हो,
 - (ग) विसी युक्ति के प्रभासन द्वारा बक्ताए जाने में समर्थ हो साथ ही साथ जो ऐसे लैंग्प से निकलने वाले प्रकाश की किरण का कारण बने जो खण्ड (क) के उपबन्ध का अनुपालन करता हो।
 - (घ) जिसी युक्ति के प्रचालन द्वारा बुझाए जाने में समय हो साथ ही साथ एक ग्रन्य लैंग्प से प्रकाश की किरण या तो नीचे की ग्रोर विक्षीपत हो ग्रथवा नीचे की ग्रोर ग्रीर वायीं तरफ़ बोनों ग्रोर इस प्रकार विक्षेपित हो कि यह उक्त परिस्थिति में किसी व्यक्ति को चकाचौध करने में समर्थ न हो, ग्रथवा ऐसे लैंग्य को प्रकाशित ग्रथवा ग्रप्रकाशित कर सके जो खण्ड (क) के उपबंध का ग्रमुपालन करता हो।
- (2) उपनियम (1) में जिनिहिन्ट अपेकाओं के श्रांतरिक, सार्वजनिक स्थान पर प्रयुक्त मोटर यान में हैंड लाइट्स के पैनल होगे जिन पर बुल्स आई जैसी पेंटिंग द्वारा शेड किया गया हो जिस का ज्यास 5 सेन्टीमीटर से कम न हो जो उस प्वाइंट के ठीक मामने बीच में हो जहां परावर्तक लगा हो।.
- (3) उपनियम (1) के उपबंध, विद्युत बल्ब लगे किसी लैम्प पर लागूनहीं होगा, यदि बल्ब की पावर 7 वाट से मधिक न हो भीर लैम्प तुषारित शीगे का हो मध्या ऐसी मन्य सामग्री का बना हो जो प्रकाश को फैलाने वाली हो।
- 107. टाप लाइट्स:—-प्रत्येक यान में दो टाप लाइट लगी होती जिसमें एक भागे की भार दाहिने वाले ऊपर किनारे पर तथा दूसरी पीछे के बाहिने वाले ऊपरी किनारे पर लगी होगी। श्रमली टाप लाइट का रंग सफेंद और पिछली का लाल होगा। रात में या कम नजर श्राने के

समय जब यान को सचक पर खड़ा रखा जाता है तब वित्तयां जनती रखी जाएंगी:---

परन्तु पीछे बाडो रहिन माल थान की दशा में, पीछे टाप लाइट के चमकने का उपजन्ध करना भ्रावस्थक नहीं होगा।

108 लाज या सफेड लाइट का प्रयोग :---कोई भी मोटर या न द्यागे लाल लाइट या पीछे लाल से भिन्न कोई ग्रन्य लाइट नहीं जलाएगा:--

परन्तु इस नियम के उपबन्ध निम्नलिखित को लागू नही होंगे:---

- (i) यान की भ्रांतरिक लाइट, या
- (ii) एम्बर लाइट, यदि किसी विशा मुचक या टाप लाइट द्वारा समाया जाए, सा
- (iii) केन्द्रीय सरकार या राज्य सरकार द्वारा समय-समय पर विनि-दिग्ट गणमान्य व्यक्तियों को ले जाने वाला कोई यान या ऐसे यान के साथ चलने वाला कोई यान,
- (iv) रोगियों को लाने ले जाने के लिए प्रयुक्त एम्ब्रुलेन्स बैन में फिट किया गया पर्पल ग्लास वाली लाल साइट की विलंकर टाइप,
- (v) विद्युत बल्ब लगी लैम्प वाले यान यदि बल्ब की शक्ति सात वाट से श्रधिक नहीं है श्रीर लैम्प में ध्रुअला शीणा या कोई श्रन्य सामग्री लगी है जिसमें रोशनी को विक्षोपित कुरने की शक्ति है।
- 109. पार्किंग लाइट '---(1) प्रत्येक माल यान के सामने प्रत्येक ग्रीर तुषारित शीणे वाली एक सफेद पार्किंग लाइट लगाई जाएगी जो ग्रंगली लाइट के श्रतिरिक्त होगी श्रीर पीठे की ग्रोर श्रतिरिक्त दो लाल लाइट होगी जो सड़क पर यान खड़ा करते समय भी जलती रहेगी।
- 110 घाटो रिक्शा पर लैम्प '—-प्रत्येक घाटो रिक्शा में घाने की घोर एक लैम्प घौर दो साइड सफेद लाइट या बाडी पर दो फंट लैम्प क्यीर एक लैम्प घौर दो साइड सफेद लाइटों के भितियत इसमें रीपर लैम्प लगी होगी जो पिछले भाग को दर्णाती हो, पिछली लाल लाइट जो पचत्तर मीटर की दूरी से दिखाई दे घौर सफेद लाइट जो यान के पीछे प्रदर्शित रिजिस्ट्रीकरण संख्या को प्रकाणित करती हो ताकि उसे पन्द्रह मीटर की दूरी से पद्रा जा सके घौर पिछले सडगाडोँ पर दो कैट्स धाई पर वर्तक भी लगे होंगे।
- 111. स्वाट लाइट का प्रतिषेध प्रावि ——प्रताधारण परिस्थितियों के सिवाय रिजर्म्युकर्ती प्राधिकारी की पूर्व श्रनुमित के बिना किसी यान के प्राणे कोई स्पाट लाइट या सर्च लाइट नहीं होगी।

धग्रा, बाष्प, चिनगारी, राख, ग्रिट श्रीर तेल

112. एकजास्ट गैस:—(1) प्रन्त्येक मोटर यान इस प्रकार निर्मित या सूसाज्जत होगा कि इंजन से एक्जास्ट गैस न तो यान के नीचे या बायी खोर छोडी जाएगी धौर इस प्रकार फिट की जाएगी कि गैस, यान की दाहिनी झोर या पीछे निकले।

परस्तु विस्फोटक ग्रीर ज्यलनणील माल ले जाने वाले टैंकरों की दशा में एकजास्ट पाष्टप का फिटमेस्ट विस्फोटक निरीक्षक के विनिदेशों के ग्रनु-मार होगा।

- 113. एकजास्ट पाइप की ध्रवस्थित :—इस उपनियम में प्रारम्भ की तारीख की या उससे कोई एकजास्ट पाइप ईंधन, टंकी धीर इंजिन की जोड़ने वार्ला ईंधन लाइन से 35 मिलीमीटर की ट्री के भीतर ध्रवस्थित नहीं हीगा।
- 114 सर्वजितिक सेवा यानों के एकजास्ट पाइप प्रत्येक सार्व-जितिक तेमा यान का एकजास्ट पाइप इस प्रकार फिट या शील्ड किया जाएसा नाफि योर्ट ज्वलनशील गदार्थ यान के निर्मा भाग पर ने गिरे क्रीर इससे बाहुन पर किसी ज्वलनशील सामग्री की निकटना के कारण द्याग नामे की संभावना न हो।

- 115 मोटर यान से धुंब्रा, भाष थादि का उत्पर्जन ——(1) प्रत्येक मोटर यान को ऐसी दशा में विनिर्मित किया जाएगा ध्रीर रखा जाएगा तथा इस प्रकार चलाया जाएगा कि उसमें से कोई धुव्रा वृश्यभाष, ग्रिट, चिनगारी, राख, सिंडर या तलीय पदार्थ न निकले।
- (2) इस उपनियम के प्रारम्भ की तारीख को और उससे, प्रत्येक मोटर यान निम्निवित स्तरमानों के भ्रमुक्त होगा:—
 - (क) पैट्रोल से चलने बाले सभी यान पहिए वाले यानों के लिए ग्राइडीलग सी भ्री (भ्रार्वेन मोनोक्साइड) उत्सर्जन सीमा परि-माण के श्रनुमार 3 प्रतिशत से भ्रधिक नहीं होगी।
 - (ख) पैद्रोल से चलने वाले सभी दो धौर तीन पिक्षिए वाले यानों के लिए घाइडलिंग सी घो उत्सर्जन सीमा परिमाण के अनुसार 4.5 प्रतिशत से घथिक नहीं होगी।
 - (ग) डीजल से चलने बाले सभी यानों के लिए धूम्र घनत्व निम्न-प्रकार होगा:——

परीक्षण पद्धति		प्रधिकतम	धूम्र घनन्य
	हल्का भ्रवशोषण गुणांक एम	ब ॉंग यू निट	हार्द्रिज] यूनिट
1	2	3	4
(अ) विनिर्माता द्वारा घो- यित अधिकतम इंजन रेट गति 60% मे 70% की गति पर पूर्ण भार	3.1	5.2	75
(ग्र) मुक्त त्वरण	2.3		6.5

- (3) इस उपनियम के प्रारम्भ की तारीख को भौर उससे, पैट्रोल से चलने वाले सभी यान इस प्रकार विनिर्मित होंगे कि वे इन नियमों के उपाबन्ध "1" में विनिर्दिष्ट प्रव्यमान उत्सर्जन स्तरों के अनुरूप हों। परीक्षण के लिए प्रयुक्त प्रचालन साइकिल बेकडाउन वह होगा जो इन नियमों के उपाबन्ध "2" में विनिर्दिष्ट हैं भौर ऐसे सभी परीक्षणों के लिए निर्देण ईंघन वह होगा जो इन नियमों के उपाबन्ध "3" में विनिर्दिष्ट हैं।
- (4) इस उपनियम के प्रारम्भ की नारीख को भीर उससे, डीजल से खलने वाले सभी यान इस प्रकार विनिर्मित होंगे कि वे इन नियमों के उपावन्ध "4" में विनिर्विष्ट एक्जास्ट गैस अपार्यता पर श्राधाग्ति स्तरों के अनुरूप हों।
- (5) इस उपनियम के प्रारम्भ की तारीख को भीर उससे, डीडल से चलने वाले सभी यान इस प्रकार विनिर्मित होंगे कि वे भारतीय चालन साहकिल के भ्रम्नोन उस्पर्नन के निम्निलिखित स्तरों के ग्रमुख्य हों:---

कार्यन मोनोक्साइड (सीघो) हाइड्रोकार्बन (एचसी) नाइट्रोजन आवसाइड का द्रव्यमान अधिकतम का द्रव्यमान (एन श्रो एक्स) का प्रथ्यमान ग्राम प्रति के डब्लु एक अधिकतम ग्राम प्रति के डब्लु एक्च के डब्लु एच

14 3.5 1.

(6) उपनियम (2), उपनियम (3), उपनियम (4) या उपनियम (5) में बिनिर्दिष्ट तारीखों को या उनके पश्चात् विमिर्मिन प्रत्येक मोटर यान के बारे में त्रितिमांताओं हारा यह प्रमाणित किया जाएगा कि वे उनते उपनियमों में भितिदिण्ट स्तरों के श्रनुरूप है श्रीर साथ ही यह भी प्रमाणित किया जाएगा कि गैगीय प्रयूषकों के उत्सर्जन को प्रभावी करने बाल संघटक इस प्रकार डिजाइन किए गए है, सिनिर्मित है और समजित है कि उनसे यान ऐसे कपन के बावजूद, जिसके वह श्रधीन है, उक्त उपनियमों के उपबन्धों के श्रनुरूप सामान्य उपयोग के लिए समर्थ है।

- 115 मोटर यानों के लिये धुन्ना उरमर्जन स्तर भीर कार्बन मोनो धमाइड स्तर का परीक्षण ---
- (1) पूलिस उपनिरोक्षक से प्रतिस्त पक्ति का कोई प्रधिकारी या कोई मोटर बाहन निरीक्षक जिसे यह विक्वास करने का कारण है कि कोई मोटर यान जो सार्वजनिक स्थान पर खलाया या प्रयुक्त कि ता जाना है, उससे उत्पाजित घए या कार्यन मोनोक्साइड जैसे प्रदृषकों से पर्यावरण का प्रयूषण हाने का कथावा। है जिन से सङ्घ के कि भी अन्य प्रयोक्ता या जनता के स्वास्थ्य या सुरक्षा को खनरा है, यान के चालक या उसके भार साधक व्यक्ति को काले धूण के मानक या प्रत्य किसी प्रदृपकों को मानने के लिये यान को पेण करने का निर्देश द सके।
- (2) चालक या यान का भार माधक कोई व्यक्ति उपनियन (1) में निदिष्ट किसी अधिकारी के माग किए जाने पर यान को धुएं के मानक तथा अन्य प्रदूषकों को मापने या दोनों के परीक्षण के लिये प्रस्तुत करेगा।
- (3) श्रृण के मानक की माप किसी धुट्यां मीटर द्वारा की जाएगी जिसे राज्य सरकार श्रनुमोदिन करे और कार्यन मोनोक्रमाइड, जैसे श्रन्य प्रदृष्कों को राज्य सरकार द्वारा श्रनुमोदिन उपकरण से मापा जाएगा।

म्शीड गवर्नर

- 117 जारामापी - जिगडी हुई गाडी से भिन्न प्रायेक सोटर यात या किसी। यान जिसकी शिक्किल्यन गिन प्रति घंटे तीस किलोमीटर से घरिक नहीं है, मैं एक उपकरण लगा होगा (जिसे इसमे इसके परजान जालमापी कहा गया है) जो इस प्रकार निर्मित हो घोर ऐसे स्थान गर लगा हो साकि वह यान के चालक को नह गिन उपदिशात करे जिस गिन से यान चल रहा हो।
- (2) जालमाणी के बारे में यह समझा जाएगा कि वह इस नियम की अपेक्षाओं की पूर्ति करता है, यदि परीक्षण करने पर यह पता चलता है कि राज्य सरकार द्वारा धारा 112 की उपधारा (1) के अधीन यान के लिए विनिर्दिष्ट गति दस प्रतिशत अपर या नीजे के दायरे में या बिट इस प्रकार कोई गति विनिर्दिष्ट नहीं है, तो सात किलोमीटर प्रति- चंदे की गति के उपर या नीजे सही पाया जाता है।
- 118 स्पीड गवर्नर: -- (1) इस नियम के प्रारम्भ की सारीख भीर उससे केन्टीय सरकार द्वारा राजपत्र में अधिसूचित ऐसे परिवहन यान में ऐसे परिवहन यान के प्रचालक द्वारा भारतीय मानक क्यूरो द्वारा अनुमोदित स्पीड गवर्नर (गति नियंक्षक यूक्ति) फिट किया जाएगा कि स्पीड गवर्नर की इस रीति से राज्य परिवहन प्राधिकरण क्षेत्रीय परिवहन प्राधिकरण के सरकारी सील से सील किया जा सके कि इसे विना सील कोड हटाया नहीं जा सकता।
- (2) प्रत्येक परिवहन यान का स्पीड गवर्नर इस प्रकार सेट किया जाएगा कि यान का प्रश्लोनित के सिवाय, यान की अधिकतम वि-सेट गिन से नहीं चलाया जा सके।

णोर में कमी

- 119. हार्ने .-- (1) प्रत्येक मोटर यान से एक विद्युत हार्ने या भारतीय मानक क्यूरो और रिजस्ट्रीकर्ना प्राधिकारी द्वारा प्रमुमोदित प्रत्य यिक्ष यान के चालक द्वारा प्रयोग के लिए लगायी आएगी जो यान के पहुंचने या स्थित की श्रृष्य ग्रीर पर्यान्त तिवानी देने में उमर्थ हो।
- (2) किसी मोटर यान से बहू-स्तर हार्न नहीं लगाया जाएगा जिससे विशिष्ठ प्रवार की व्यक्ति निकल्ती हो या जिससे कर्कण, कपित तेज या ज्यादा गोर उत्पन्न होने नाला कोई दूसरी युक्ति लगी हो। 1473 G1/32 —5

(3) उपनियम (2) की कोई बात, एम्बुलेंस या ग्रांसि शासन या माल्बेज प्रयोजन या पुलिस ग्राधिकारियों ग्रींस मोटर यान विभाग द्वारा अपने कार्य के दौरान प्रयुक्त यानों को ऐसी ध्वति का प्रयोग करने से नहीं रोकेंगी जो रजिस्ट्रीकर्ना प्राधिकारी द्वारा यनुमादित है जिसके ग्राधिकार केल में ऐसे यान रखें जाते हैं।

- 120 साइलेसर :- (1) प्रत्येक मोटर यान में ऐसी युक्ति (जिसे इसमें इराके पण्यान माइलेंसर कहा गया है) लगी होगी जो बिस्तार भैन्यर द्वारा या अन्यया यथा संभव शोर का कम करता हो जिसे अन्यया इजन में एकजास्ट ग्रीस के निकलने के लिए बनाया जाएगा।
- (2) प्रत्येक मोटर यान को इस प्रकार निर्मित और अनुरक्षित रखा जाएसा ताकि वह भारतीय मानक व्यूरो द्वारा समय-समय पर अनुसोदित शोर स्तर के अनुरूप हो।
- 121. मोटरयानां का पेन्ट किया जाना :--(1) रक्षा विभाग के मोटर यानों के सिवाय, किसी मोटर यान पर जैतून हुए रंग से पेंट नहीं किया जाएगा ।
- (2) श्रधिनियम की धारा 88 की उपधारा (9) के ग्रधीन दिए राए परिमट के श्रतरीत श्राने वाले पर्यटन यान में भिन्न टेका गाड़ी की नियम 128 के उपनियम (ii) में त्रिनिर्दिट्ट रीति में पेट नहीं किया जा जाएगा ।
- (3) राष्ट्रीय परमिट के श्रतगंत भाग वाले माल यान से भिन्न किसी माल यान को नियम 90 के उपनियम (1) में विनिर्विष्ट रीति से पेंट नहीं किया जाएगा ।
- 122. चेसिस संख्यांक ग्रीर संजन संख्यांक ग्रीर विनिर्माण की नारीख समद्रभृत करना :- (1) इस नियम के प्रारंभ की तारीख को उससे, प्रत्येक मोटर यान का विनिर्माता ,प्रत्येक मोटर यान के चेसिस पर पहचान संख्याक ग्रांकित कराएगा जिस पर विनिर्माण का सास ग्रीर वर्ष समृद्रभृत श्रथवा निर्मेखन किया जाएगा । समृद्रभवण या निरेखण निम्नलिखन रीति से किया जाएगा :-
 - (क) लोगिच्डनल मेम्बर्स वाले यानो मे चेमिम संख्यांक ग्रगली भौर पिछली एक्सग के बीच के स्थान में लागिचडनल मेम्बर की पिछली साइड पर लिखे होगें जो एक पॅक्शि में 250 मिली-मीटर भौर 30 मिलीमीटर से श्रिधिक क्षेत्र में नही होगा,
 - (ख) लागिजडनल सेम्बर वाले यान से भिन्न थानों में खण्ड (क) मे निर्दिष्ट रीति से बोनट के नीचे विडस्कीन के निकट बाहरी साइट पर
 - (ग) मोटर साईकिल की दशा में 150 मिलीमीटर श्रीर 20 मिली-मीटर से श्रीवक क्षेत्र में स्टीयरिंग कालम पर
 - (ष) तीन पहिए बाले यानो की दशा में, हैंडल बार या स्टीयरिंग हुवील के मध्य के नीचे मुक्य ढांचे या चैनिंग फेम के स्थायी स्थान पर ;
 - (ड) ट्रैक्टरों और अन्य यानों की दशा में जहां वेसिम फेम या स्थायी ढांचा नहीं है वहा ,खंड (क) में निर्दिष्ट रीति से ब्राइथर की सीट के नीचे और तो ब्राइथर को परेशान किए बिता पीछे से स्पष्ट विखाई दे,
 - (অ) एक एक्सल वाले ट्रेलर की दशा में, खंड (क) में निर्विष्ट रीति से एक्सल के केंद्र के ऊपर लांगिचुडनल मैम्बर की पिछली साइड पर,
 - (छ) एक से प्रधिक एक्सल वाले ट्रेलर या धर्य-ट्रेलर की देशा में, खंड (क) में निर्दिष्ट रीति से ध्रमले एक्सल के मध्य के ऊपर

परस्तु समुद्रभून या निर्रोत्वाश चेमिस संख्योक की ऊंचाई किसी भी दशा में एक सेटीमीटर से कम नहीं होगी

(2) कियी मोटर यात के प्रशेष उता प्राप्त पूरिंट पर इस रीति से पहचान नम्प्रर भीर विनिर्माण का वर्ष श्रीर मास ऐसी रीति मे समुद्रभृत या निरेखिण होगा कि षष्ट्र वास्र से स्पष्ट दिखाई दे।

स्रक्षा युक्तिन

चालकों, यात्रिपीं और सङ्कप्रीकाओं के लिए सुरक्षा युक्ति

123 मोटर साइकिल में मुख्या युक्ति: — किसी भी मोटर साइकिल का चालक की सीट के बंगल या पीछे एक स्थायी हैंड ग्रिप धीर एक फ़ुट रेस्ट धौर सुरक्षा युक्ति की व्यवस्था किए बिना निनिर्माण नहीं किया जाएगा जो पिछली ह्वील का कम से कम प्राधा कनर करे नाकि पीछे, बैठे ब्यक्ति का कपड़ा ह्वील में न फसे ।

124. संघटकों के सुरक्षा मानक : इस नियम के प्रारंभ की तारीख़ को धौर उससे, मोटर यानों का कोई भी विनर्माता. यान से कोई ऐसा संघटक प्रतिव्वापित नहीं करेगा जो भारतीय मानक व्यूगे द्वारा विनिर्दिष्ट मानक के धन्छत नहीं (जहां कही संघटकों के तिर ऐसे मानक अधिकथित किए गए हो) तथा ऐसा हर विनिर्माता यह प्रमाणित करेगा कि मीटर यानों में प्रयुक्त संघटक भारतीय मानक व्यूगे द्वारा अधिकथित ऐसे संघटकों से संबंधित मानकों के घनुरुष है।

125. सुरक्षा बैट, सिमटने वाला स्टीयरिंग कालम तथा पैड वाले डैम बोर्ड : इस नियम के प्रारुप की तारीख को या उससे दी पहिए भीर तीन पहिए वाले यानों से भिन्न सभी मोटर यानों के विनिर्माता ऐसे सभी यानों को निम्निखिखत से सज्जित करेंगें :--

- (क) चालक भौर पहली सीट पर बैठने वाले व्यक्ति के लिए सीट बैस्ट ।
- (ख) एक सिमटने वाला स्टीयरिंग कालम, श्रीर
- (ग) भारतीय मानक अपूरों द्वारा विनिर्दिष्ट मानकों के धन् रुप प्रोट-डिंग नॉक्स रहिन पैड वाला डिंग बोर्ड

126. परीक्षण के प्रधीन होने का प्रत्येक मोटर यान का प्रोटोटाइप : इस नियम के प्रारंभ की तारी का को या उसमें ,मोटर यानों का प्रत्येक विनिर्माता प्रपने द्वारा विनिर्मित किए जाने वाले यान का प्रोटोटाइप भारत सरकार के रक्षा मंत्रालय के यान प्रनुसंधान और विकास स्थापना या धाटो-मोटिव रिसर्च एसोसिएशन घाफ इंडिया, पूणे, सेंट्रल फार्म मशीनरी टेंस्टिंग एण्ड ट्रेनिंग इंग्टीट्यूट बदनी (म.प्र.) को या ऐसे प्रत्य प्रभिक्तरणों को परीक्षण के लिए भेजेंगा जो इस घिष्ठियम और इसके धाटीन बनाए गए नियमों के उपमधों के प्रनुपालन के बारे में उस स्थापन द्वारा प्रमाणी-करण के लिए केन्द्रीय सरकार द्वारा विनिर्विष्ट किए जाएं।

127. विनिर्माता द्वारा क्वालिटी प्रमाण-पत्न : इस नियम के प्रारंभ की नारीख को भीर उससे प्रत्येक विनिर्मित मोटर यान के विकय के साथ विनिर्माता द्वारा प्ररूप 22 में जारी किया गथा यान की सड़क पर सष्टी चलने से संबंधित एक प्रमाण-पत्न होगा।

विशेष उपवन्ध

128 मोटर कैवों ने भिन्न पर्यटन यान : मोटर कैब, मैक्सी कैब, कैम्पर की धैन, गृह भनुयान से भिन्न पर्यटन यान निम्नलिखित विनिवेंशों के भनुष्य होगा, प्रचीत् :--

(1):--मुख्य माराम

लम्बाई : 10.5 मीटर से प्रधिक न हों।

भौड़ाई: 2.5 मीटर से घिधिक न हो।

रियर श्रोवर हैंग : ब्हील बेस के 60 प्रतिशत से भ्राधिक न हों :

समग्र ऊंचाई : 3.35 मीटर से प्रधिक न हों।

रींगवे में बंटीरियर 1.58 मीटर से कम न हों।

क्लीयर जंबाई

परन्तु यह कि राज्य या सरकार राज्य सरकार द्वारा इसे निमित्त प्राधिकृत कोई प्राधिकारी , यदि जसका यह समाधान हो जाता है कि किसी राज्य या पुल की प्रकृति के कारण या लोक रारका के हिल में यह ग्रास्थिक है तो, किसी वितिर्दिष्ट सार्ग सा क्षेत्र में कसी पर्यटन यान का प्रवर्तन प्रतिषद्ध या निवंत्थित कर सकता है, जब तक कि ऐसा यान ऐसे सार्ग या केव के लिए राज्य सरकार द्वारा वितिर्दिष्ट ग्रोक्शायों का भ्रानुष्टान न करे।

- (2) संरचना .-पर्यटन यान की सरमना पर्याप्त प्रतृभागीय क्षेत्र प्रौर षायु गिनक प्राकार की उपयुक्त सामग्री का प्रयोग करके स्थिर, मजबूत श्रौर टिकाऊ स्रभातिस्यक फीस्बर्भ की होनी चाहिए। बाह्य स्तर के लिए एलुमिनियम चादर या श्रव्ही क्ष्रांकिटी की स्तर सामग्री का प्रयोग किया जाना चाहिए। जहां तक भंदर बाले स्तर का संबंध है तह सदर बाली संपूर्ण छत, योनों तरफ पीछ श्रौर बल्क हैंड भागों पर होता चाहिए। बाडी संपूर्ण छत से क्षरणरोधी श्रौर धृलिरोधी होनी चाहिए। यान रेटिंग प्रूफ होना चाहिए। फर्ष सिहित्स सभी स्तरों के लिए ब्विन सद करने के लिए भी ब्ययस्था होनी चाहिए।
- (3) याला प्रवेश और निकास :— यार्झा प्रवेश और निकास वरवाजा पर्याप्त फ़ट घोषर हैंग वाले यानों के सबध में सामने के एक्सिल के आगे जहा तक हो सके सामने स्थित होना चाहिए। यदि पर्याप्त फ़ट घोषरहैंग नहीं है तो द्वार पोछे वाली एक्सिल के ठीफ पीछे होना चाहिए। जहां दरवाजा पिछली एबिसल के पीछे हो वहां ऐसी दशा में दरवाजे का निकास कम से कम 685 मि. मी. का होना चाहिए। दरवाजे के हैडिल ऐसे होने चाहिए कि उमे मंदर से और आहर में दोनों तरफ से छोता जा मकें। दरवाजे यथोचिन ताला उपकरणों सहिन वातीय रूप से प्रचालित हों।
- (4) भ्रापात दरवाजे :--- वरलाजे के रूप में भ्रागे लगा हुमा भ्रापात निकास, पर्यटन यान के पीछे की भ्रीर लगाया जाएगा और जिले यान के भ्रंदर भीर बाहर दोनों तरफ से खोला या बन्द किया जा सकेंगा भ्रथवा जहां ऐसा वरवाजा लगाना व्यवहाय नहीं वहां पिछली खिडकी की स्त्रीन से एक भ्रापात निकास की व्यवस्था की आएगी, जो उत्पर से जुडा हुआ हो।

भ्रापात् निकास को भ्रंदर से लाल श्रक्षरों में स्पष्ट वर्णाया जाएगा "श्रापान् निकास" ।

- 5. ड्राइवर का प्रवेश और निकास:- ड्राइवर की सीट के समीप ड्राइवर के लिए उपयुक्त स्लाइडिंग खिड़की के साथ पुथक दरवाजा लगाया जाएगा।
- 6. बिंड स्कीन :---(i) सामने की विंड स्कीन स्पष्ट विद्धार्ष देने वाली होगी और विक्रितिरिहन होगी जिसमें सरक्षा कांच लगा होगा और वह पर्यटन यान की पूरी चौड़ाई का होगा। यदि दो हाल्ब्स मे बनाया जाता है सो रवर स्लेजिंग महित सेंटर वार्टिंगल ज्वांइट की चौड़ाई, सामने की विंड शिल्ड की फिटमेंट ऐसी होगी कि जिससे पर्यटन यान की सुन्दरता में बृद्धि हो ।
- (ii) पीछे की विड स्कीन सुरक्षा कांच मणवा लेमीनेटेड सुरक्षा कांच की बनी होगी। यह यान में लगी खिड़िकयों से मेल खाने वाली होगी। पीछे की विड स्कीन में स्लाइडिंग पर्दे लगाए आएंगें।
- 7. खिडिक्यां :---पर्यंटन यानो की खिड़िकयों का स्यूननम स्पेस 14.25 मिलीमीटर होगा श्रीर वे सुरक्षा श्रथवा लेमीनेटेश सुरक्षा कांच की बनी होंगी ।

खिडिकियां दोहरे स्लाइडिंग किस्म के स्लाइंडर की होंगी और खेनलों में बिना रुकायट के सुचाक रूप से खिसकाने बाली होंगी। खिड़िकियों के लिए प्रयुक्त सभी सुरक्षा प्रथवा लैंमीनेटेड सुरक्षा कांच भारतीय मानक ब्यूरो द्वारा निर्धारित मानकों के अनुसार होंगें। खिड़िकियों में स्लाइडिंग पर्दे लगाए जाएंगें।

- (8) संवातन :-- याक्री कक्षा तथा ब्राइवर कक्षा में संवातन की पर्याप्त व्यवस्था की जाएगी । सभी रोणनदान और खिड़िकया ऐसी होंगी कि जब उन्हें बन्द कर दिया जाए तो बारिण का पानी ग्रथवा धूल यान्नी कक्षा में प्रथवा प्राइवर कक्षा में नहीं श्रा सकेगी ।
- (9) सामान:—(i) पर्यटन यान की पिछली तरक अवका किलारों पर भाषान दोनो तरक सामान के लिए होल्ड होंगे, जो पर्याप्त स्थान और आकार बाने होंगे तथा वे खड़क्षड़ाहट रहिल, धूलि रोधी और जल सह्य होंगे तथा उनमें सुरक्षा के पर्याप्त प्रजन्ध होगे।
- (ii) पर्यंटन यान के दोनों तरफ यान्नी कक्ष के झन्दर मजबून अकेटों पर बनाया गया हल्के सामान के लिए रैंक होगा । सिबाए वहां के, जहां नायलौन, नैट प्रयोग की गई हो, रैंक के निचली तरफ गई लगे होंगे गाकि यान्नियों को आकस्मिक चोट से बनाया जा सरे । रैंक को माजारण हिजाइन और बनाबट इस सरह की होगी कि उसके किनारे कुकीले न हों।
- (10) सीटें और सीटों की व्यवस्था :-- (i) मीटें 35 यावियों से, जिनमें ब्राइकर और परिचर समिमिला नहीं है, अधिक के लिए नहीं होंगी सीटों का 'ले-आउट' ऐसा होगा कि गाई। के दोनों सरफ दो-दो सीटे होंगी। समी नांट मामने की सरफ होंगी और उन मीटों की पंक्तियों के बीच कम से कम 355 मिली मीटर चौड़ा फामला होंगा। प्रत्येक यावी मीट का कम से कम क्षेत्र 457 मि.मी. × 457 मि.मी. होगा और उसके दोनों सरफ बाजुओं को रखने की व्यवस्था होगी और सीट के पिछले भाग की जंबाई पूरी होगी।
- (ii) सीट के फीम मजबूत और भ्रव्छी तरह से बने हुए होंगे और वे इस तरह से लगाए हुए होंगे कि ढांचे के संरचना खण्ड पर सीधे बजन रखा जा सके । मीटें बारामदेह और समंजनीय होंगी ।
- (iii) सीटे इस तरह से लगाई जाएंगी हाकि पिछली सीट के आये से अगली सीट के पीछे तक टांग के लिए कम से कम 280 मि.मी, जगह हो। प्रत्येक यात्री के लिए उपयुक्त स्थान और ऊंचाई पर फुट-रेस्ट लगाया जाएंगा।
- (11) रंग करना और अंतिम रूप देना:— पर्यंटन यान पर नियम 85-क उपनियम (7) और (8) में निर्दिष्ट रीनि से सफेंद रंग किया आएगा और बार्डी के बाहरी भाग पर बीच में पांच सेंटीमीटर चौड़ा नीला रिवन लगा होगा।
 - (12) बिजली की व्यवस्था: --(i)(क) यात्री कक्ष को कम से कम तीन ट्यूब लाइटों से पयिन रूप से प्रकाणिन किया जाएगा।
 - (ख) विडस्कीन पर यान्नी कक्ष से भाने वाले प्रकाश के प्रक्तिबिम्ब से बचने के लिए प्रबंध किया जाएगा ।
 - (ग) यात्री कक्ष में रोशनी की व्यवस्था के अधिरिक्त यात्री कक्ष में रगीन गुम्बद वाली कम से कम दो राख्नि रोशनियों की व्यवस्था की जाएगी।
- (ii) प्रमले और पिछले बन्सों पर, यदि हों, 15-20 बाट के प्रत्येक बल्ब के साथ रोशनी की जाएगी और ये बल्ब छिपे हुए स्थान पर लगे होंगे और जो पर्यटन यान के प्रगले प्रथवा पिछले हिस्से सीधे नजर नहीं प्राएंगे ।
- (iii) ब्राइक्टर प्रथना परिचर की सीट के क्षान को प्रकाशिस करने के लिए स्वतंत्र रूप से प्रचालित किए जाने घाले प्रकाश की व्यवस्था की जाएगी ।
- (iv) यात्री प्रजेश द्वार पर सीढ़ियों को प्रकाशित करने के लिए प्रकाश की व्यजस्था की जाएगी ।
- (v) प्रत्येक सामान-होत्द्र मे उसे प्रकाशित करने के लिए एक रोशनी लगाई जाएगी।

(vi) यानी-कक्ष में बिजनी के जो नार लगाए जाएगे, वे धा कु एस. 2465 के अनुरूप कम दाब वाली छेबल होगी जिनका आकार अनुमानिम बिजली के भार के अनुरूप होगा, तार पर्याप्त आकार की पी.वी.सो. स्लोविंग अथवा कल्ड्यूट अथवा केंसिंग में ले जाए चाएंगे, जब कोई नार किसी एक पैनल अथवा चहुर अथवा धानु के बने पंक्षों से गुजरना हो तो इन्थ्यूलेशन की रक्षा के लिए बहा एक अच्छे आकार का रबड़ का बना बुमिट की थ्यवस्था की जानी चाहिए।

_ _ __

- (13) जुन्नार और महायक पुर्वे :--एक पर्यटन यान निम्नलिखित से सुमण्जित किया जाएगा छथीत् :--
 - (1) एक-एक उत्तल पीछे का वृष्यदर्शी दर्पण यान के दोनों तर्फ होगा, जो मर्जैन समेजनीय किया जा सकता हो और जिसकी पर्याप्त लम्बाई मोड़ाई हो ।
 - (2) प्राथमिक चिकित्सा के लिए प्रथम-उपचार पेटी, जिसका भग्न भाग रनेण्ड हो और जिसमें भावण्यक दवाहयां हो ।
 - (3) अपिन शामक, को क्राई पायडर टाइप हो और **१**जन-कक्ष फेपास लगा हो ।
 - (4) ईजन की द्यादाज और ताप को कम रखने के लिए ईजन बोनट के इन्टोरियर या एक्सटोरियन पर इंसुनेशन ।
 - (5) यान के औज(रों को मुरक्षिम रूप से रखने के लिए व्यवस्था।
 - (6) हैवी इपूटी वाला विश्वस्कीन बाइपर सिस्टम ।
 - (7) ब्राइयर और परिचर के लिए पर्याप्त प्राकार का समंजनीय सूर्मं वर्णक ।
 - (8) बिजलो से चलने वाले बड़े सूचक/संगोत्तक, स्टॉप लाईट और पार्किंग लाइट ।
 - (9) बुकाजी हैड लैंग्प ।
 - (10) यान के पिछने हिस्से में रिजस्ट्रीकरण संख्या की प्लेट के लिए उत्तरमुक्त रोशनी ।
 - (11) हार्न ।
 - (12) विजलों फे तथी, 8 इच के स्वीप समजनीय, कम से कम संख्या में 8 होंगे, यात्रा कक्षा में यथोचित स्थान पर लगे होंगे और मीट फे पाम लगे स्थिचों द्वारा नियंत्रित होंगे।
 - (13) ब्राइनर प्रयस परिचर की सीट फें समीप बिजली की घंटी या मजर होगी, जो कम से कम चार पुण कम्ट्रोल से परि चालित हागी, जो यार्जा कल में उपयुक्त स्थान पर लगे होंगे।
 - (14) यांती सीटों के समीप राख झाड़ने वाली ट्रें ऐसी फिजाइन की होगी कि उमे पर्यटन यान के मध्यवर्ती स्टोप्स पर सुविधा-पूर्वक साफ किया जा सके ।
 - (15) पीने का पानी और ग्राईम गाम्स ।
 - (16) पिन्नकाओं और पढ़ाई की घन्य सामग्री के लिए रैंक।
 - (17) प्रत्येक सीट के लिए बैंक पाकेट तथा नम्बर।
 - (18) कम में का चार स्पीक्षी बाला पब्लिक एड्डैम सिस्टम जो अंजिए प्रकार में यात्रों कम्मार्टमैंट में लगा हो।
 - (19) यान संबंधी वस्तावेज, टोकन, अनुज्ञानि और अनुज्ञानक्षले से जाने के लिए क्राइवर की सीट के सभीप स्थित वस्तावेज प्रेम।
 - (20) आतं और विख्य पहियों के निए मड फ्लैट्स।

129 सान्य जोजन के लिए खनरनाक प्रयवा परिमंकटमध प्रकृति के माल का परिवर्तन।

किमी खतरनाक भ्रथवा परिसंकटमथ माल का परिवहन करने वाले माल वाहन का प्रत्येक स्थामी, खतरनाक या परिसंकटमय माल के किसी प्रवर्ग के सबंध में तत्समय प्रवृत्त किसी विधि के उपबन्धों का अनुपालन करने के अनिरिक्त निम्नलिखिन गतौं का भी पालन करना, अर्थात्:--


- (1) उसी प्रलार के स्वरताल अथवा रित्संकटमय माल की (चाहे प्रपुत्र में श्रयंवा पैकेंत्र में) ले जाने वाला प्रध्येक ऐसा माल बाहन नियम 136 की सारणी के स्पम्भ 3 में बिनिर्धिष्ट खलरनाक श्रयंवा परिसंकटमय माल की किस्म के लिए समुचित वर्ग लेबल के सुभिन्न चिहुन की प्रवर्णित करेगा।
- (2) नियम की लालिका के कालम 3 में निर्धारित हानिकारक प्रथवा खगरनाक माल ले जाने वाले प्रत्येक पैकें ज पर हानि-कारक प्रथवा खगरनाक माल के प्रकार के लिए उचत कलाम लेकल लगाना होगा।
- 130 वर्ग लेबलों को प्रदर्शित करने का नारीका
- (1) अब यान पर वर्ग नेबल प्रविश्वात करने की प्राविध्यक्ता हो सो उसे इस नग्ह लगाया जाएंगा कि वर्ग नेबल का प्राकार लम्बाई की ओर 45 डिग्री के कोण पर हो गया यह पच्चीम मिलीमीटर वर्ग से कम न हो जो दो भागों में विभक्त किया जा सकता हा, जिसका ऊपरी ग्राधा भाग चिल्लात्मक प्रतिक के लिए प्रारक्षित हो नथा निचला ग्राधा भाग पाठ के लिए हो। परन्तु छोटे पैकेंजों की दशा में लेबल का ययोजित श्राकार ग्रहण किया जा संकता है।
- (2) यदि वर्ग लेवल में चिपकते वाला पदार्थ हो तो वह जलम्ह होगा और यदि वह धातु अथवा किसी अन्य पदार्थ का हो जिस पर चित्रात्मक प्रतीक और पाठ मुद्रिम हो, चित्रिप हो अथवा चिपकाया गया हो तो वह इस प्रकार पदार्थ पर सीधे लगाया गया होगा और प्रत्येक मामले में यान की वह सपह जहां लेवल लगा है ऐसे रंग की होगी जो वर्ग लेवल की पुष्ठभूमि की तुलना में चटकीला हो।
- (3) िकसी यान पर लगाया गया प्रत्येक वर्ग लेकल इस प्रकार लगाया गया होगा िक बह िकसी अन्य विधि के अधीन प्रद-िर्मा िकए जाने के लिए अभेक्षित िकसी अन्य चिह्नाकन को ध्रीयला न करे।
- (4) किसी खनरनाक ग्रथका परिसकटमय माल को ले जाने वाले प्रत्येक माल बाहन पर वर्ग लेक्स उसके ग्रंपले और पिछले योनों भागो पर रापट रूप से संप्रदर्शित किया जाएगा।
- 131 माल भेजने बाल के द्वारा खारनाक ग्रयका परिमंकटमथ माल के बारे में सुधना का प्रवास किया जाना
 - (1) माल बाहन द्वारा किसी प्रकार के खतरनाक प्रथवा परिमंत्र टमय माल का परिवहन करने का धाषाय रखने बाला प्रत्येक प्रेयक स प्रकार के माल को बाहन में लादने से पूर्व माल बाहन के स्वामी की इस प्रकार के खतरनाक भ्रथवा परिसंकटमय माल के बारे में पूर्ण और पर्याप्त सूचना देगा लाकि वह स्वामी और उसका कृष्ट्यर:--
 - (क) नियम 129 से 137 नक के नियमों की भ्रपेक्षाओं का श्रनुपालन कर सके, और
 - (खा) इ.स. प्रकार वे माल से किसी व्यक्ति के स्वास्थ्य या गुरक्षा को होने वाली जोखियम से श्रवगत हो सके।
 - (2) यह मृतिभिन्न कराना प्रेषक का कर्तस्य होगा कि मूचना नियम 129 से 137 के उपबन्धों का प्रनुपालन करने के प्रयोजनों के लिए छहा और पर्याप्त है।


132. माल वाहन के स्वामियों द्वारा खनरनाक ग्रयवा परिसकटमय माल के वर्गीकरण को विनिदिष्ट करना

- (1) किमी भी खारनाक प्रथवा परिसकटमय माल का परिवहन करने वाले माल बाह्न का प्रत्येक स्वामी अपने माल बाहन में इस प्रकार के माल का परिवहन करने से पूर्व अपना यह समाधान होगा कि प्रेयक द्वारा वी गई स्वना सभी पहलुओं में पूर्ण और सही है और इस माल का वर्गीकरण नियम 127 में निविद्ट किए गए वर्गीकरण के अनुरूप है।
- (2) माल वाहन का स्थामी यह सुनिष्चित करेगा कि इस प्रकार के बाहन के बाहर को परिवहन के लिए उसे गीपे गए खतार- नाव क्रथवा परिसंक्टमय माल के सबध में लिखित रूपमें सभी सुमंगन जानकारी दें वी गई है, जैसा इन नियमों के उपाबक्य 5 में है तथा वह अपना यह समाधान करेगा कि बाइन को इस प्रकार कि माल की प्रकृति तथा उनके परिवहन में अर्ल्वलिए जोखिस की प्रकृति के बारे में पर्याप्त अरावशारी है तथा वह इस योग्य है कि वह किसी भी आपात स्थिति में समुचित वार्रवाई कर सके।
- (3) खालरनाक अथवा परिसक्टमय माल का परिवहन करने याले माल वाहन का क्राइतर यह मुनिष्णित करेगा कि उप नियम (2) के अर्थान उमे लिखिन रूप मे दी गई जानकारी क्राइतर के कीवन मे रखी है तथा खनरनाक अथवा परिसक्टमथ माल को, जिससे वह सर्वेधिन है. ले जाते समय वह सभी समयो पर उपलब्ध है।
- 133. ष्ट्राइवर द्वारा की जाने वाली पूर्वावधानियां किसी भी खनरनाक प्रयवा परिसंकटमय माल का परिवहन करने बाले माल बाहन का प्रत्येक हाइवर सभी समयों पर ग्राम, विस्फोट का निवारण करने के लिए और श्रयवा माल बाहन के जलते समय और जब बह नहीं जल रहा है उस समय भी उमके द्वारा हारा ले जाए जाने वाले खगरनाक ग्रयवा परिसंकटमय माल के बचाव के लिए सभी ग्रावश्यक पूर्वावधानियां वरतेगा, वह यह मुनिष्चित करेगा कि माल बाहन ऐसे स्थान पर खश किया जाए जो श्राम, विस्फोट पथा किसी भी ग्रन्थ जोखिम से मुरक्षित हा और हर समय उनके श्रयवा श्रद्ठारह वर्ष की श्रामु से श्रिक्ष के किसी श्राव्य सक्षम व्यक्ति के नियत्रण नथा पर्यवेक्षण में हो।
- 134. प्रापाल सूचना पैनल:— किसी भी खनरनाक प्रथला परिमंकट-मय माल का परिवहन करने हैं लिए प्रयुक्त प्रत्येक माल बाहन केन्द्र नीचे सारणी में दिणित प्रत्येक नीन स्थानों पर ग्रापान सूचना पैनल सुपाठ्य तथा स्वब्द रूप में चिन्हिंग होगा और ऐसे पैनल में निम्नलिखन गूचना ग्रन्तविष्ट होगी, ग्रथान्:—
 - (i) शब्दों में खारनाक अथवा परिमंकटमय माल का मही एक-नीकी नाम और शब्द 50 मिलीभीटर ऊंचाई से कम न हों।
 - (ii) खतरनाय ग्रथवा पिमकटमय माल का वर्ग लेबल जिमका ग्राकार 250 मि० मीटर वर्ग में कम न हो।
 - (iii) प्राप प्रथम किसी प्रन्य दुर्घटना की दणा में संपर्क की जाने वाली प्रापाप सेवाओं के नाम तथा टेलिफोन नम्बर शब्दों अंक अंकों में जिनकी ऊंचाई 500 मीठ मीटर से कम न हो तथा खमरनाक प्रथमा परिमंकटमय माल के भेजने वाले प्रथमा ऐसे प्रन्य व्यक्ति का जिससे इस प्रकार के माल के संबंध में प्रापान स्थिति की दणा में किए जाने वाले मध्युपायों में संबंधिन विशेषक सूचना और सलाह ली जा सकती है, नाम एवं टेरिफोन नबर,

सारगी

यानां पर आपात - यूचना पैनल लगाने के लिए स्थान और विमाए





(सारी विसाए मिलीमीटरी में प्रकट की गई है)

(2) प्रत्येक वर्ग लेबल लया झापात मूचना पैनल माल वाहन पर चिन्हिल किया जाएमा और उसे हर समय बाधाओं से मुक्त और सफ क्या जाएगा।

135. शृह्बर जिसे मन्द्रेण दिए जाने हैं --

कारताक ग्रथना परिसंकटमय माल का परिन्न त करने वाले प्रत्येक माल बाहन का स्वामी माल भेजने वाले के समाधान प्रव रूप मे यह सुनिक्चित करेगा कि माल बाहन के ड्राइबर ने उसके द्वारा परिवहन किए जाए जाने वाले माल की प्रकृति को समझने, इस प्रकार के माल से उद् भन होने वाली जोखिम की प्रकृति, माल बाहन के खलते समय तथा उसकी ठकी हुई ग्रयस्था में बरती जाने वाली पूर्ववधानियो और किमी ग्रापान स्थित मे की जाने वाली कार्यवाई को समझने में उसे समर्थ बनाने के लिए पर्याण भनुवेक तथा प्रधिकाण प्राप्त कर लिया है।

136 हाइबर द्वारा दुर्धटना के बारे में पुलिस स्टेशन को रिपोर्ट किया जाना।

किसी खनरनाक ध्रयंवा परिसंकटमय माल को परिवहन करने बाले माल बाहन का ब्राइवर उसके बाहन द्वारा परिवहन किए जाने बाले किसी खनरनाक ध्रयंवा परिसंकटमय माल से संबंधिन किसी बुर्धटना के होने कर समीपनम पुलिस स्टेशन को सुरंत रिपोर्ट करेगा।

137. क्यं लेबल — नीको मारणी के स्तम्भ (2) मे विनिर्दिष्ट खनरनाक अथवा परिसंकटमय माल के संदर्भ मे स्तम्भ 3 में की नत्स्थानी प्रबिष्टि के विनिर्दिष्ट लेबल वर्ग लेबल होंगे, अर्थातः—

सारणी ।

किं≎ स्०	मास का बर्गीकरण	वर्ग लेबल	•	
1	2	3		

1. बिस्फोटक :



प्रतीक (विस्फोटक बस) काला पुष्ठभूमि नारंगी शैंग संवीडिय, द्रक्लि, वाब १ शिं घली हिई अथना क्रथम प्रशीतिय :



प्रज्यलमगील गैम प्रतीक (गैस सिलैंडर) काला प्रथवा सफेद पृष्टमुमि हरी



ज्वलनशील गैस प्रतीक (ग्राग) काला और सकेंद्र पृष्ठभूमि लाल



जहरीली (टोक्सिक) गैम प्रतीक (खोपड़ी एवं कीम हड्डियां) काला पृष्ठभूमि—सफोव

3. ज्वलनशील द्वव



ण्यलनशील इब प्रतीक माग (काला भणका सकेद) पृष्ठभूमि लाल 4. ज्वलनणील पिडें स्वतः दहन वाले प्रियार्थ, ऐसे पदार्थ जो पानी के साथ संपर्क में द्वाने पर ज्वलनभील गैस उत्सर्जित करते हैं:



खंड 4.1 ज्वलनशील पिड प्रतीक (आग) काला पुष्टभूमि'—खड़ी लाल पट्टियों सहित सफेंद




खंड 4.2 | म्बतः दहन वाने पदार्थ प्रतीक (ग्राग) काला | पृष्ठभूमि:--ऊपरी ग्राधा हिस्सा सफेव निकला ग्राधा हिस्सा लाल गीला होने पर



खंड 4.3

ऐसे पदार्थ जो पानी के साथ संपर्क मे आने पर जयलनशील गैस उत्मांजन करते है।

प्रतीक (आग) काला अथवा सकेव प्रजीव





खंड 5.1 भारतीसारक पदार्थ



खंड 5.2 कार्बनिक पर प्राक्तमाइड प्रतीक (गोलाकार पर द्वाग) काला पुष्ठभूमि, पीला

जहरीला (टाक्सिक)एवं संकामक पदार्थ :




खंड 6.1 अहरीचा (टामिसक) पदार्थ प्रतीक (कोपडी एवं कास हिंदुया) काला, पृष्ठ भूमि मजेंद



खंड 6.1
जहरीला (टामिनक) पदार्थ
लेखल के निचले श्राप्ते भाग पर
लिखा हो:
होनिकारक
खाख पदार्थों से दूर रखें
प्रतीक: गेंहूं के निशान पर सैं०
एन्ह्यू का काम धाला
पृष्ठभूमि:सफेद:




खंड 6.2 संकामक पदार्थ जैकल्पक के निकले झांधे भाग परः संकामक पदार्थ (जैकल्पक) सथा नुकसान झंखा सरमा मामले में नुरन्त लोक स्वास्थ्य प्राधिकारी को सूजिल करें (बैकल्पक), अंकरालेखान होना चाहिए प्रतीक (एकबृल पर तीन झधंबन्द्राकार द्रध्यागुंपिन) तथा झक्तरालेखन: काला पुरुक्मि . मकेंद



रेडियोधर्मी पदार्थ प्रतीक--वत्त के तीन खंड वर्ग लेबल के सम्बर तथा 1478 GI 89--6 गड्ड समेव पुष्ठभूमि पर काले रंग के होगे सथा—वर्ग लेबल क्रिकारों पर समानान्तर रेखाएं काली होंगी तथा 5 मिलीमीटर मोटी होंगी।

8. मंशारक :



संभारक

प्रतीक: (एक हाथ और एक छातु पर चोट करना हुन्ना दो कांच-पान्नों से गिरता हुन्ना द्वव) : काला

पुष्ठभूमि . अपरी भाधा भाग सफेद निधना ग्राधा भाग सफेद बार्डर के साथ काला

सारणी−2 सूत्रक मानदण्ड

(क) जहरीने रसायन

जिन रसादनों जिनमें निमालिखा माझा में काफी जहरीनापन है और जो अपने मौजिक और रनायनिक गुणो के कारण मारी जोखिल बाली दुर्षटनाए करा सकते हैं:---

 एल डी (नंबिक)*	पृथाडो (स्यूटेनियस) **	— एल सीत्
50	50	50
(एम जी/कि.ग्रा.	(एप जी/कि.ग्रा.	(एम जी/ 1
भरीर भार)	णरीर भार)	इ -'हेलेशन)
एन हो <u>८</u> 5 में <u>८</u> 200	एनडी ८ू 10में ८ू 400	एतमी <u>८</u> ०° सि <u>८</u> ७
50		

- (আ) ভাগৰনদাৰে হলাধন : 🗕
- (1) अथननणीत गैंस :--को रपाश्त सामान्य वार पर अन्ते गैसीय स्थाप में वायु से मितकर प्रशानशीत हो जाता है और तिपशा सामान्य वजाब पर क्वण्नांक 20° मेंटीबेंड या कम हो,
- (2) श्रद्धिक द्रव्य: —िजिन रसामित का पर्गेणव्याइंट 21° मेन्टी-ग्रेड से जन है और जिसका कायनांक सामान्य देखात पर 20° गेंटीग्रेट से प्रधिक है,
- (3) ज्वलनशील द्रश्रः---शिंग रनायन का पर्नेश प्वाइट 55° सेंटीग्रेड में कम है और जा दवाय में द्रव्य ही रहता है जहां किसी खाम प्रक्रियास्मक दशा में बड़े जोखिम वाली दुर्घटना हो सकती है, धर्यात प्रक्रम द्रशाव और प्रक्रियामान।
 - (ग) विस्कोटक पदार्थ ---

जो रसायन ज्वाला के प्रभाव में विस्कोटक कर सकता है या जो डायनाइटोबेंगीन की नुलना में झटके या घर्षण के प्रति अधिक संवेदस्यील है।

^{*}एलडी 5° चूहों में ओप्ला **एलडी 50 चूहों या खरगोशों में क्यूतेस्थिस। |एल 50 चूहों में इनहेलेशन द्वारा (धार घंटे)।

सारणी -9 परिसकटमय भौर जहरीले रसायन

रसायन	परिसंकट वर्गीकरण
(स्तम्भ-1)	(편##-2)
STANDON CONTRACTOR OF THE STANDON OF	te teta ti dutarian afadadalaria e fese je je je in anaderiala ar apa ser i je, evija i se i sejenalek
एमीरल डिहादर	दी गक्ष
एसीटिक एसिड	र्मा
एसीटोन	एफ
एसीटोन माइनोहाइड्रीन (2-माइनोप्रोफेन-2जीएन)	दी
एसीटो नी ट्रिल	टी एफ
एसीटल क्लोराहड	सी एफ
एसीटिलीन (इयाइन)	एक भार
एक्रोलीन (2-प्रोफीनल)	टी गुफ
ए क ीलोनीट्रिल	टी एफ
एस्डीक्यर	ਟੀ ਟੀ
एलाइल एल्कोहल (2 प्रोफेन-1-मोएल)	डी एफ
एसाइलामाईन	टी एक
प्मीनोयाङ्गफिनाइल-4	टी
एमीटोन	ਣ। ਣੀ
प्रमोनिया -	ट। टी एक
भगागया ग्रमोनियम नाहट्रेटस	·
अमानयम नाष्ट्रदन उर्वरकों में समोनियम नाष्ट्रदेरग	र्श्र झार
घमोनियम सल्फेट	
	•
एमाइल एसीटेट	टी एक
एनाबेसीन	टी
एनी ज िन	टी
ग्रनीसाइडीन-पी	리
एन्टीमोनी एण्ड कम्फाउंड्स	टी सी
एन्टीमोनी हाइड़ाइड (स्टीमीन)	टी एफ
मर्सेनिक हार्डारड (प्रासरिन)	दी
म्रासेंनिक पेटाक्साइड, म्रासेंनिक () ए.सिड एवं मास्ट्म	्टी
म्रामेनिक ट्राइम्राक्साइड, म्रामेनियम (III) एसिड्स एवं साल्ट्स एजीनफास - इसाइल	ही ही
एजीनफास - मिथाइल एजीनफास - मिथाइल	टा टी
बेरियम एजाइड	्। ६
बें जीन	टी एक
बेंजी डाइन	<u>ही</u>
बेंजीबाइन साल्ट्स	टी
बेन्जोइल पेरोनसाइड	दी ६
बेन्जाइल क्लोराइड	दी
बेरीनियम (पाउयर्स, कम्पांउब्स)	ी 2 4
भी ग्राई एस (2, 4, 6-द्रिनिट्रोफिनाइल) ग्रमाइन भी ग्राई एस 12-क्लोरीइचाइलो सरुफाइड	ਟੀ ई ਟੀ
बी भाई एम (क्लोरोमिथाइल) ईथर	ट। टी
बी माई एम (टर्ट-बुटिलपेरोक्सी) ब्यूटेन-2, 2	न्नार श्रार
बी माई एस (टर्ट-बुटिलपेरोक्सी) साइक्लो हेक्साइन-1, 1	मार
भोरोल एण्ड क पाउंड्स	टी
बोमाइ न	टी

र सायन	यातक वर्गीकरण
(कासम-1)	(फालम-2)
त्रोभोफार्भ	ਟੀ
बूटेडीन्-1, उ	एफ
बूटनोन-2	टी एफ
ब्यूटाइल मलकोहोल 🗸	दी एफ
ब्यूटाइल पैरोक्सीटेट-टर्ट	भार
न्यूटाइल पैरोक्सीसोम्पूटाइटेट) टर्ट	भ्रार
ज्यूनाक्ष पराप्तानमूर्याक्ष्य । स्यूटाइल पराभ्तानोप्राधिल कारबोनेट, टर्ट	भार
न्यूटाइल पैरोक्सीमेलीट, टर्ट	
ब्यूटाइल पराक्तामलाट, टट अ्यलेलिमाइन	म्रार सी एफ
	सा एक टी
कैड मियम एण्ड कम्याउड्ग	
कैमियम आक्साइट (फ्यूम्स)	리
कैंमफर	एफ
कारबेरिल (मैविन)	टी
कार्योफ्यूरन	ਰੀ
कार्बन डी सल्फाय्ड	टी एफ
कार्बन मोनोक्साधड	दी एफ
कार्बन टैट्राक्लोराइड	टी
कार्बोफिनोयियन	टी
सैल्यूलोज माइट्रेट	ई एफ
क्लोरट्स (विस्फोटकों मे प्रयुक्त)	ŧ
क् लोरफिनविन्फोस	री
क्सोरीन	टी
क्लोरीन भावसाइड	
बलोरोएसिटल क्लोराइड	सी
क्लोरोबेन्जीन	टी एफ
बलोरोडीफिनाइल	
स्तोरोफॉम -	र्टा
बलोरोफोमिल-4, मोरफोलिन	É۲
नलोरोमिथाइल मियाइल ईथर	दी
क्लोरोफीन -	टी ए फ
क्ष्मोरोमरफोनिक एमिच	 मी
बलारोहिनिद्रोबेन्जीम	धी ई
अपियम एण्ड कम्पाउंड्म	-
क्रोबाल्ड एण्ड कम्याउंड्स	टी
कांपर एण्ड कम्पाउंड्स	G1
	टी
त्रीमिडाइन - चे चेचे प्रकार	ट। टी एक
লাটাললভামত —	दी
ब् यूमीन	ट। टी
साइनोथोट	
साह्र-लोहे ग्से म	एफ जो 1997
साइम्सोहेक्सेनन	डी एक -^-
साइक्लोहेक्सीमाइक	टी
साइक्लोपेन्टेडीन	टी एक
साइक्लोटेट्रामिथाइलइनेट्ट्रिनाइट्रेमाइन	\$
साहक्लोट्रीमिथाइलिन द्राइनीट्रेमाइन)	र्ष
दी ही	टी
डीमेटोन	दी
डी-एन-प्रोधाइल पैरोक्साइडीकाबॉनेट	भार
-डो-सेक-स्यटाइल पैरोक्सोडाइ कार्डोनेट	भार
<u>डियालीफोस</u>	टी
डियाजोडि सिट्रोफिनोल	•
धाद्यवेन्जील पैरोक्मीडीकार्यांनेट	भार

रसायन	भातक बर्गीकरण
(कालम-1)	(कालम-2)
	ही
ही क्लोरोबेन्जीन-पी	दी
र्डा गलोरोफिनोक्सी एसीटिक-2, 4 (2, 4-डी)	टी
डाइवलोरोवाग (डीडीयोपी)	ਟੀ
र्डाधाङल पैरोक्सी डाइकाक्षेतिट	भार
डीथाइसमाइन	टी
क्षीथाइलमाइन इथेनोल	टी
डीथाइलीन ग्लाइकील डिनट्रेट	¥£
र्डा हाउड़ोपैरोक्सीप्रोपेन,-2,2	भार
कीह्सोब्यूटाइश्लि पैरोक्साइक	भार
डीह्सोप्रोपाहलेमाइन 	सी एफ
डाइसाप्रामारण डीमेफोग्म	दी
डामिकारम डीमियाइल फोर्मेमाइड	<u>د</u> ا دا
	ट। टी
डीमिथाइल फोसफारेमीडोसीमिडिक एसिड ०००	
कीमिथाइल सल्फेट	ਣੀ -0-
ड ोमियाइलेनाइस	ਟੀ
श्रीमिथाइलेखिन	ਟੀ -^-
डीमिथाइलकार्वोमिल क्लेराइड	टी
डोमियाइल नाइट्रोमेमिन	टी
दी निट्रोबेन्जीन	टी
बीनीट्रोफिनाइ ल, साल्ट्स	दी 🕏
धी नीट्रोटोल्यूंन	ही'
ढीन्द्रो-मो -क रीसोल	
रा योक्सेन	टी एफ
बाइ फासिनोन	टी
डाइ सुलफोटोन	टी
रेपिक्लोरोहर्र्डाष्ट्रन	टी एफ
ई की एन	îs
इं भियन	एफ
श्यादल एसिटेट	एक
(थाइल मतर्का∤ाल	मा एक
्थाइल अ माइन	टी
चिपारल भूमार्थ	र्दा
श्राष्टल क्लोराक्ष्ण	
व्यादल ईयर	क्षण १५
धाइल मरकापियन	टी ई भ्रार
थाइन नाइ ट्रेट	दी
भाग सम्बर्धाः र्शियोजन क्लोरोहार्ह्यकृत	र्सा एफ
थिलिन डरमाइन	टी
भिलिन डिक्रोमाइड (1, -2-डिक्रोमोथेन)	र्टा ई
थिलिन ग्लाइकोल डिन्ट्रिट	टी एक मार
थिलिन धाक्माइड	ही एफ
थिलेनेमाइन	ही -
न्युजेटल वृजेटिल	दी
नुपाटन लु ड राहड	ਫ਼। ਟੀ
	દો ટો
भुडरो-4-2 ताहर्शनिमन्पुद्रिक एतित्र एण्ड साल्य्म, ईस्टर्म, १माइट्स	دا اغ
लोरडेसिटिक एसिड एण्ड साल्ट्स, ईस्टर्ग एमाइड्स	
लोरपेसिटिक एसिड-४ एण्ड साल्ट्स, ईस्डेसं एमांडर्प	ही 5
लोरडेसिटिक एमिड-4, एण्ड साल्ट्स ई स्टर्स, एमाउध्म	źł
ोर मेल्डेहा६ ४	दी
रफ्युरल	दी
गद्दकोनिटाइल (हाइड्रोक्सियासेटोनिट्राइल)	टी
ानिल-1- <i>4-</i> हाद्द्रोसेमिनोगिविल-1-टेट्राजिन	₹

रसायन	षातक वर्गीकरण		
(स्तब्ध-1)	(कालम-2)		
हेक्साक्लोरोडाइबेन्जो-श-डायक्मिन-1, 2,3,7,8,9	टी		
हेक्सामिहाइबफासफारेल (इंड	र्टा		
हेक्सामिथा इ ल- 3, 3, 6, 6, 9, 9,- 1, 2, 4, 5,-टेट्रोक्सिक्लोनोनेन	भार		
हे न् सानि <i>द्रोस</i> टिलिबन-2,2,4,4,6,6,	€		
हाइड्राओइन	टी एफ		
राष्ट्राचारम हाज्ड्राचाइन नाइट्रेट	€		
हाउज्राजासम् मा <i>ब</i> पुट हाइज्रोजन	र एफ आर		
	ही टी		
ह,इड्राजन क्लोराइड (तरल गैम)	टा टी एफ		
ह्। इंड्रोजन साधनाइड	टी सी		
हाइड्रोजन फ्लोराइड	टा सा टी		
ह इड्रोजन मेलेमाइड			
हाइब्रोजन मल्पाइड	टी एफ		
भायोडीन	.0		
भाइसोबेनजान 	<u>ਈ</u> -2		
भा द्दसोद्भीन	द्ये		
भ।इसोफोपाइलेम।इन	सी एफ		
जुगलोन (5-हाइड्रोक्जाइनाफिथालीन-1, 4-डायोनी)	ही		
लैंड (इनोइगेनिक फ्यूम्स एवं डस्ट्स)			
तेब 2,4,6-द्रिन्द्रिरेसोरसिनोक्साइड लेबस्टफनेट	ŧ		
लेख मजाहर्ड	ŧ		
सिन डे न	टी		
मालटेक मेनिड्राइड	टी		
मे गनीज एवं कम्पाउंक्स			
मरकरी एल्मिल			
मरकरी फलामिनेट	ŧ		
मरकरी मिथाइल			
मिषाइल एडिटेट	कृग 13		
मियाइल एरिलेट	ং		
मियाइल ग्रलकाहाल	भी एफ		
मियाइल भ्रमाइ न	u, ,,,		
मिथाइत प्रामाइड (प्रामाभेषिकेस)	टा		
मिथाइल क्लाराइड	έr		
भिषाइल कलोरोकोम	टी एक		
मियाइल साइम्लो हेम्सेन	एक		
मिनाइल इथिल रीटोन पैरॉक्साइड	प्रार		
भिषाइल भ्राइसोध्युटिल री टोन पैराङ्ग्याइड			
नियाइस भाइसोबियानेट	भार र्न		
भिषाइल आहेताल्यान्ट भिषाइल स्टिरीन	र्टाएफ		
	टी एक		
भिषिलीन क्लॉराइड	टी		
मिथिलेनेबिस-4-4 नलोरोएमीलाइन	दी		
में बिनाहोस	दी		
मुलिबेडनम एण्ड कम्पाऊंड्स			
नोर्फोलिन	मी एफ		
र न-निम्बाह ल-एन, २, ४, ६,-एन टेट्रानिट्रानियिन	₹		
भिष्या (कोलतार)	एक		
नफथालिन	टो		
नेफर्यालेमाइन-2	टी		
निकल एण्ड कम्पाउंड्म	टी		
निकल टेट्राकावीनिल	टी एक		
ाइ ट्रोनिलिन-पी	री		
(बिट्रोबेंग्जीम	दी		
ता ह्ट्रोक्सोरोबेंजीन	टी		
नाह्दी ध्येन	टी एफ		

रेमायन	घातक वर्गाकरण
(कालम-1)	(कालम-१)
नाइट्रोजन डायक्साइड	र्टी
नाइट्रो आक्साइड	टी
ना ६ दं व ली सीन	टी ई
नाइट्रोग्रोफेन-1	क्षी एफ
नाइट्रांप्रोफेन-2	टो एफ
श्रीलोम	स्रो
डोधिल-ईथिलसर्णाफनिलमियाइल फासफोरोबाएट	टी
द्वांबिल-इंबिलसलोफनिलमियाइली फासफोरोबाएट	ट †
होथिल एस-इधिलिधयोमियाल फासफोरोबाएट	ांड
डोबिल ग्राइसोप्रीफिल मिमोमिबाइल फास्फोरोबिएट	-
श्रीथल प्रीफिल वियोमियाद्दल फाफरोडाई वियोद	हो
भानसीडाइसलफ्युटन	ਨ। ਦੀ
भागसाजाइसलक्यृटन भागसोजन (तरल)	दा
आस्ताजन बाइफ्लकृइड	ਣੀ
मोजोन	31
पैराम्सोन (डोचिल-4-नाइट्रॉकिनाइल फास्फेट)	टी
पैराशियन	टो
पैराधियन मैथाइल	z r
पैन _{भू} लफां <mark>थिय</mark> न	ਣੀ
पैनदाबो रेन	टी एफ
पैनटाक्लोरोफिनायल	टी
पैनस्टेरीयराइटल टैटरानिटरेट	टी एम
पैरासिद्रिक एसिक	सी भार
पैरक्लोरोबायलिन पैरक्लोरोमेथाइल भरकेंपटन	ਣੀ
परस्तारामभाइल मारकपटन गैटानडन, २, ५,मेयाइ ल	₹r
ादागचन, इ.स.म.चार्या किनोस	دا لاً}
फोरट	डो डो
फार्माक्टम	-` έι
फॉयजिन (कारबीसाइल क्लाराइड)	ष्टो
ক াঁম र्फ ामजन	र्टी
फासफ।इन (हाइड्रोजन फासफिकाइ)	एक
फाँसफिड्ज एण्ड कम्पाउंड्न	एक
यैलिक एन हाइड्राइड	
पाइक्यिक एसिक 2,4,6-ट्राइनिट्राफीनकल	स्त र्य
प्राम् रिट	टी
(1)3,4-जिक्सोरोफिनाइल) उद्गिजेनेथियोकार्बोक्सामाइङ)	
प्रोपे निस्लटोन-3, 1	टी
प्रोपैन-1,2-क्लोरॉड-1,3-डायल आइसिटेट प्रोपाइल एसिटेट-एन	टी
मापाइल प्रलक्षाहरू प्रोपाइल प्रलकाहरू	एक एक
प्रीपाइस न प्रिक्लोराइड	एफ
प्रीपाइन ग्राक्माइड	. " टी
प्रापाइल नमाइन	टी
पाएराजीकसन	र्टी
पद्माराईयाइन	टो एक
क्वीनीन	retung
सैलेनियम हैन्सा प्लू अराइड	टी
सोडियम मलोरेट	ई झार श्री
मोडियम हाइड्रान्साइड	सी
सोडियम किहर संहियम फिक्रामेंट	ਣੀ ਸ਼ੀ ਈ ਵੀ
साध्यम फ्लेन्सट सोडियम सैनेनाइट	टा इ टी
मानकार विवास	G1

रमायन	ओ खि म का वर्गीकरण
(कालम-1)	(कालम-2)
मल्कोटर	<i>ਹੰ</i> ।
मल्फर बा ढ्वंसो राइ ड	री
ग [े] फर प्रापितमाहण	टो
मःभ्यं रिकः एशिष्ठ	
'नृरियम	
टैलूरियम हैक्साफ्लोराइड	 ਈ
H	टी टी
हैटराक्लोरङघार्डविजी-पी-यायौक्सिन-2,3,7, को (टीडोडोडी)	ੌ. ਣੀ
टराइयाइल मीड	ु। टी
टैटराहा उयुट्रोफ्यू ^{रे} न	হী ए फ
टरामेथाङनडाइसल्फोटटरामा इ न	टी एक
टेटगर्मेथाइस सीड	ट। टी
टैटरानि रयुमैथेन	e)
षाइलियम एण्ड कभ्पाउं ड् म	टी
याह्योनाइजिन	ट। टी
वाह्योनाञ्च क्लोगडक	
पाइरम	एल टी
टा इ रपेट	ू । टी
टॉ ल्यून	ट। टी एफ़
टॉल्यून-2,-2 डिटैंड साइनेट	
टाल्य आइंडिन-मो	टी
हारेन जायाच्याच्या हाई-1 साईक्लोहाइक्सलो स्टैनाइल-1-एल-1,2,4-यानील	टी
हार्यामिनङ-1-3,5-2,4,6-हाईनिहोसेनेजिन	ਟੀ ਵੀ
ट्राइक्लोरीएथिलिन	ਟੀ -^-
प्रकलोरोमैयानेसल्फ्रेना इ ल	टी -2 —
राहेशाहलेनाहरू -	सी एफ
ट्राह्हशाहलेनीसलेमा इन ट्राह्हशाहलेनीसलेमा इन	टी २. १
द्राहरण इस्तानसम्बद्धाः ट्राहिनिट्रेडेनिलाइन	टी ई
द्रार्हनिद्रोमानिमोल-2, 4- 6	ਟੀ ਵੰ
	ਟੀ €
ट्राईनिट्रोबेनिजिम	टी ई,
हाईनिट्रो म् निजानिक एसिक	दी ई
ट्रार्डनिट्र ेडिन मोल	टी 🕏
ट्रार्डनिट्रोफ़ीनटोल २, ४, ६	टी ई
: १ईनिट्रोरिसोसेडिनयल-2, 4, 6 (स्टाइफैनिक एसिड)	टी ई
इ र्हिन द्रोमो बिच न	टी ई
ट्राईम्रार्थीकि ≭टल	-
टरपेनटाइन	टी
पूरेनियम एण्ड कम्पाउंद्या	टी
निर्डियम एण्ड कम्पाउँड्स	ਣੀ ਵੀ
वैनाइल क्लोराइट	ु। टी ऍफ
वनाइल टॉस्पून	टी ई
शर्फ़ोरिन	टी एफ
शार्कालन	टा एक टी
जा ई सिडिन	टा टी
जिक एण्ड कम्पाउंड्स	€1
जिरकोनियम एण्ड कम्पाउँ६स	तुन्तु,

सी - क्षरणशील

ई – विस्फीटक

एफ - ज्वलनशील

मी - श्राक्सीकर

भार – प्रतिकियाणील

टी - विषेणा

अध्याय व

यासायात का नियंत्रण

- 138 मोटर माईकल के लिए संकेत और भनिरिक्न मुरक्षा उपाय :---
- (1) मोटर थान का ड्राइयर ऐसे सकेत ऐसे अवसरों पर करेगा जो घारा 118 के अधीन अनाए गए जितियमों में विनिदिष्ट किए जाएं।
- (2) किसी मोटर सार्टकरल का प्राइतर, घारा 128 की जाधारा (1) में पणित सूरक्षा उत्तायों के श्रतिरिक्त धारा 118 के श्रवीत बनाए गए विनियमों में विनिर्विष्ट सुरक्षा उत्तायों का पालन करेगा।
 - 139 धनुक्रांटित और रजिस्ट्रीकरण प्रमाणपत्न का प्रस्तृत किया जाना :--

निसी नोटर यान का द्राइवर या कंडेक्टर वर्दी पहने किसी पुलिस इिकारी या इस निमित्त राज्य सरकार द्वारा प्राधिकृत किसी ध्रन्य इधिकारी द्वारा मार्ने जाने पर रिजिस्ट्रीकरण प्रमाणपत्न, बीमा प्रमाणपत्न अधिकारी द्वारा मार्ने का प्रमाणपत्न और अनुजानन, चालन अनुप्राप्ति तथा कोई अन्य पुमंगत वस्तावेज प्रस्तुत करेगा। यदि सभी या उनमें से कोई दस्तावेज उसके पास नहीं है तो वह दस्तावेजों के किसी पुलिस प्रधिकारो या किसी श्रन्य श्रिधकारो द्वारा मस्यक रूपो से स्वृत्रमाणित उद्धरण प्रन्तुत करेगा और उसे उस श्रिकारो को, जिसने वे दस्तावेज मांगे थे, मांग करने की तारीब से 15 दिन के भीतर रिजिस्ट्रीकृत जाक द्वारा मेजेगा।

श्रह्याय ७

पर-म्यनित जोखिम के विरुद्ध मोटर यानों का बीमा:--

- 140 परिमानाएं:--इस श्रध्याय में जन तक कि संदर्भ में ध्रन्थवा इपेक्षित न हो:---
- (1) "लेखा वर्ष में 1 भन्नेल से प्रारम्भ होने वाला और श्राणमी वर्ष 31 मार्च, का समाप्त होने वाला वर्ष भन्निमें है;
- (2) "अनुमोधिन सूची ' से विवेशी बीमा कत्तीओं और उनके प्रस्वामृद्धि-शाताओं की ऐसी सूची अनिभेत है, जिसे इन निवमीं के श्रवीन केन्द्रीय सरकार द्वारा बनाएँ एखा गया है,
- (3) "प्राधिकारी' से केन्द्रीय सरकार या कोई राज्य सरकार या कोई स्थानीय प्राधिकारी या कोई राज्य परिवहन उनकम श्रमिप्रेत हैं जिसके स्वामिस्य में मोटर यानों को धारा 146 की उनधारा (2) के भ्रवीन मनिवार्य बीमा से छूट दी गई है।
- (4) "बैंक' से ऐसी कांनी अभिन्नेत है जो, उबार देने या नितिवान के प्रयोजन के लिए, जनता से ऐसी धनराणि की जभा प्रतिगृहीत करती है जो मांग करने पर या अन्यण प्रतिमेदेष है स्था जो चैक, ब्रापट, धारेण से या अन्यण प्रत्या प्रत्योग है,

स्वष्टीकरण:--कार्ड कम्पती जा माल के विनिर्माण में लगी हुई है या कोई व्यवसाय करती है और जो जनता से धन रामि की जमा ऐसे बिनिर्माता ध्यवा व्यवसायी के रूप में घरने कारबार के विनर्पाषण के प्रयोजन के खिए प्रतिगृहीत करती है, इस खण्ड के प्रयन्तिगृत बैक नहीं समझी जाएगी।

- (5) "विदेशी बीमा प्रमाणका" में ऐसा प्रमाणका प्रक्रियेत है जा इन नियमा के प्रमुपालन में विदेशी बीमाकर्ली द्वारी प्रकर 52 में जारी किया गया है;
- (6) "बिदमी बीमाकली" से कीमा कारबार करने बाला ऐसा व्यक्ति या फर्न ग्रानिप्रेत हैं जो भारत से बाहर नियमित या भ्रधिविमत हैं और को बीमा श्रिधिनियम, 1938 (1938 का 4) के भ्रधीन रिजिन्द्रोक्कर नहीं है,
- (7) "निश्चि" में निषम 150 के भ्रधीन स्थापित निश्चि भ्रमिन्नेत है;

- (3) "सरकारा प्रमिन्नेत प्रतिभूति" से ऐसी सरकारी प्रतिभूति प्रमिन्नेत हे जा नाम ऋण श्रांत्रनियम, 1911 (1914 का 18) में परि-भाषित है;
- (१) "प्रत्यामृतिवाता" से ऐसा बीमाकली अभिनेत है जिसने इत नियमों के अनुसरण म किसी विदेशी बीमाक्ष्ती की प्रत्यामृत किया है इन नियमों के प्रतुसरण में किसी विदेशी बीमाक्षी का प्रत्यामृत किया है है और "प्रत्यामृति" "प्रत्यामृत" और "प्रत्यामृतिदेना" के ततात अर्थ है,
- (10) "परिवर्षक" से ऐसा व्यक्ति प्रसिन्नेत है जो भारत में मोटर यान लेकर भाता है और प्रस्याई कर से जो निरंतर एक वर्ज से प्रधिक भविभ के लिए नहीं ठहरता है।

(क) भन्तर्वेशीय बीमा

- 141 बीमा प्रमाणपक्ष: -- प्राधिकृत बीमाकर्ता, बीमा पालिमी के प्रत्येक घारक की ऐसे प्रत्येक यान की बावन प्रकर 54 में बीमा प्रमाण-पक्ष जारी करेगा।
- 142. सबर नोट:---(1) प्राधिकृत सीमामार्ना द्वारा जारी तिव गया प्रत्येक सवर नोट प्रदेष 52 में होगा।
- (2) उपनिथम (1) में निर्विष्ट कवर नोट इसके जारी किए जाने की तारीख से 60 विन की अवधि के लिए विधिमाण्य होगा और बीमाकर्ता कवर नोट की समाध्यि को तारीख से पूर्व बोना पालिसी जारी करेगा।
- 143 प्रमाण-रक्त और कबर नोट का जारी किया जाना:---(1) इस झड्याय के उपत्रन्थों के श्रनुपालन में बोमाकर्ता द्वारा जारी किया गया प्रस्येक बीमा प्रमाणपञ्ज या कवर नोट ऐसे व्यक्ति द्वारा, जो बीमाकर्ती द्वारा प्राधिकृत किया जाए, सम्यक्ष हम से श्रिधित्रमाणित किया जाएगा।
- 144 बीमा प्रमाणपत्र का प्रत्यरण:--जब कभी किसी विधिनान्य बीमा प्रमाणपत्र के प्रत्यांत धाने वाले किसी मोटरपान के स्वामिश्व की मान के स्वामिश्व की प्रत्य प्राप्त धाने वाले किसी मोटरपान के स्वामिश्व की प्रत्य व्यक्ति की ग्रन्तरण किया जाता है तो, ऐसे पान का बीमा पालिमो पान के स्वामिश्व के प्रत्यरण को तारीख से उस प्रत्य व्यक्ति के नाम स्वतः श्रन्तरित हो जाएगी और वह व्यक्ति, उन्य प्रत्यरण को तारीख से 14 दिन के भीतर, उस प्राधिकृत बीमाकर्ता को, जिसने पान का बीमा किया है, यान के रिजस्ट्रीकरण के व्यौरे, यान के प्रमुख्य और बीमा पालिसी की संख्या और नारीख के या बाये में सूचना देगा जिससे कि प्राधिकृत बीमाकर्ता ग्रारे प्रतिनेक्ष मे ग्राह्मां गरिवर्नन कर सके।
- 145 विज्ञापन सामग्री का अन्वर्जन:--इस अधिनियम के अध्याय 11 और इस अध्याय के असन्रण में जारी किए गए किसी बीमा प्रमाण-पक्ष या कथर नोट पर न तो मुख पूष्ठ पर और न हो उसके पिछली और कोई विज्ञापन सामग्री दो जाएगी।

146. ऐसे प्रमाणपत या कबर नाट जो खो गए हैं नष्ट हो गए हैं पर फट गए हैं मैले हो गए हैं विरुपित स्रयया विश्वत हो गए हैं.--

- (1) जहां कोई पालिसी घारकः⊸⊸
- (क) किसी बीमाकर्ता के पास घोषणा दाखिया करता है जिसमें वह यह घोषित करना है कि उसे ऐसे बोमाकर्ता द्वारा आरी किया गया बीमा प्रमाणपत्र या कार नोट खो गया है, नष्ट हो गया है, कट गया है, नैना हो गया है, विकिथत हो गया है, घयया विक्रान हो गया है तथा प्रमाणपत्र या कवर मोट के खो जाने अथवा नष्ट हो जान में संबधिन परिस्वितियों की और उसका पता लगाने के प्रयस्तों को पूर्ण विभिष्टियां देशा है,

- (का) या ऐसे भीम कर्ता द्वारा उसे जारी किए जये बीमा प्रमाण-पत्न या अधर नोट फ़टी हुई, मैली, विश्वपित या विकृत दशा में प्राधिकृत भीमाकर्ता को लौटा देता है, भीर
- (ग) ऐसे प्रत्येक प्रमाणपत्न या कथर नोट की आवत बीम कर्ता की बीस रूपये की फ़ीस संवाय करता है,
- बहां प्राधिकृत बीमाकर्ता, यदि उसका युक्तियुक्त रूप से यह समाधान हो जाए कि ऐसा प्रमाणपन्न या कबर नोट खो गया है, या नष्ट हो गया है, घीर यह कि उसका पता लगाने के सभी युक्तियुक्त प्रयन्त किए गये है, या यह कि बह यथास्थिति नष्ट हो गया है या मैला हो गया है, विष्पित हो गया है, या बिकृत हो गया है, तो बह उके बदले बीमा या कबर नोट की दूसरी जारी करेगा जिस पर "बूमरी प्रति" बन्ध स्पट रूप से पृष्ठिकत किया जाएगा।
- (2) जब कभी इस प्रश्यावेदम करने पर कि प्रमाणपन्न या कबर मीट क्यों गया है, उपनियम (1) के उपवंशी के प्रमुमार प्रमाणपन्न या कबर मीट की दूसरी प्रति जारी कर वो जाती है, और बाद में धारक की मूल प्रमाणपन्न या कबर नीट मिल जाता है तो यथा स्थित, मूल प्रभाणपन्न या कबर नीट बीमाकश्री को अभ्यंपित कप दिया जाएगा।

147. प्राधिकृत बीमाकर्ताओं के द्वारा प्रभिलेखों का रखा जाना प्रस्पेक प्राधिकृत बीमाकर्ता उसके द्वारा जारी की गई प्रस्पेक बीमा पालिसी की बाबल निम्निणिखिय विशिष्टियों का ग्रभिलेख नांच प्रथि तक रखेगा प्रथित् :--

- (3) उस अयक्ति का पूरा नाम श्रीर पता जिसे पालिसी जारी की गई है ,
- (2) किसी विनिर्विष्ट मोटरयान से संबंधित पालिसी की दशा में ऐसे मोटरयान का रजस्ट्रीकरण चिहुन भीर उस यान की संख्या सथा अस्य दशाफ़ों में पालिसी के भग्तर्गत माने वाले यान का व्यौरा :-
- (3) वह शारीख जिसकी पालिमी प्रवृत्त हुई है ग्रीर उसके समाप्त होने की तारीख.
- (4) वे गर्ते जिनके प्रश्नीन रहने हुए, बीमा पालिसी में विनिर्दिष्ट स्थित या स्थितयों के वर्गों की अनिपूर्ति की जाएती,
- (5) बीमा पालिसी के मंबंध में जारी किए गए प्रत्येक बीमा प्रमाण-पत्र या कबर नोट के जारी करने की संख्या स्वीर सारीख,
- (6) वह तारीख यदि कोई हो, जिलको बीमा अमाणपन्न या कवर नोट की दूसरी प्रति जारी की गई थी,
- (7) या दूसरी प्रति के जारी किए जाने के पश्चान सल बीमा प्रमाणपत्र मिल गया और तत्पश्चान ध्रमसे कीमाकर्ता को प्रभ्यपित कर दिया गया और यदि ऐसा है तो किस तारीख को ।

148. छूट प्राप्त यानों के प्रक्षिलेख :- ऐसे मोटर यान की दशा में, जो धारा 146 को उपधारा (2) में बिनिर्दिग्ट प्राधिकारियों में से किसी के न्धामित्वाधीन है और ऐसे मोटर यान की दशा में भी जो धारा 146 की उपधारा (3) में छूट प्राप्त है, ऐसे प्राधिकारियों हारा इस निमित प्राधिकार किसी क्यंबिन द्वारा इस्ताक्षरित प्रक्ष 53 में प्रमाणपन्न इस साध्य में प्रमुत किसा जा सकेगा कि मोटर यान गारा 146 के उन्लंघन में नहीं बलाया जा रहा ,है ।

(2) उपधारा (2) में निर्धिष्ट प्राधिकारी अपने स्त्रामित्वाधीन या धारा 146 की उपधारा (3) के श्रधीन छूट प्राप्त ऐसे मोटर यान का, जिसके सबंध में बीमा पालिमी श्राभिप्राप्त नहीं की गई है, श्रौर ऐसे यानों के संबंध में दन उपबन्धां के अर्धान उसके द्वारा जारी किए गए किसी प्रमाण-पत्न 1478 GI 89—7

का और उन व्यक्तियों के नामों तथा पतों का जिनको ऐसे प्रमाणपत्न जारी किए गए हैं भीर ऐसे प्रमाणपत्नों में से किसी के रहकरण का अभिलेख रखेगा।

149. जानकारी का विया जाना—इस भ्रष्ट्याय के उपबंधों के भ्रधीन धम्मावेजों का क्षिमिल एखने के लिए अपेक्षित कोई व्यक्ति, प्राधिकारी या प्राधिक न बीमा कर्ना अनुरोध करने पर केन्द्रीय सरकार या किसी राज्य मरकार वा राज्य सरकार द्वारा इन सिनिस प्राधिक त किसी पालिसी प्रधिकारी को बिना किसी प्रमार के उसकी कोई भी विणिष्टियां देगा।

- 150. दावा प्रधिकरण को रिपोर्ट की प्रतियां दिया जाना-
- (1) धारा 158 की उपक्षारा (6) में निर्दिष्ट पुलिस रिपोर्ट प्ररूप 54 में होगी।
- (2) रिजस्ट्रीकर्ता प्राधिकारी या पुलिस अधिकारी, जो धारा 160 के अधीन प्रतिकर का वावा करने के पात व्यक्ति को भावस्यक जानकारी देने के लिए अपेक्षित है, अनुरोध प्राप्त करने की तारीख से सात दिन के भीतर और दस घपए की फीस का मंदाय किए जाने पर, प्रहप 54 में जानकारी देगा।
- 151. निधि की स्थापना—धारा 146 की उपधारा (3) में निर्दिष्ट प्रत्येक प्रक्षिकारी किसी ऐसे वायित्व को, जो उम प्राधिकारी के किसी मोटरयान के उपयोग से उत्पन्न हो या जो उसके नियोजन में कोई क्यकिन पर व्यक्ति के प्रति उपगत करे और जिसके प्रतिर्गत कर्मकार प्रतिकर प्रधिनियम, 1923 (1923 का 8) के प्रधीन उत्पन्न होने वाला वायित्व भी है, पूरा करने के लिए निधि की स्थापना करेगा।
- 152. निधि की रकम---(1) निधि की स्थापना कम से कम पांच लाख रुपए की प्रारंभिक राशि से की जाएगी और उक्त राशि कैंक या सरकार के पाम जमा रखी जाएगी।
- (2) उप नियम (3) के उपक्रंघों के श्रधीन रहने हुए प्राधिकारी चालू हालत में श्रपने यानों की बाबन प्रत्येक लेखा वर्ष के प्रारंभ में निधि में प्रनियान कम ने कम दो सौ रुपए की राशि का संदाय करेगा।

स्पष्टीकरण—इस उपनिषम में "चालू हालत में यान" से प्राधिकारी के ऐसे सभी यान धभिप्रेन हैं जिनके लेखा वर्ष के दौरान किसी भी समय जलते रहने की संभावना है।

(3) जब निधि बीस लाख रुपए या यामों की संपूर्ण फ्लीट के लिए प्रति यान दो हजार पांच सौ रुपए की, इसमें से जो भी कम हो, राणि से प्रधिक हो जाती है तो उगधारा (2) में निर्विष्ट वार्षिक संवाय रोक विया जाएगा, परम्सु यदि तत्परवात् निधि के जमाखाते में रकम बीम लाख रुपए या यानों के संपूर्ण फ्लीट के लिए प्रति यान दो हजार पांच सौ रुपए, इसमें से जो भी कम हो, से कम हो जाती हैतो ऐसे वार्षिक संवाय को पुन: चालू कर दिया जाएगा।

परन्तु यदि केन्द्रीय सरकार से शिक्ष किसी प्राधिकारी की यह राय है कि बीम हजार रुपए या यानों की संपूर्ण प्रलीट के लिए प्रति यान वो हजार पांच सौ रुपए, इसमें से जो भी कम हो, की राशि पर्याप्त महीं है तो वह, केन्द्रीय सरकार के पूर्व भानुमोवन से, यथास्थिप, बीस लाख रुपए या प्रति यान दो हजार पांच सौ रुपए की रकम से प्रधिक वार्षिक मंदाय करना रहेगा।

- 153. निधि का विनिधान——निधि के जमान्त्राते की रकम से प्राधिकारी पैंक में कम में कम पत्राम हजार रुपए की नकद जमा रखेगा भौर उसे बनाए रखेगा तथा निधि के जमा खाने में की शेप रकम सरकारी प्रतिभूतियों में विनिद्धित कर वी जाएगी।
- 154 निधि में जमा के रूप में धारित प्रतिभूतियां——(1) ऐसी सभी सरकारी प्रतिभूतियां, जिनमें निधि को विहित किया गया है, प्राधिकारी बूसरा मैंक को श्रेतरित कर दी जाएगी।

- (2) प्राधिकारी किसी भी समय नक्क रकम या समान प्रथमा प्रधिक काजार मूल्य की सम्य सरकारी प्रतिमृतियों या दोनों के लिए सरकारी प्रतिभृतियों का विनियमन करने के लिए सक्षम होगा और प्रधिकारी के लिए बैंक सामान्य कमीमन प्रसारित करने के पक्चात् ऐसे विनियमन के लिए प्राधिकारी द्वारा विए गए सनुवेशों का पालन करेगा। इस प्रकार विनियम की गई प्रतिमृतियां बैंक को भी स्रंतरित कर दी जाएगी।
- 155—अमा प्रक्रिया (1) जैसे ही निधि की स्थापना कर दी जाती है, मैंक प्राधिकारी को एक विवरण भेजेगा जिसमें वह प्राधिकारी की घोर से उसके द्वारा पारित घास्तियां विनिर्दिष्ट करेगा और उसकी एक प्रति केन्द्रीय सरकार के भूतल परिवहन विभाग या संबंद्ध राज्य सरकार को भी भेजेगा।
- (2) जब कभी भी बैंक क्षारा पारित प्राधिकारियों की ग्रास्तियों में कीई परिवर्तन होता है सो उपनियम (1) में निर्विष्ट विवरण एक ही प्रकार से भौर उन्हीं प्राधिकारियों को भेजा जाएगा।
- 156—जमा रक्तम पर स्थाज—निधि में प्रत्येक जमा या निधि में पारित प्रतिभृतियों पर वसूल किए गए स्थाज का संदाय वैंक द्वारा प्राधि-कारी को किया जाएगा।
- 157—(1) रकम का निकाला आधा—(1) निधि से कोई भी रकम किसी ऐसे दायित्व की, जो प्राधिकारी के मोटर थान का उपयोग करने से उत्पन्न हो भौर जो वह प्राधिकारी या उसके नियोजन में कोई व्यक्ति पर व्यक्ति के प्रति उपगत करें भौर जिसके भंतर्गत कर्मकार प्रतिकर मिनियम, 1923 से उत्पन्न होने बाला दायित्व भी है, पूरा करने के प्रयोजन के लिए ही निकाली जाएगी भ्रन्थया नहीं।
- (2) प्राधिकारी, ऐसी वार्तों भीर ऐसे निबंधनों के सधीन रहते हुए जो वह इस निमित्त सधिरोपित करे, सपने किसी सधिकारी को उपनियम (1) में विणित प्रयोजन के लिए निधि से सनराणि निकालने के लिए प्राधिकृत कर सकेगा।
- (3) उप नियम (2) में निर्विष्ट प्राधिकार पन्न की एक प्रति, जिसे प्राधिकारी के किसी सक्षम मधिकारी द्वारा सम्यक् रूप से मधिप्रमाणित किया गया हो, बैंक को भेजी जाएगी जो उसमें मन्तविष्ट शर्तों ग्रीर निबन्धनों के प्रधीन रहते हुए ऐसे प्राधिकार पन्न में नामित भधिकारी द्वारा ही राशि निकाले जाने की मनुष्का देगी।
- 158. वावों का किया जाना—प्राधिकारी ऐसे निदेशों का पालन करेगा जो यथा स्थिति, केन्द्रीय सरकार या संबंद राज्य सरकार ऐसे बावों के, जो निधि से पूरे किए जाने हों, तय किए जाने के संबंध में, धनुरक्षण की जाने वाली प्रकिया की बाबत समय-समय पर जारी करें।
- 159. विवेशी बीमाकर्ताओं की मूची—(1) केन्द्रीय सरकार ऐसे विदेशी बीमाकर्ताओं की, जिनके बारे में इस प्रध्याय के उपबंधनों के अनु-सार प्रत्याभूति दी गई है, सूची (जिसे इसमें इसके पश्चात् अनुभोदित सूची कहा गया है) और साथ ही प्रत्येक वशा में प्रत्याभूतिदाता या प्रत्याभूतिदाताओं के नाम राजपन्न में प्रकाशित करेगी तथा समय-समय पर अनुभोदिन सूची में जोड़े जाने या उससे हटाए जाने को भी प्रकाशित करेगी।
- (2) किसी भी विदेशी बीमाकर्ता का नाम मनुमोदित सूची में तभी जोड़ा जाएगा जब ऐसे विदेशी बीमाकर्ता के बारे में कम से कम एक बीमाकर्त्ता द्वारा प्रत्याभूति दी गई है और ऐसे विदेशी बीमाकर्त्ता का नाम जिसका कम से कम एक प्रत्याभूतिदाता भी नहीं रह गया है, सूची से हटा दिया जाएगा।

160-विवेशी बीमाकर्सी का प्रत्याभूतिवासा:---

(1) कोई ऐसा बीमाकर्ता जो किसी विदेशी बीमाकर्ता के बारे में प्रत्याभृति देशा चाहता है, प्ररूप 55 में केन्द्रीय सरकार को उसके लिए धावेदन करेगा।

- (3) यदि केन्द्रीय सरकार का यह समाधान हो जाता है कि उपनियम (1) में निविष्ट धावेदन सही है और यह समीचीन है कि विदेशी बीमाकर्ता को धनुमोदित सूची में रखा जाए धथवा जहां विदेशी बीमाकर्ता का नाम अनुमोदित सूची में पहले ही सम्मिलित कर लिया गया है, यह कि बीमा-कर्ता को विदेशी बीमाकर्ता के प्रत्याभृतिवाता के रूप में अनुमोदित सूची में जोड़ दिया जाए, तो वह अनुमोदित सूची में विदेशी बीमाकर्ता का नाम तब ओड़ सकेगी जब वह उसमें पहले ही सम्मिलित महीं किया गया है और ऐसे बीमाकर्ता को ऐसी विदेशी बीमाकर्ता के प्रत्याभृतिदाता के रूप में सम्मिलित कर सकेगी।
- (3) ऐसा प्रत्याभूतिवाता, जो किसी विवेशी बीमाकर्ता के बारे में प्रत्याभूति देना छोड़ देना चाहता है प्रकप 56 में केन्द्रीय सरकार को कम से कम दो मास की मुक्ता देगा धौर जहां ऐसी सूचना दी गई है, वहां प्रत्योभूतिवाता के बारे में यह समक्षा जाएगा कि उसने सूचना में विनिविष्ट तारीन्त्र से विदेशी बीमाकर्ता के बारे में प्रत्याभूति देना छोड़ दिया है।

परन्तु ऐसा छोड़ने की तारीख के पूर्व नियम 160 के उपनियम (2) के उपवधीं के मनुसार पृथ्ठांकित या निवीकृत सभी विदेशी बीमा प्रमाणपत्नों की बाबस, बीमाकृत्ती के बारे में यह समझा आएगा कि बहु ऐसे विदेशी बीमाकृत्ती का जिसने प्रमाणपत्न जारी किया है, प्रस्थाभूतिदाता बना हुमा है मानो ऐसे प्रस्थाभूति दाता ने इसका प्रस्थाभूतिवाता होना छी नहीं है।

(4) यदि किसी समय कोई प्रत्याभृतिदाता बीमाकर्त्ता नहीं रह जाता है तो केन्द्रीय सरकार ऐसी सूचना देने के पश्चात् जो उसे भावण्यक प्रतीत होती हो, ऐसे प्रत्याभृतिदाता के नाम भनुमोवित सूची से जब कभी ऐसा प्रतीत हो, हटा सकेंगी।

परस्तु अनुमोदित सूची में से प्रत्याभूतिशाना के नाम के हटाए जाने की तारीख के पूर्व नियम 161 के (2) के उपबंधों के मनुसरण में पृष्ठांकित सभी विदेशी बीमा प्रमाण-पत्नों की बात ऐसे प्रत्याभूनिशाता के बारे में, जो बीमाकर्ता नहीं रहा है, यह समझा जाएगा कि वह विदेशी बीमाकर्त्ता के बारे में प्रत्य भूतिदाना बना हुआ है मानो ऐसे प्रत्या भूतिदाना ने बीमाकर्त्ता होना छोड़ा नहीं है भीर मानो जमका नाम सूची से नहीं हटाया गया है।

- 161. विदेशी बीमा प्रमाण पत्न का पृष्ठांकन——(1) ऐसा परिदर्णक जो विदेशी बीमा प्रमाण पत्न को पृष्ठांकित या पुनः पृष्ठांकित कराना चाहता है, प्ररूप 57 में ऐसा प्रमाण पत्न प्रविष्टि पत्तन या भूमि सीमाशृत्क पोस्ट पर सीमा शृत्क कलक्टर के समक्ष अथवा ऐसे अन्य अधिकारी को जिसे केन्द्रीय सरकार, राजपत्न में अधिसूचना द्वारा, नियुक्त करे, इस अध्याय के उपबंधों के अमुसार पृष्ठांकन के प्रयोजन के लिए या इस अध्याय के अनुसार प्रमाण पत्न पर पहले ही किए गए किसी पृष्ठांकन के नवीकरण के प्रयोजन के लिए पेण केरेगा।
- (2) यदि ऐसे अधिकारी का यह समाधान हो जाता है कि विदेशी बीमा प्रमाण पत्न इस अध्याय के उपबंधों की अपेक्षाओं के मनुरूप है, भारत में ऐसे प्रमाण पत्न की विधिमान्यना की अर्ज यनाज नहीं दुई है, ऐसा प्रमाण पत्न अनुमोदित सूची के विदेशी बीमाकर्ता द्वारा जारी किया गया है और प्रमाण पत्न में विनिर्दिष्ट प्रत्याभूतिवाता को मनुमादित सूची में विदेशी बीमाकर्ता के प्रत्याभृतिवाता के रूप में विखाया गया है नो बह प्रस्प 58 में उस पर पृष्टाकन करेगा।
- (3) किसी पृष्ठांकन की विधिमात्यता की या पूर्वोतन क्ष्य में किए गए तृष्ठांकन के नवीकरण की भविध किसी भी दशः मं ऐसी तारीख के परे नहीं बढ़ाई जाएगी जिसको विदेशी बीमा प्रमाण पत्न भारत में प्रभावी नहीं रहता है।

परन्तु जब कोई परिवर्शक भारत में घपने ठहरने के दौरान नया विवेशी बीभा प्रमाण पक्ष प्राप्त कर लेता है तक उस पर किए गए पृथ्डोकन की विधिमान्यना की धर्मां ऐसे पृथ्डोकन या पृथ्डोकमों की, को मूल प्रमाण पत्र पर किए जाने हैं, विधिमान्यना की अविध में बोड़ने पर, कुल मिलाकर एक वर्ष से धर्मांक नहीं होता।

162--विदेशी बीमः प्रमास-पत्र की विधिमान्यता :

यिम 161 के उपबंधों के अनुसार पृष्ठांकित किया गया विदेशी बीमा प्रमाण पत्न इस प्रकार प्रभावी होगा मानो वह उसमें विनिविष्ट प्रत्याभूति-दाता द्वारा जारी किया गया बामा प्रभ ण पत्न हो भीर उसके बारे में यह समझा जाएगा कि वह धिवित्यम के भव्याय 11 की मपेकाओं के अनुरूप है बीर ऐसी पालिसी के बारे में भी जिससे वह संबंधित है, यह समझा जाएगा कि वह ऐसे प्रत्याभृतिवाता द्वारा जारी की पई है भीर वह अधि-नियम के प्रध्याय 11 की अपेकाओं के अनुरूप है।

163--प्रत्यामृतिदाता द्वारा अभिलेखी का रखा जाना:

प्रत्येक प्रत्याभूतियाता, ऐसे विदेशी बीमाकला द्वारा, जिसके बारे में उसने प्रत्याभूति थी है, प्राप्ती प्रत्याभूति के प्रधीन जारी किए गए विदेशी बीमा प्रमाण पत्र की बाबत और प्रत्येक ऐसा व्यक्ति को प्रत्याभूतिया नही रहा है, ऐसे विदेशी बीमाकर्ता द्वारा, जिनके बारे में उसने पूर्वगामी पांच वर्षों में किसी समय प्रत्याभूति दी है, प्राप्ती प्रत्याभूति के प्रधीन जारी किए गए विदेशी बीमा प्रमाण पत्र की बाबत, ऐसी पालिसियों से संबंधित जिनके संबंध में विदेशी बीमा प्रमाण पत्र जारी किए गए थे, ऐसी विशिष्टियों का प्रभिलेखन रखेगा जो पालिसियों की बाबत नियम 147 के प्रधीन बीमाकर्ताओं द्वारा रखी जानी प्रपेक्षित है भौर उन प्रभिलेखा में ऐसे प्रावश्यक परिवर्तन, जो उन्हें प्रधातन बनाए रखने के लिए प्रपेक्षित है, उननी ग्रीझना से किए जाएंगे जितना परिस्थितियों में युक्तियुक्त रूप से संभव हो।

घध्याय-8

भपराभ, गास्तियां और मिन्न्याः---

- 164 घारा 208 के प्रयोजन के लिए भारा 208 की उपजारा (1) के प्रयोजन के लिए भ्रथराध निस्तिलिखित होंसे—
- (क) निरहेता की मर्वाध के वीरान मोटर यान चलाना (धारा-23)
- (ख) उस समय ध्कने में भ्रमफल रहना जब यान दुर्घटनाग्रस्त हो जाता है (धारा-132)
- (ग) पृथ्ठांकन की विशिष्टियां दिए बिना चालन-प्रनुक्रीर्त प्राप्त करना या उसके लिए प्रावेदन करना (धारा-182)
- (च) खतरनाक तरीके से मोटर यान चलाना (धारा--184)
- (ङ) मदना या भौषधि के प्रसर में होते हुए मोटरवान चलाना (धारा—185)
- (च) धारा 184 या धारा 185 के मधीन किसी मपराध का दुष्प्रेरण करना (धारा-→188)
- (छ) किसी प्रकार की अप्रधिकृत दौड़ या गति के परीक्षण में भाग लेना (धारा--189)
- (अ) चालन अनुअध्ति में परिवर्तन करना या परिवर्तित अनुअध्ति का प्रयोग करना।
- (क्त) कारावास से वंडनीय भन्य भन्नराध जिसके किए जाने में मोटर यान का प्रयोग किया गया था।

[सं. घार टी-11014/1/89-टी ए जी] (बी. घार. चट्हाण) संयुक्त सचित (टी)

प्रस्प

नियम 2 (ख) देखिए ।

प्रस्प

लियम 5, 7, 10 (क), 14 (**म**) देखिए।

शिक्षार्थी मनुक्रप्ति/जालन प्रनुक्रप्तिया किसी चालन मनुक्रप्ति के नवीकरण के लिए किसी मावेदक की बाबत चिकिस्सीय प्रमाणपत्र ।

भाग--

मावेदक द्वारा मरा जाना है।

5× 6 सैन्टीमीटर प्राकार के फोटो के लिए स्थान

- 1. धानेवक का नाम
- 2. कापुक्त/की पत्नी/की**पु**त्नी
- 3. स्थायी पता
- ग्रस्थायी पता सरकारी पता (यदि कोई है)
- जन्म की सारीख
- 6 पहचान चिन्ह (1)

(2)

आवेदक की शारीरिक समर्यता के बारे में घोषणा:---

(क) क्या भाप सपल्माप, या बेहोशी के समानक वीरा या किसी भी कारण से प्रिर चक्कर से पीड़िश है।

		
(অ)	क्या ग्राप 25 मीटर की दूरी पर दिन की अच्छी रोशमी में (यदि आप चश्मा लगाते हैं सौ उसे लगाकर) हर ग्रांख से विमेद करने में समर्थ है।	हां/नर्हा
(π)	भया भाप दोनों में से कोई हाथ या पैर खो चुके है या क्या भापकी बाहों या पैरों में से किसी	
	के संजालन, नियंत्रण या मान पेशियां की शक्ति में कोई कमी है।	—हा/नहीं—-
	क्य आप लाल और हरे रंजक रंगों में आसानी से भेदकर सकते हैं।	—हां/नहीं⊦—
(≅)	क्या भाप रतौंधी से पीढ़ित है।	हां/नहों
(घ)	क्या ग्राप इतने बिधर है कि सामान्य, ध्विन संकेत सुन पाने में (ग्रीर यिव घावेवन हरूके मोटर यान के चालन के लिए है तो उस यशा में श्रवण सहाय सहित या उसके बिना) ग्रसमर्थ है।	——हां/नहीं
(৪)	क्या भ्राप किसी भ्रम्य ऐसे रोग या निःशक्तता से पीड़ित है जिसके कारण भ्रापके मोटर याम चालन से जनता को खतरा का एक स्रोत बन जाने की संभावना है। यदि ऐसा है तो व्यौरा दें।	हां/नहों
Ŧ	, इसके द्वारा घोषणा करता हूं कि मेरे सर्वोत्तम ज्ञान मौर विश्वास के श्रनुसार ऊपर दी गई विशिष्टि	- ·
		द्मावेषक के हस्ताक्षर
टि	प्पण : उस भ्रायेदक को, जो प्रश्त (क), (ग), (ङ), (ज) भौर (छ) का उत्तर 'हां' में देता है या "नहीं" में देता है, श्रपने उत्तर को पूर्ण विशिष्टियों सहित सरल करना चाहिए भौर उससे/उन जा सकती है।	
	भाग 2 [*]	
(राज्य सरकार द्वारा इस प्रयोजन के लिए नियुक्त/रजिस्ट्रीकृत चिकित्सा व्यवसायी द्वारा या घारा 8	की उपधारा (3) के भाषीन निर्विष्ट
`	राज्य सरकार द्वारा इस निमित्त प्राधिकृत व्यक्ति द्वारा भरा जाना है	
।. म्रावे	यक का नाम	
2.	की पस्ती/का पुत्र/की पुत्री	
	ी पता	
	 गयी पता	
	ा की तारी ख	
	तम चिक्क (1)	
ად	(2)	
, ,		
7. (४६) क्या मावेदक, भापके सर्वोत्तम निर्णय के घनुसार अपस्मार, भ्रमि या किसी ऐसे मानसिक रोग के मध्यर्धीन है जिससे उसकी चालन कार्य क्षमता पर प्रभयव पड़ने की संभावना है।	—हां/नहों
ं (ख) क्या ग्रावेदक किसी हृदय या फेफड़े के विकार से पीड़ित है जो चालक के रूप में उसके कर्तव्यों के ग्रभुपालन में बाधा डाल सकता है।	- ह ां/न हीं
(ग)) क्या वृष्टि में कोई वोष है। यदि ऐसा है तो उपयुक्त चन्मे द्वारा सही किया गया है। 🕆	ह ां/नहीं
(घ)) क्या ग्रावेदक भासामी से लाल भौर हरे रंजक रंगों में विभेद कर सकता है।	—हां/नहीं—
(₽) क्या भावेदक ऐसी मान्ना तक अधिरपन से पीड़ित है जिससे सामान्य व्यति संकेतों को सुनने से	
	उसे निवारित करेगा ।	हां/नहीं
(च	•	— ह ौ/नहीं-
'(ছ)) क्या घवेदक में कोई मंग विकार या मंग की हानि है जिससे चालक के रूप में उसके दक्षता पूर्वक कर्तव्य पालन में विष्क पैदा होगी। यदि ऐसा है सो विस्तृत रूप में कारण बताएं।	 हां/न हीं
(জ) क्या उसमें भलकोहल, तम्बाकू या श्रौषधि के भरवधिक प्रयोग का भावी होने का कोई संकेत विखाई पड़ता है।	—- स ां/नहीं-—
ं (श्र) क्या वह किसी भी कारण से भैहोशी के वौरे से पीड़ित है।	—- हां/नहीं—-
(স	 स्था वे 25 मीटर की दूरी पर दिन की घच्छी रोशनी में दोनों से में प्रत्येक घांखा से मोटर कार नम्बर प्लेट का विभेव करने में समर्थ है। 	हां/न हो ं
(⋷)		
(চ)	भानेदक की ऊर्जाई क्या है। क्या भाप समझते हैं कि उसकी ऊर्जाई, चालन के समय सड़क पर	—- हां/नहीं —-
/ = 1	साफ वृष्टि रखाने में उसके लिए भ्रहितकर होगी। स्था वह मानसिक रूप से बीमार व्यक्ति है।	
	े क्या वह भागासक रूप से कामार ज्यासा है। में क्या वह किसी ऐसे श्रम्य रोग या निःशक्सता से पीड़ित है जिसके कारण उसके मोटरयान चालन	——हां/म हीं- —
(4)	से जमता को खतरा का स्रोत बन जाने की संभावमा है ।	हां/नहीं -

- (ण) क्या बहु भ्रापकी राय में—
 - (1) शारीरिक स्वास्ट्य
 - (2) नेत्र दिट,
 - (3) मानसिक योग्यता; तथा
 - (4) श्रवण योग्यना,के संबंध में श्रामतौर पर ठीक है।

----हां/नही---

- (त) द्यावेदक का रक्त ग्रुप
- (ध) मावेवक का भार एच संघटक

मैंने प्रावेदक की जांच कर ली है पीर मेरी यह राय है कि यह निम्नलिखिन कारणों से चालन भ्रनुज्ञप्ति का धारक होने के लिए उपयुक्त नहीं है। तारीख

हस्ताक्षर

चिकित्सा अधिकारी का नाम भौर पदासिधान

हस्ताक्षर

चिकिस्सा मधिकारी का नाम भीर पदाभिधान

तारीख:

मोहर

घ्रस्पर्यी के हस्ताक्षर

- । তেলেण: (1) चिकित्सा अधिकारी फोटोग्राफ पर अपने हस्ताक्षर ऐसी रीति से करेगा कि उसके हस्ताक्षर का एक भाग फोटोग्राफ पर हो भीर एक भाग प्रमाणपन्न पर हो।
 - (2) उन राजाज को जिला डिराजा जुर को नियुक्ति मिथिनियम की धारा 8 की उन धारा (3) के प्रति निर्धेश से अधिसूचित हो की गई है भीर सूची का कम संख्याक जहां पर उसका माम है।

प्ररूप सं० 2

(नियम 10 देखिए)

शिक्षार्थी अनुक्रप्ति दिए जाने या नवीकरण के लिए आनेदन का प्ररूप

फोटोप्राफ के लिए स्वान

सेवा में 🕛

धनुशापन भधिकारी,

मैं निम्नलिखित वर्णन के एक मोटर थान को, नौसीखिया के रूप में चताने के लिए स्वयं को प्राधिकृत करने के लिए प्रतुप्रित के लिए प्रावेदन करता

- (क) बिना गियर वासी मोटर साइकिल
- (ऋ) गियर वाली मोटर साइकिल
- (ग) अशक्त यास्री गाङ्गी
- (घ) हल्का मोटर यान
- (इ) मध्यम यान
- (च) मध्यम थाक्री मोटर यान
- (छ) भारी माल यान
- (ज) भारी यात्री मोटर यान
- (झ) रोड रोलर
- (का) निम्नलिखिन वर्णन का मोटर यान

मानेवन द्वारा दी जाने वाली विशिष्टिमां

1. 40 414	
2. 新雪	त/की पत्नी/की पुत्री
 स्थायी पता (सबूत संलग्न फिया 	जाए)
4. घस्यामी पता/सरकारी	पता (सदि कोई है)
 जन्म की तारीच (बायु का तमूत संय 	न किया जाए)
 शैक्षिक योग्यता 	
7. पहचान चिम्ह (1) (2)	
(*)	
 रत्त पुप———————————————————————————————————	
9. #	
,मोटर साइकिल _/	
हल्का मोटर यान/	
मध्यम यात्री मोटर	ग्रम/
मध्यम माल यान को चलाने के लिए !	न्या <i>ने</i>
्चालन अनुज्ञ प्ति का	
•	
 भानेदक द्वारा पूर्व ध यदि हो, तो किस न 	रित किसी चालन अपृक्षप्ति की विशिष्टियां। क्या इसे रष्ट् किया गया था,? नरण ते ?
 उस यान के, जिसके शिक्षार्थी अनुप्राप्ति के 	लिए भावेदक कावेदन करता है, वर्णन की बाबत भावेदक द्वारा पूर्व धारित किसी । विशिष्टियां
	ननं भनुकारित या शिक्षार्थी मनुकारित बारण करने या मिनप्राप्त करने के लिए मिर्रीहत है तो किन कारणों से?
 मैं भपने हाल के को के फोटोब्राफ होने च 	टोग्राफ की तीन प्रतियां संसग्न करता हूं (पांच सें॰ भी०×छह सें० मी० घाकार हिए)
14. H STe	द्वारा जारी किया गया, सारीच
	केस्सीय प्रमाण पत्न संलज्न करता हूं।
-	के लिए झपने पूर्ववर्सी झावेदन के साथ झपने माता पिता/संरक्षक की सिव्वित झनु- (झावेदक के झवयस्क होने की दशा में)
16 में ———————————————————————————————————	द्वारा जारी किया गया चालन प्रमाण पत्न संतन्त करता हूं। नाम और पता)
17. मैंने	ं ६० की विहित फीस का संवाय कर विया है।
18. मैं, केन्द्रीय मोटर य	न नियम, 1989 के नियम 6 के प्रचीन विकिस्सीय परीक्षण से सूट प्राप्त हूं।
19. में, केन्द्रीय मोटर या	म नियम, 1989 के नियम 12 के क्योंन प्रारम्भिक परीक्षण से छूट प्राप्त हूं
जो लागुन ही काट वे	
तारीच	

धोरर	नस	प्रधिनियम.	1000 10	NITE	र की	क्य प्र	ret <i>1</i>	2)	7	ਬਈਜ	बोचणा
41 C C	417	HIMIT44	1000 1	Q (C)	7 701	22.4 04	131	41	٠,	₩ ₩ 1.1	न्या भागा

> हस्ताक्षर भाना-पिना/संरक्षक नाम और पूरा पता

नातेषारी----

(अनुजापन प्राधिकारी मा अनुजापन प्राधिकारी दारा इस निमित्त प्राधिकृत किसी व्यक्ति की उपस्थिति में हस्तकार किए जाने हैं)

कार्यालय प्रयोग के लिए

भावदक केन्द्रीय मोटर यान नियम, 1989 के नियम 6 के छत्रीन चिकित्सीय परीक्षण से और नियम 11 (2), के मधीन प्रारम्भिक परीक्षण से भूट प्राप्त है।

शिकार्थी कनुप्तिंग जारी की जाए।

भावेदक का केखीय मोटर यान नियम, 1989 के नियम 11(1) के प्रति निर्देश से परीक्षण किया गया था। उसने परीक्षण पास कर निया है। शिक्षार्थी अनुकृष्णि जारी की जा सकती है।* वह परीक्षण में असफल हो गया है। (कारणों का बिनिदेश किया जाए)

शिक्षार्थी को प्रनुत्रध्नि देने से इंनार कर दिया जाए।

भनुज्ञापन प्राधिकारी या इस निर्मित प्राधिकृत भन्य स्थक्ति के इस्ताक्षर

*जो लागून हो उसे काट वें।

प्ररूप- 3

[नियम 3(क) 13 देखिए] शिक्षाची अनुज्ञाप्त

तारीब

धनुराष्ट्रि मं•

कोटोग्राफ के लिए स्थान

- 1. नाम
- का पुल/को पत्नी/की पुत्नी
- 3. जन्म की तारीबा
- 4. रक्त ग्रुप और झार० एच० फैक्टर
- 5, वर्तमान पता--स्थायी

चस्यायी/सरकारी पता (यवि कोई है)

6. पहचान चिह्न (1)

121

एक मिक्तार्थी के रूप में केन्द्रीय मोटर यान नियम, 1989 के नियम 3 के उपनर्थों के प्रजीत रहते हुए, निम्नलिखित को के मोटर यान को भारत में सर्वेत चलाने के लिए अनुभाष्त किया जाना है।

भनुज्ञिष्ति घारक ने, केन्द्रीय मोटर यान नियम, 1989 के नियम 5 के प्रधीन चिकित्मीय परीक्षण और नियम 11(1) में निविध्ट प्रारम्मिक परीक्षण उनीर्ण कर सिंग है।

धनुवाणित धारक, िन्द्रीय मोटर याम नियम, 1989 के नियम 6 के बधीन चिकित्सीय परीक्षण से और नियम 11(2) के अधीन प्रारम्भिक परीक्षण से कूट प्राप्त है।

यह मनुज्ञप्ति ---- तक विविधात्य है

* जो लागून ही उसे काके वें।

चे ताबनी:---

इस प्रनुत्ति के धारक का ज्यान, फेन्द्रीय मोटर यान नियम, 1989 के नियम 3 की और श्राक्षित किया जाता है जो उप मोटर यान को चलाने के लिए तब तक प्रतिषद्ध करता है जब तक कि उसके पास यान को चलाने के लिए सम्यक् रूप से प्रनुत्तिपद्ध करता है जी प्रत्येक देशा में " L " प्लेट यान के ग्रागे और पीछे दोनों और न लगी हुई हो।

प्रदप-4

(नियम 4 देखिए)

मोटर यान को चलाने की अनुज्ञप्ति के लिए आबेदन का प्ररूप

पांच सें० मी० और छह में० मी० के फोटोग्राफ के लिए स्थान

सेषा में,

अनुज्ञापन मधिकारी

मैं निम्नलिखिल वर्णन के यानों को चलाने के लिए मुझे समर्थ बनाने हेतु प्रनृत्तिक के लिए प्राचेदन करता हूं---

- (क) बिना गियर बाली मोटर साइकिल
- (ब) गियर वाली मोटर साइकिल
- (ग) अगरा यासी गाड़ी
- (घ) हत्का मोटर यान
- (इ) मध्यम माल यान
- (च) मध्यम यास्री मोटर यान
- (छ) भारी माल यान
- (ज) भारी यास्री मोटर यान
- (म) रोष्ट्रोलर
- (ञा) निम्मलिखित वर्णम का मोटर धान
- वे विणिष्टियां जो आवेषक द्वारा भरी जानी है---
- 1. नाम
- 2. कापुक्ष/कीपल्पी/कीपुक्री
- 3 स्थायी पता (मगून मंलग्न किया जाए)
- 4. ग्रस्थायी पता/सरकारी पत्ता इत्यादि कोई हो)
- जन्म की लारीख
 (सबूत संलग्न किया जाए)
- 6. शैक्षिक योग्यताएं
- 7. पष्टचान चिन्ह

1---

2--

- 8. रक्त ग्रुप और ग्रार० एच० फीस्टर
- 9, क्या ब्रापने पहले चालन ब्रनुक्राध्त भी है, यदि हां तो क्योरे दें
- 10. उस प्रत्येक दोधिमिद्धि की विणिष्टिया और नारीख जिन्हें भानेदक द्वारा धारित किसी मनुकृष्मि पर पृट्ठीकित किए जाने का मादेश किया गया है।
- 11 क्या ग्राप कलान के लिए किसी अनुजानि को ग्रामिप्राप्त करने से निरित्त किए गए है? यदि ऐसा है तो किस कारण से ?

गरीक्षण की तारीक्ष	परीक्षण प्राधिकारी	परीक्षण का परिणाम
Í		
2		
3.		
4.		
13. मैं पांच से० भी० और छह में० मी० ग्राकार हू। (जहां पटलित कार्ड प्रयोग किया जाता है		नंत्रम कर्ता
14. मै अनुज्ञापन प्राधिकारी की णिक्षार्थी अनुज्ञापि सं०		····
15. मैं ग्रारा जारी कि मं० मंलग्न करता हूं।	या गया तारीलका चाला	न प्रमणि पस्र
) 6. मैंने णिक्षार्थी धनजरित के लिए प्रपने पायेंदन दी है।	के सन्य माना/पिना/मंरक्षक की लिखिक संप्रमि	नं प्रस्तुतः थर
17. मैंने शिक्षार्थी अनुप्रित्त के लिए आवेदन के सा है। मैं स्वस्थ्यता का चिकित्सीय प्रमाण पत्न सं	9	कर दिया
 मैं केन्द्रीय मोटर यान नियम, 1989 के नियम 	 म ६ फे प्रधीन चिकित्सीय परीक्षण से छूट प्राफ्त 	न हं ।
 में केन्द्रीय मोटर यान नियम, 1989 के नियम 	। 11(2) के श्रधीन प्रारम्भिक परीक्षण में छूट	प्रा ^{क्} त हो।
20. मैंने रूपये की फीस का संबाध क	र दिया है।	
मैं इसके द्वारा घोषणा करता हूं कि मेरे सर्वे	लिस जान और विश्वास के अनुसार ऊपर दी ग	ई त्रिणिष्टियां सही है।
टेप्पण: जो शागून हो उसे काट दें।	•	
		ग्रावेदक के हस्सा क्षर/अं ग् ठा नि शान
तारीखः :		Mark Control of the C
	चालन योग्यना के परीक्षण का प्रम्पण	पत्र
आवेदक ने केन्द्रीभ मीटर यान नियम, 1989 (यहां यान के रिक्ट्रीकरण चिक्क और उसके वर्णन		नार्गकर लिया है। परीक्षण ' ' तारीख ' ' को ' ' ' '
श्रावेदफ, परीक्षण में श्रमकल रहा है (कमी के ट	भौरे म चीबद्ध किए जाएं)	
	•	प रीक्षण प्राधिकारी के हस्ताक्षर
नार ^न ख		पूरा नाम और पवासिधान
		श्रावेदक के दो नम् ना हस्ताक्षर
जो लागुन हो उसे काट दे।		
	प्र म ्प- 5	
च रक्षीय	[नियम 14 (इ.), 17 (1) (ख.) ग्री	
प्रमाणित किया जाता है कि श्री/श्रीमते()कुमार्र इम विद्यालय में * * * * * * * * * * * * * * * * * * *	है भ्रौर उन्होंने ·····ः	····· के पुस्न/को पस्नो/को पुन्नी है ग्रीर उनकानाम हमारे रजिस्टर में प्ररूप 14 में कम संख्याक · तक की ग्रवधि के लिए विद्वित पाट्यकम के ग्रनुसार
William Control of Error Control	→ • ·	हस्साक्षर
		नाम श्रौर पद
		क्रार्टीवय स्कूल का नाम श्रीर पना तथा श्रनुशास्ति संख्यांक

श्रीर उसके जारी किए जाने की सारीख

[नियम 16(1) देखिए] (छह सें. मी. × श्राठ सें. मी. के श्राकार में पुस्तक रूप में मुश्रित किया जाता है)

कारन भनुज्ञानि पा परूप

श्रम्हाति धाण्यः का गाम

था पुद्ध/की परनी/की पुद्धी पांच से. मी. × श्रीर छह सें. मी. श्राकार का फीटोग्राफ नाम कोटोब्राफ के श्रार-गार निका अ। ।

जस प्राधिकारी का नाम श्रीर पदनाम पदाभिद्यान जिसने चालन परीक्षण लिया है।

विम्नलिखित वर्ग या वर्णन के मोटर यानों को चपाने के लिए भी प्राधिक ता

धन्य वर्गों के यानों को जोड़ने के लिए स्यान

पींच में. मी. भीर छह में. मी. भाकार, के फोटोग्राक के खिए म्यान

शन्झाध्तिधारकके नम्ना

हरताक्षर/इप्रेग्ठा निशान (म्रनुकापन प्राधिकारी को मृहर और उसके हस्ताक्ष र का एक भाग फोटोग्राफ पर और एक भाग चालन प्रनृक्षिल पर क्षोना चाहिए) भनु_{रा}पन प्राधिकारी के हस्साक्षर और उसका पदाभिवान जारी किए जाने की तारीख़ . का पुत्न/की पत्नी/की पुर्वा धरथायी पता/सरकारी पता (यदि कोई हो) स्थायी पना जन्म की तारोख गैक्षिक योज्यताएं \cdots रक्त ग्रुप इस अनुज्ञप्ति के बारक की निस्तलिखित वर्णन के यातीं की भारत में सर्वत खलाने की ग्रन्ज़ित दी आसी है । विना गियर वाली मोटर साज्ञकिल गियर बालो मोटर साइकिल अधक्त याली गाड़ी हरकामोटर यान मध्यम् माल यान मध्यम याज्ञी मोटर थान भारी माल गाम भारी याली मोटर वान निम्नलिखित वर्णन का मोटर यान परिवहन यान से भिन्न परिवह न योन मोडर यान की क्लान की **पलाने की धनुश्रदित** सन्**स**ितःसंसं ... तक विधिमान्य है। विधिमान्य है। जम प्राधिकारी का नाम श्रीर पवाभिक्षान जिसने चालन परीक्षण लिया है। धनुकापन प्राधिकारी के हस्साक्षर और जनका प्रवासिधान परिवहत यान को खलाने का प्राधिकरण पन्न सं प्रयांक नारीख • ' • ' • ' । से परिवहन यान को चलामें के लिए प्राधिकृत बैज संस्थाक हस्ताक्षर चनुकापन प्राधिकारी की हस्ताक्षर भौर पदाभिधान

	संप्राधिकारी का नाम भीर मिश्चान जिमते चालन परोज्ञण निया है। रीखारररर र			श्रनुकापन प्राधिकारी केहम्साक्षर भीर पदासान		
परिवहन यान से 1	नुज्ञीच्य नवीस्त्रस्य । आसी है।				नवोक्तन की जाती है	भागाने की श्रमुक्ताप्त स्थान की श्रमुक्ताप्त
श्रनश्च के ह • • • • • • • • • • • छनुजापन प्राधिकार्र	हस्ताक्षण इस्ताक्षण - ' तन - - के					अन् जापन प्राधिकारी के हस्ताकर में • • • • तक प्रानुतापन प्राधिकारी
हम्नक्षर		म्यायात्व द्वार	ा पुष्ठाकन के लिल्	स्थान		के हस्ताक्षर
तारीख	वाग और नियम		जुमीना या ॥	(स्य दंष	पृष्ठौकन प्राधिकारी	के हस्ताक्षर
		शन् जापम प्राधिक	शरी। द्वारा पृष्ठांकन व	क्षिण स्थान		
नारी ब	भार्यक्षाही संरक्षक घीर	नारीय	निरहंता ग्रमी		भन् <i>शाः</i> प्राधिकः।	रा क
			सं. ७ म 16(2) देखिए]	' ካች	ह्रमाक्ष	ζ
	च₁लन प्रनुज्ञिः	तकाप्रकृप (पटलित प्र	कार का कार्ड)			
भालभ घनुक्रान्ति संः					जारी करने की मारीखा	
नाम अस्त	ः ख्राक्ती परनी/की पृक्तीः					
पसा :	Bellett acculate 2011.					
जम्म की नारीखः						
धार, एच फैक्टर के स	ाय रक्त समृहः					
7	(र्यन के यान भारत में सर्वंश कलाने की वि	लेए धनशब्द है				
			. , , , , , , ,	.	,	• •
परिवहन थान	तिसिम्न मोदर पान चतान को तिए अन्	चित्र स	,,तकाव	धिमान्य है		
फीटोगफ					परिधहन यान चलाने व श्रनुक्रास्तिः ' ' ' ' विधिमास्य है।	गेर नाह
					अनुवाभित धारक के नम् हस्ताक्षर/अनुटा निशान अनुवापन प्राधिकारी व	
क्षालन परीक्षण लिया प	मीर पदाभिश्वास जिस्ले ा :					
सार्राश्व जिसको समिरिक सक्तिमित । जिल्लाम् : ऐसे यानी का वर्ग -	स्य यान					

उस प्राधिकारी का नाम स्रीर पंत्राभिधान जिसने	
चालम परीक्षण निया या :	
बैण संख्याक प्रतिवृह्त यान को क्लानि के प्राधिकार पद्म का संख्यांक ग्रीर नारोख	
	p
प्रस्प—ऽ	
[fनयम 17 (1)वेंखिए]	
चालन झनुश्रप्ति मे याम कनमै वस जोड़ने के लिए श्रायंदन	
सेवा में,	
श्रमुज्ञापन प्राधि कारी	
में श्री/श्रीमती/कुमारीसंलग्न ब्रनुज़ब्ति मे वि	नेम्नलिखिन क्यों/क्यों के मोटर यानों के खोड़ने
लिए आवेदन कर रहा/रही हं :	·
(क) बिना गियर वाली मारर सार्धकल	
(ख) गियर वाली मोटर साक्ष्मिल	
(ग) अभ्यासत थास्री गाईने	
(ष) हर्ल्क मोटर यान	
(४) मध्यम साल यान	
(भ) मध्यम यात्री मोटर सान	
(छ) भारी माल यान	
(ज) भारी याच्ची मोटर यान	
(स) रोड रोलर	
(ज्य) निम्नालिश्विस वर्णन के मीटर यान : में,	
(क) प्रकप 1 में चिकिस्सीय प्रमाण पन्न	
अक्ष 3 में शिक्षाणी अनुमप्ति	
(ग) प्ररूप G/7 में चालन अनुक्रान्ति	
(ম) प्ररूप 5 में चालन प्रमाण पह संसम्म करता हूं। ग्रावेदन पश्चित्रन यान खलाने के लिए ह ।	
(ड) मैंने	
	शाब ३२ वे ध्रुपाबर या प्रंगुठा निशान
तारीब-	
चालन योग्यता परीक्षण का प्रमाण पन्न	
बानेदक केन्द्रीय मंटर यान नियम 1989 के नियम 15 में विनिविष्ट परीक्षण में उत्तीर्ण/प्रमुर्सार्ण हो र	वा ह् ।
	(यहा यान का वर्णन कर)
बर तारीख की परीक्षण किया गथा था।	
	परीक्षण श्राधिकारी के हस्ताक्षर नाम श्रोर पदाभिक्षान

(प) स्थायी पना

(४) भस्यायी पता / सरकारी पता (यवि कोई हो)

a	3-	`	٠	_	c
4	14	ч	~	_	2

[नियम 18(1) देखिए]	
बालन प्रनृष्टित के नवीकरण य सिए भावेदन का प्रकृष	
1. मं श्री /श्रीमती/कुमारी	*
ज्ञों	पाच सं. मी. ग्रीर छह सें. मी. श्राकार के फ़ोटोग्राफ़ के लिए स्थान
(नः) संख्यांक	
(ख) जारी करने की तारीख	
(ग) श्रनुजापन प्राधिकारी जिसके द्वारा श्रनुजण्य जारी की गयी थी 	- '
(ষ) श्रमुजापन प्राधिकारी जिसके द्वारा अनुजारित का पिछर्या बार नवीकरण किया गया था नवीकरण का संख्यांक और सारीख————————————————————————————————————	
(क) चलाने के लिए प्राधिकृत यान का वर्ग————————————————————————————————————	
(च) चालन श्रनुप्राप्ति की समाप्ति की तारीख	
(1) परिबह्न यात	
(2) परिवहन थान से भिन्न थान	
यदि यह पता श्रतुक्रीप्त में दर्ज नहीं है तो में	-
का १स प्रकार वर्ष करना चाहमा ह्/नर्हा चाहता ह	
मुझे चालम श्रनुशिष्त धारण करने याश्राष्त करने के लिए निरिह्न नहीं किया गया है। मेरी श्रनुशिष्त प्रि मे चिकित्सा श्रारीग्यता प्रमाण पक्ष श्रन्य 1 में संलग्न करना हूं। मै श्रपने हाल ही के फ़ोटोश्राफ (5 सें. मी. और 6 मे. मी.) की नीन प्रतिया संलग्न करना हूं। मैंने	·
मैं शपने मर्जोत्तम झान श्रीर विश्वास के श्रनुमार यह घोषणा करना हूं कि ऊपर दा गई विशिष्टिया मही	हु। श्रावेषक के हस्ताक्षर या
	भ्रंगुटा निशान
	नाम
	पना
ताराखः	
प्ररूप 10	
[श्वयम 23(1) देखिए]	
भागन अनुभाष्यमं का राज्य रजिस्टर	
 (क) बालन अनुक्राप्स संख्या धार प्रारंभिक इत्य से जार। किए जाने की तारीख । (ख) यह अनुक्षापन प्राधिकारी जिसने अनुक्राप्त जारो की थी । (ग) उस अधिकारी का नाम भौर पदाभिनाम जिसने चालन परीक्षण लिया है और अनुक्षित धारक ढारा पर भालन अनुक्षित्रधारक का नाम, पता और प्रन्थ विशिष्टियां: 	ीक्षण उर्दार्ण करने की नारीख
(ফ) धारक का नाम (यदि श्रयपुरक हो तो उसके संरक्षक का नाम)	
(ख) अभ्म की तार्थाख	
(ग) शैक्षिक घहेताएं	

भावेदक के हस्ताक्षर

तारीख

(च) पतो में बाद में किए गए परि वर्त न	
(ছ) यान का वह वर्ग भीर प्रकार जिसके लिए अनुक्रॉप्त दी गई है।	ı
(ज) तारीचा सहित जोड़े गए यान (यवि कोई हो)	
(झ) अनुक्राप्त की समाप्ति और पुनः नवीकरण की तारीख उस ध अनुक्राप्त नवीकृत की थी।	म् _{नु} कापन प्राधिकारी के व्योरे सहि त जिसने पिछली बार
(ङा) चालन थनुशस्ति की नारीख के सम्बन्ध में निह्नताए, जुर्गाता, रह	इकरण भाषि के व्यरि
	भस्त् य । 1
[नियम $24(1)$, नियम $24(4)$ श्रीर नियम 25 (देखिये]	
मांटर ड्राइविंग स्कूल स्थापित करने के लिए अनुप्तप्ति का प्रक्ष्म अनुर्काष्य स	
•	
मोटर यान अधिनियम 1988 घोर केन्द्रीय मोटर यान नियम,	, 1989 के उपर्याभ के प्रधान रहते हुए वारा
(धनुक्रप्ति धारक का नाम भीर पना)	(स्कूल परिसर)
से ज्ञात स्कूल को नीचे विनिर्विष्ट मोटर थानों के चलाने का शिक्षण देने के	***
(क) मोटर साइकिल	•
(ख) अशक्त यात्री गाड़ी	
(ग) हल्का मोटर यान	
(घ) मध्यम माल यान	
(इ) मन्यम यात्री मोटर यान	
(न) भारी माल यान	
(छ) भारी बाकी मोटर बास	
(ज) निम्निकिसित वर्णन के मोटर यान :	÷-
यह घनुर्काप्त	·
तारीख 19	प्रनुकापन प्राधिकारी-∼
इस ब्रम्कण्ति का	
नबीकरण किया जाता है।	
	मनुजापन माधिकारी
	प्रश्प12
	[नियम 24 (2) देखिए)
मोटर यानों के चोलन में ग्रिक्षण देने का कारोबार करने की	भनुप्तप्ति प्राप्त करने के लिए प्रावेदन का प्ररूप
सेवा में,	
प्रावेशिक परिवहन ग्रधिकारी,	
استانها حقوم وحسب مطاقه فيه حجوما مطام الها به حجوما مطام المناقب المناقب المناقب المناقب والمناقب والمناقب المناقبة المناقبة	
श्रम्रोहस्ताक्षरी मोटर यान चालन में शिक्षण देने का कारीबार	चनान का मनुशास्त्र के लिए आवदन करता है :
ा आवेदक का पूरा नाम :	
2. कापुत्र/की पत्नी/की पुत्री: 	
3. पता:	
4. स्थान जहां श्रावेदक कारोबार प्रारंभ करना चाहता है:	
	; फ़िल्मों, वर्षियों कीपेटाको पूर्वा, मइक पर पुरता स्नावि भी है।
6. शिक्षण देने के लिए लगाए गए धर्मचारिषुन्य की झहैताएं:	
	शक्षण देने के लिए उपलब्ध इंजनों सया पेसिस का मेक भीर मोदल :
 उन यानी के रिजस्ट्रीकरण के क्योरे जिनका चालन क्रिक्षण देने 	· ·
9. गैमे	फीस का सैवाय कर विया है।

∏₹¶−13

[नियम	24(2	भौर	नियम	25	देखिए
-------	------	-----	------	----	-------

मोटरयानों के कालन में शिक्षण देते के कारबार में लगाए जाने की धमुझिए	न के नवीकरण के लिए फ्रावेदन सा पक्षण
वार्में,	
प्रार्थणक परिवद्या श्रीधकारी,	
प्रधोतस्पाक्षरी मोटर यानों के चालन में णिक्षण देने का कारवार चलाने की	- प्रमुज्ञीन के सबीकरण के क्विंग धाबेदन करता है।
 श्राबेदन का पूरा नाम : 	9
2. — ना गृह्म/की पत्ली/की गृह्मी:	
उ. पत्ताः	
4. कारबार का स्थान:	
5. विद्यमान अमुज्ञप्ति सं.:	
s. जारी किए जाने की मारीच :	
7. विधिमान्थना की श्रवधि :	
8 क्या धानेटन विश्वमान अनुशाल की समालि के पूर्व किया गया है, यदि मही, तो	विलंब के कारण .
9 नया पूर्व अनुभानि किसी कारणवंश मिलंपिन रद्द की गई थी, उसके ब्यौरे जैसे कि के प्रतिसंहन की नारीका।	
.0. मैंनेरुपए की कीस का संवाय कर दिया है।	
ारी स	ध्रायेदक के हस्ताक्ष र
प्ररुप~14 [नियम 27(क) भौ र	
हाइधिंग स्कूल स्थापन में प्रणिक्षणार्थियों का प्रश्यावैशन	्रा प्राप्त करने थाला रिजस्टर
	· · · · · · · · · · · · · · · · · · ·
A CONTRACTOR OF THE CONTRACTOR	
1. ग्रम्पायेशन संख्या:	
2. प्रशिक्षणार्थी का नाम उसके	
फोटो महितः	
3 ————————————————————————————————————	
4. पना:	
(क) स्थायी पता	روس لارواق ورواق ورواق الدون مستعدر وراسات و وراواق ورواق ورواق الدون و ورواق
(1)	
(स्रा) म्रस्थात्री पता/कार्यालय का पता (मदि कोई हो)	
5. जन्म की तारीख	
6. यान का बह वर्ग जिसके लिए प्रिक्षिक्षण दिया गया है	
 अभ्यावेदन की नारीख 	
 शिक्षार्थी श्रनुकृति संख्यांक और उसकी समाप्ति की तारीख 	
9. पाठ्यकम पूरा होने भी सारीखङ	
10. सामन क्षमसा के परीक्षण को उत्तीर्ण करने की सारीख	
 चालन धनुक्वित संख्यांक श्रीर जारी करने की तारीख भीर वह धनुकापम प्राधिकारी जिसने धनुकाण जारी की है 	
•	
12. ट्रिप्पणियां	

13. धनुजा	िन घारक/शिक्षक के हस्ताक्षर			
		प्रसम् । ६		
	प्रशिक्षणार्थी द्वारा चालन स्यल/स्थापन का नाम परिणक्षणार्थी का नाम ग्र-पायेणन की नीनीख क्र-पायेणन सस्याक	[नियम 27(श) देखिए.[मे बिसाए गए घटो को ——————————————————————————————————	र्वोजन करने थाला रजिस्टर	
	वास्त्रविक चालन में बिनाए गए	यान का वर्ग	शिक्षव के हस्ताक्षर	प्रणिक्षणार्थी के हस्साक्षर
	धट ै	नक - चंटे 		
	· — · · · · · · · · · · · · · · · ·	· WALL - July and A section		
		्राम्य । । । । । । । । । । । । । । । । । । ।		
		[नियम 24(1) वेखिए]		
 Î/ह्म				–ब्यवसाय प्रमाणपक्ष जारी करने
स्वीकरण के 1 प्राप्तेदक	लिए ग्रावेदन करना हू/करते हैं। इ.स.स.म			
	का पुट्ठ/की पर्ट्नी/की पृत्री का पुट्ठ/की पर्ट्नी/की पृत्री			
3 আবীৰণ	क का पूरा पता सलग्न क्या जाए)			
मरम्भत	ावेदक मोटर यानो का विनिर्माता स्वीहारी है, यानो का व कर्ला है, यानो के बाडी निर्माण में लगा है, <mark>अभों के घवा</mark> खार में लगा है ।			
5. भ्रपेक्षित	र प्रमाणपत्नों का गंदयांक			
6 मोटर्य	ानो का वर्ग जिन की बायन प्रमाणपन्न प्र पेक्षित है			
7. फीस ¹				رید سی افت هم. سم رسی ده ^ی این بیداری سرو برای دون کند باید _{استو} برورد باید
	तबैदन नवीकरण के लिए है तो उस व्यवसाय प्रमाणपत्र स - श्रीर समाग्ति की तारीख को उपदर्शित करें, जिसके स है।			
		घोषणा		
#/2	इस घोषणा करता हूं/करते हैं कि मेरे/ह्मारे द्वारा घ्रपेक्षिर	ा व्यवसाय प्रमाणपत्र यार	तिबक व्यवसाय प्रयोजनों के लि	ण, है।
स्थान :				
तारीखः				ग्रावेतक के हस्ताक्षर

जो लागून हो उसे काट दें।

प्ररूप 17

[नियम 35(1) देखिए] व्यवसाय प्रमाणपत्न का प्ररूप

(70 मिलीमीटर न्यास के प्राकार में मुद्रित किए जाएंगे)

ष्यवसाय प्रमाणपत्र

- 1 प्रमाणपन्न का कम संख्याक:
- 2. प्रमापन्न के धारक का पूरा नाम भीर पता
- 3 प्रमाणपक्ष के संबंध में दिया गया व्यवसाय सक्यांक:
- 4. मोटरयान के वर्ग जिनके संबंध में प्रभाणपन्न का उपयोग किया जाएगा:
- प्रमाणपत्र की समाप्ति की तारीख:
- 6 संदर्भ फीम की गणि:
- 7. जारी करने के कार्यालय का म्टाम्प धौर तारीख:

केन्द्र:

तारीखाः

प्रदेण/राज्य का रजिस्ट्रीकर्ना प्राधिकारी भारत में सर्वत्र विधिमान्य

धनुसूची प्रमाणपक्ष के लिए फोल्डर का प्ररूप

फोल्डर, धातु का होगा तथा मौसमरोधी होगा। यह वृत्ताकार होगा तथा निम्निविखित विभागो के धनुरूप होगा:— गोनाकार पैटर्ने कास बार के बिना प्रमाणपत्र वें:

मानक पैटर्न के प्रमाणपत्र को जब दो वृत्तों में बाहरी पंक्ति के साथ-साथ काटा जाए तो समृचित मोटाई की धातु की चादर की ट्रे में ठीक से फंस जाएगा, जिसका मुड़ा हुआ किनारा, प्रतृष्ठप्ति की पकड़ करने के लिए पर्याप्त गहराई तक होगा सथा उसके ऊपर पौरदर्णक सफेद काच लगा होगा।

छल्ले का ठक्कन:—धातु की चादर का एक गोलाकार छल्ला, नीचे ट्रे में फंसाने के लिए, विहित स्थान या पेंच नथा बोल्ट या प्रस्थथासे लगाने के लिए प्रपताया जाएगा। छल्ले के ठक्कन और काच के ठक्कन नथा ट्रे के रवड़ की पैंकिंग व्यवस्था की जाएगी जिससे कि पूरा वाहक मौसम रोधी हो जाए।

विमाएं — छल्ले के उनकम के भीतर के छिद्र से पूरा प्रमाणपत्न स्पष्ट रूप से प्रदर्शित होगा जिसके भीतर प्रमाणपत्न का धारतरिक बृत्त भी पड़ा होगा भीर उसका व्यास 10 सेंटीमीटर होगा।

प्रक्रप 18

[नियम 37(1) देखिए]

व्यवसाय प्रमाणयज्ञ के गुम होते या नष्ट होते को स्वता तथा दूसरी प्रति के लिए भावेदन।

सेवा मे,

रजिस्ट्रीकर्ता प्राधिकारो,	
ه کا این کا این کا کا در این این این این در این این کا در این	

मैं/हम विकृत/गले हुए व्यवसाय प्रमाणपक को प्रथ्यपित करता हूं/परते हैं।

मैं/हम भोषणा करता हूं/करते हैं कि भे^र/हमारे सर्वोत्तम ज्ञान के धनुमार नियमों के उत्पर्धा के प्रधीन व्यवसाय प्रमाणनंत्र को न तो निजिन्तिक किया गया है और न ही रह किया गया है और उत्पर्धन प्रमाणनंत्र प्रव किसी और के उत्पर्धन में नहीं है। यदि व्यवसाय प्रमाणनंत्र नुमें मिलता है या नृहीं दिया गया है तो मैं उसे प्रध्यपित करने का यचन देता हूं। 1478 GI|89—9

21. लदान रहित भार

	THE GAZETIC OF INDIA 11 ATRACKO	
	मैंक्पए की फीस अभा करता हू। और व्यवसाय प्रभाणयल की	
पा रीखा :		भावेदक के हस्ताक्षर और अगूठा चिन्ह पना
	*ओं लागृत हो उसे काट दे।	
	श्रक्ष सं 20	
	(नियम 47 देखिए)	
	किसी मोटरयान के रजिस्ट्रोकरण के निए ग्रावेदन का प्ररूप	
सेवा मे		
	पिन्ह्रीकर्ता प्राधिकारी,	
	 रित्रस्ट्रीकृत स्वामी के रू में रित्रस्ट्रीकृत किये जाने वाले व्यक्ति का पूरा नाम, 	
	2की परनी/का पुत्र/की पुत्री	
	3. रिजस्ट्रीकृत स्वामी के रूप में रिजस्ट्रीकृत किए कार्तवाले व्यक्ति की घाष् (धाष् का सबूत संलक्ष् भाए)	म किया
	4 रिजिस्ट्रीकृत स्वामी के रूप में रिजिस्ट्रीकृत किये जाते याने व्यक्ति का स्थायी पता (साक्ष्य प्रस्कृत जाए)	firm
	 रिजिस्ट्रीकृत स्थामी के रूप में रिजिस्ट्रीकृत किए जाने वाले व्यक्ति का ग्रस्थायी पता 	
	6. विनिर्माला या क्योहारी का नाम और पना जिसमें यान का कथ किया गया था। (विनिर्माला द्वारा कारी किया गया विकय प्रमाणपदा नथा महक पर मही चलने का प्रमाणपदा संलयन काए)	त्रक्षा इसिया
	यदि सेना का भूरपूर्व यात. या. भागातित यात है तो सबत संलग्त करें । यदि स्थानीय रूप से वि ट्रैलर/धर्सट्रैलर है तो राज्य परिवहन प्राधिकारी द्वारा भनुमोदित जिलाइन मंलग्त करे और कार्य सम्यांक और भनुमोदित की तारीख तोट करें ।	
	7. यान का वर्ग	
	- (सदि मोटर साइकिल है तो गियर वाली है या जिला गियर की है)	
	8. मोटे॰ यान	
	(क) नया यान है ,	
	(ख) सेना का मृतपूर्व सान है;	
	(ग) भाषानित यान है ।	
	9. बाढी का प्रकार	
	10. याने का प्रकार	
	11. विनिर्माता का नाम	
	1.2. विनिर्माण का व र्ष	
	13. मिलेंडरों की संख्या	
	14. घरव शक्ति	
	15. ष्व घरिता	
	16. विसिर्माता का वर्गीकरण यदि ज्ञान नहीं हैं तो पहिंगे का भाषार	
	17. चेमिस संख्यांक (पैसिन का चिन्ह लगायें)	
	18. इंजन संख्याक	
	19. बैठने के स्थान (चालक महित)	
	20. इंजन में उपयोग किया गया इंधन	

		· · · · · · · · · · · · · · · · · · ·
	22. पूर्ववर्ती रिजम्ट्रोकस्ण की विशिष्टियां और रिजम्द्रीकृत सम्बर्गक (यदि काई हो)	
	८३. बोडी, बाजूतमा श्रम्मिरो का रंग/केरंग	
	मैं घोषणा करता ह कि यान भारत में किसी भी राज्य में रजिस्ट्रीकरण नहीं किया गया है।	
	प्रतिरिक्त विणिष्टियां जो मोटर केव से मिश्र परिवहन थान की दशा में ही भरा जानी है।	
	24. टायरो की संख्या वर्णन और भाकार	
	(क) भगलो घुणे	
	(खा) पिछली धूरी	
	(ग) क्षंडि भन्य घुरी	
	(थ) टेडेम घुरी	
	25. मकल यान भार	
	(क) विनिर्माता द्वारा यथा प्रमाणित कि ग्रा.	
	(स्र्य) रजिस्ट्रीकरण किया जानवालाकि.ग्रा,	
	.a. प धिकनम धुरो भार ⊸	
	(क) भगनी घुरी	
	(ख) पिछली घुरी	
	(ग) कार्डभ्रत्य घुरो	
	(ष) टेबेन घुरा	
	7. (२) सभग्र लम्बाई	
	(खा) समग्राचीहाई	
	(ग) सभग्रज्ञाई	
	(भ) प्रलखन।	
	उपराक्त विशिष्टिया, दूब ढार्च बाने ऐसे माटर यान के लिए, जा दा या दा से प्रजिक ब्रुगे वा बुरी - धाला है, या जहां तक लागू हो, ट्रैलर के लिए, भरो जाएको । जहा किसी संलग्न मा किए जाने है वहा ऐसे प्रस्थेक ट्रैलर के बारे में निम्तिविधित विशिष्टिया दा जाएमा :	
	८. बाक्री का टाइ.प	
	9. लंबान रहित भा र	
	 प्रत्येक धुरी पर टायरो की संख्या, विवरण और साव 	
	 प्रत्येक धुरी क अपरे म प्रक्षिकातम धुर्ग भाग 	
	2 यान, प्रांधनियम के प्रध्याय 11 के	नाम) बोमा प्रमाणस्त्र या कबर नोट सं
	ग्रर्धान विधिमान्य बीमा प्रमाणपत्र~तरीख	
	3. यान, विभे संखूट प्राप्त हैं/सुमंगन प्रादेश संलश्न है।	
	4. मैनकपए की विहित फीम का भदाय कर विया है।	
सारीस्व		रजिस्द्रोक्रम स्वामो के रूप में रजिस्द्रोक्रस किए जान बाले व्यक्ति के हस्ताक्षर
	टप्पा ऊपर विणितः माटर यान	
	(i) —————के साथ किए गए मथक्य करार/पट्टा करार के चर्धान रहते हुए है।	
	(ii)केपक्ष में ग्राइमान से के प्रश्वीन पहले हुए है।	
	(iii) भवक्रय करार या पट्टा करार के भ्रधीन छारित नहीं है या भाधमान के भन्नोन नहीं है।	
	ता लाग, न हो उसे काट देयदियान किसो ऐसे करार के अर्वान है ता ऐसे व्यक्ति के हस्ताक्षर, जिस	े साथ ऐसः करार किया गया है, लिए जाएने। स्वामी के हस्तक्षर
	इस स्थक्ति के हस्ताक्षर जिसके सा य भ क्षकत्र करार, पट्टा करार या ग्राडमान किया गया है।	With the Assessment
	जिस्द्रीकृत स्वामी के रूप में रजिस्ट्रीकृत किए जाने वाले व्यक्ति के नमूना हस्ताक्षर	
	(1) ====================================	
	(2)	
	(3)	
	V (

प्रमाणपत्न

यान का निरोक्षण किया

	वात का । तराक्षक का वा
	सहो हैं और यह कि यान, माटर यान प्रधिनियम, 1988 और एकक प्रधोन बनाए गए
नियमो की अपेक्षाओं के अनुसौर है।	निरीक्षण प्र!धिकारी के हस्ताक्षर
	न[म
	पदाभिषान
	कार्यालय पुष्ठांकन के लिए)
	======================================
	तारीक्ष
med formal officer of	الله كالمالية المنظمين كالمنظمة من كالمن من من المنطقة المن كالمنطقة من المنطقة المنظمة المنظم
	है, को रिजर्द्धिकरण संख्येक
विया	ा गया है, भीर उसे
· · · · · · · · · · · · · · · · · · ·	
प!र धवक्रय करार/पट्टा करार/ध्राडमान के धर्षान है।	रिजस्ट्रीकर्ता प्राधिकारी
स्वा मे,	A STATE OF THE STA
(विसपायक का नाम ग्रीर पता)	
र्गजस्द्रीकृत डाक द्वारा या	
उभित पावतो के भ्रष्ठ ेन परिवत्त।	
	प्र क प स <i>े</i> 21
[नियम ४	7 (क्) मीर (ख) देखिए]
	विकय प्रमाण-पत्न
(माटर यान के रोजस्ट्राकरण के लिए भावधन के साथ प्रस्तुत विभाग के श्रविकारी द्वारा जारी किए जाने के लिए)	ाकरन के लिए विनिर्माना/व्योहारी या (सेना को नी/लोमी वॉले यॉनो को दशा मे)रक्षा
	बाब नाम)
का, हमारे द्वारा	والمناف والمراج
केसा (तारीख)	
•	का पुत्र/की
क्रीताकानाम	
पत्नी/की पुत्री है।	
पते (स्यायी)	
(ग्रस्थायी) पर परिश्वत्त किया गया है। यान	के साथ/घत्रकथ/करार/पट्टा करार/घाडमाम क
मधीन बारित है।	
यान क व्योरे नीच दिए गए है	
1, यानं का वर्ग	
2 विनिर्माता का नाम	
3 चेसिस मध्योक	
4. इंप्रन सक्योक	
5 धप्रवश्चमित या धन घारिता	
6. जपयोग किया जाने बाला इँधन	
- control of the second of the	

	<u>- , ,</u>
7 मिलेडरी की सक्या	
৪ विनिर्माण का वर्ष	
9 बैठने के स्थर्गन (चासक सहित)	
10 लदान रहित मार	
11 अधिकतम खुरी मार भीर टायरो की मख्वा सचा मे)	वर्णन (परिचहम य।न की विज्ञा
(क) धनली धुर्रा	
(स्रा) पिछली घुरो	
्र (ग) क्लोई मस्य भुरी	
(ष) टेडेम धुरी	
12 बाढी का कि रग	
1.1 सक्स यान भार	
14 बाक्री का टाइप	
	विमिर्माता/ब्यौहारी या रक्षा विमाग के श्रीष्ठकारी के हस्ताक्षर
जी लाग, न हो उसे काट दे।	
	प्रस्प <i>? ?</i>
	(नियम 4.7(छ) मीर नियम 127 देखिए)
	सङ्कपर सही जलन का प्रमाणपस्र
	(विनिर्माता द्वारा जार्र(किया जाए)
	(यान का बाड नाम), जिसक्की वैभिस सख्योक
	प्रस्प 28
	(निधम 48 देखिए)
	रिजस्ट्रीकरण प्रमाणपत्र का प्ररूप
	रिजस्द्रीकृत संख्योक
	धान का पक्षिप्त वर्णन
कार महित मोटर साइकिल मावि)	योन, भ्रणोक लैंनेड भास योन, ट्रेलर, गियर वाली या बिना गियर वाली सोटर साहकिल, साहड
रिजस्ट्रीकृत स्वामा का नाम	च्या प्रस्की प्रसी प्रस
पूरापता (स्क्रायों)	उद्योगा परागिका पुत्रा
पूरा पता (भस्थार्था)	
नारीख	रणिस्ट्रोकर्ता प्राधिकारो के हस्ताक्षर
6 यान का वर्ग	
मोटर यान	
(क) नया योग है	
(सा) सेनाकाभूनपूर्वयात है	
(ग) भ्रायासित यान है	
(घ) ग्रन्थ राज्यी से झाया है	

~~ ^= = == = = ==== = = === == == == == =	7 A - 1774 - 17 - 1777 - 774 - 174 - 174 - 174 - 1774 - 1774 - 1774 - 1774 - 1774 - 1774 - 1774 - 1774 - 1774
2 निर्माताकानाम	
उ साची का टाइप	
₄ विनिर्माण का वर्ष	
s मिलि डका क ा सहया	
 चैसिस सहस्राक 	
7 दुजन सङ्ग्राक	
8 इजन मे उपयोग किया जाने वाला ईंधन	
9 मण्य शक्ति (जी एच पी)	
10 धन धारित।	
11. निर्माता द्वारा किया गया बर्गीकरण	
12. ह्यांच बेंस	
13 बैठने के स्थान (चालक सहिन)	
14 लवान रहित बजन	
15 आर्डी, बाजु भौर श्रग्रसिरो का/के रंग	
16 सकल यान भार	
(क) विनिर्माना द्वारा यथा प्रमाणिन	
(ख) यथा रजिस्ट्रीकृत	
17 टायरो की सक्या, वर्णन भीर भाकार-	
(क) घगली धुरी	
(ख) पिछली धुरी	
(ग) कोई भ्रन्य धुरी	
(च) टैंडम धुरी	
18 राजस्द्रीकृत घुरा भार	
(क) श्रगर्ला धुरां (किलोग्राम)	
(ख) पिछली धुरी (किलोग्राम)	
(ग) कोई भ्रत्य धूरी(किलाग्राम)	
(घ) टैडम धुरी(किलोग्राम) ग्रनुकल्पिक या भ्रतिरिक्त म्रघं ट्रेसर या किसी सलग्न यान के सा ग्रर्थ ट्रेलरा की भ्रतिरिक्ष्त विशिष्टिया	य रजिस्ट्राकृत
19 बाडी का टाइप	
20 लदान रहित भार	
21. प्रत्येक धुरी पर टायरो की संख्या,	
वर्णन भीर माकार .	
2.2 रजिम्हीकृत धुरी भार (प्रत्येक धुरी के सम्रंध मे)	
रजिस्ट्रीकृत स्वामी के नम्ता हस्तक्षर चचनचचचचचचचचचचचच जो चिपकाए ग्रीर रजिस्ट्रीकर्ता प्राधिकारी द्वारा प्रमाणित किए जाएगे।	
यह प्रमाणपत्र	
तक विधिमान्य है।	
तारीख	राजस्ट्राफर्ता प्राधिकारो के हस्साकर
टिप्पण .—- ऊपर बर्णित माटर यान	
(j) ———, ————————————————————————————————	ार के मधीन है।
(ii) ———कं साथ किए गए पट्टा करार कं प्रधीन है।	

T	FT	_	 ·
भाग	∏⊸⊸स्बाग्ड	-31)

भारत का राजनक संगाध(रण

71

- =			71
(iii)के पक्ष में किए गा			
(iv) भवक्य करार/पट्टा हरार/आइसान वे	5 भ धीन धारित नहीं है।		
तारीख		रजिस्द्रीकर्ना	प्राधिकारी के हुम्लाक्षर
यष्ट्र प्रमाणपञ्च	—————— -		
	1 9 म्ह		
			
The same and the	1 9नंक		
सवीकृत किया जाता है।			

नारीख

रिक्ट्रिकर्ना प्राधिकारी के हस्ताक्षर

टिंपण – (i) यह पुस्तक के रूप में होगा जिसमें स्थामित्व का श्रस्तरण, पते का परिवर्तन प्रवक्तय पृष्ठांकत, श्रथकय प्रविद्धियों का रह्करण, रिजस्ट्री-करण में पारवर्तन, उसका निसम्बन और रहकरण श्रादि स्रभितिखित करने के लिए पर्याप्त स्थान होगा।

- (ii) जो लागृन हो उसे काट दे।
- (iii) **जब कभी स्वामित्य के प्र**न्तरण को श्रमिलिखित किया जाता है तब रजिस्ट्रीकृत स्वामी के नम्ना हस्ताक्षर चिपकाए और रजिस्ट्रीकर्ता प्राधिकारी द्वारा प्रमाणित किए जाएगे।

श्राप्तमा 24 (नियम 49 देखिल्) मोटर यानों का रजिस्टर

विणिष्टिया <u>ं</u>	थ्यौरे	भ्रन्तरण पत्ते के विणिष्टियां नाम पुत्न/पत्नी/ पूती श्री वर्समान पता	नमृना हस्ताक्षर जो चिपकाए गए और रजिस्ट्रीकर्त्ता प्राधिकारी द्वारा	नाम और पत्ते महित ऐसे करार का पृष्ठीकन जो रजि- स्ट्रीकर्ना प्राधिकारी	ष्टियां ऐसे करार का रहकरण जो रजिस्ट्री- कर्ना प्राधि- ो कारी द्वारा	किए गए निरी क्षेत्र प्रमाण-पत्र 'निलम्बन रहकरण जारी की	णियां -
1	2	3	4	5	6	7	8

- 1. रजिस्ट्रीकरण संख्यांक
- 2. रजिस्ट्रीकरण की नारीख
- 3. स्वामी का नाम पत्नी/पुत्र/पूत्री श्री
- 4. पूरा पता (स्थायी/प्रस्थायी)
- पूर्व रिजस्ट्रीकरण की विक्रिष्टियां भौर रिजस्ट्रीकरण संख्यांक भ्रष्यांत
 - (क) राजस्ट्रीकर्सा प्राधिकारी का नाम
 - (ख) समनुवेशित र्गजस्ट्रीकरण संख्यांक
 - (ग) रॉजस्ट्रीकरण की समाप्तिकी तारीख
 - (घ) क्या घवकय करार/पट्टा करार/ग्रायमान के घर्धीन धारिश है
 - (क) यदि हां तो वित्तपोषक की विणिष्टियाँ मादि

7

6. मोटर यान---

- (क) नया मोटर मान है
- (ख) सेनाकाभूतपूर्वयान है

1

2

3

- (ग) भाषातिक यान है।
- यदि मोदर साईकिल गियर वाली
 है या बिना गियर वाली है तो
 उस यान का वर्ग
- 8. निर्माता का नाम
- 9. बाडी का टाइप
- 10 विनिर्माण का वर्ष
- 11. सिलिडरों की संख्या
- 12. चैसिम संख्यकि--

वेंसिल चिन्ह लगाने के पश्चात् भौर वह रजिस्ट्रीकर्ला प्राधिकारी द्वारा श्रष्टिप्रमाणित किया जाएगा

- 13 इंजन मंख्यांक
- 14 इंअन में उपयोग किया जाने वाला ईंधन
- 15. ध्रश्व शक्ति
- 16. धन धारिता
- 17. निर्माता द्वारा किया गया वर्गीकरण
- 18. आहील बेम
- 19 बैठने के स्थान (चालक महित)
- 20. बाड़ी, बाज भीर भग सिरों का/ के रंग
- 21. लवान रहित भार
- 22' सकल यान भार---
 - [(i) विभिन्नतित द्वारा यथच प्रमा-णित
 - ्(ii) यथा रिजस्ट्रीकृत
- मोटर केंब में भिन्न परिवर्तन |यामी के संबंध में भिनिरिक्त |विशिष्टियां---
 - टायरों की संख्या, वर्णन भीर धाकार—

 ग्रमली धुरी——— किलोपाम पिछली धुरी——— किलोपाम कोई घन्य धुरी—— किलोपाम टेंडम धुरी——— किलोपाम
 - 2. राजस्ट्रीकृत घुरी भार भगली घुरी———— किलोग्राम पिछली घुरी——— किलोग्राम कोई मन्य धुरी——— किलोग्राम टेंडम धुरी——— किलोग्राम

24 मानुकस्पिक या भतिरिक्त धर्ध ट्रेलर या किसी सलग्न यान के साथ रिक्तस्त्रीकृत प्रधं-ट्रेलगे की भति-रिक्त विणिष्टियां

- I. बाडी का टाइप
- 2 लदान रहित भार
- प्रत्येक धुरी पर टायरो की संख्या, वर्णन भीर आकार
- 4 र्राजस्ट्रीकृत धुरी भार (प्रत्येक धुरी के संबंध में)
- 26 मोटरवान कर की दर

28. उस निरीक्षण प्रश्चिकारी का नाम भौर पदनाम जो रजिस्ट्रीकरण के लिए टीक हालत में होने वाले के

रूप में बान की प्रमाणित करता

ŧι

29. रजिस्ट्रीकर्ता प्राधिकारी का नाम भौर पदामिधा भौर हस्ताक्षर

> प्ररूप सं ु 19 (नियम 43 देखिए)

क्यवसाय प्रमाणपत्न के धारक द्वारा रखा जाने वाला रजिस्टर

भारीसा	भ्यवसाय प्रमाणपत्र मोटर थान संक्यांक ग्रीर यवि का वर्णन यान रिजस्ट्रीकृत है सो यान का रिजस्ट्रीकरण संक्यांक भी	प्रयोजन जिसके लिए बाहर भेजा गया	जालक का नाम थ्रा;- ज्ञप्ति मे० और पता ध्रौर क्या वह व्यवसाय प्रमाणपन्न के धारक का कर्मजारी है	परिसर छाइने के वंटे		हान 6 प्रीट 7 में वॉणन चंदो के बीच तय की गई मील दूरी	धारक द्वारा प्राधिकृतं व्यक्ति के हस्ताक्षर धीर पदनाम
	1 2	3	4	5	6	7	8

प्ररूप -25 [नियम 52 (1) देखिए]

परिवहत यान से भिन्न किसी मोटर पान के रिजस्ट्रीकरण प्रभाणपक्ष के नबीकरण के लिए प्राचेदन का प्ररूप

मा	^म , रॉजस्ट्रीकर्ता प्राधिकारी,
	मैं — रिजस्ट्रीकरण प्रमाणपत्र के नवीकरण के लिए घावेदन करता हूं जो संलग्न है ग्रीर उसकी विशिष्टियां निम्नलिखित हैं:- (क) रिजस्ट्रीकृत संख्योक
	(ख) विए जाने की तारीख
	(ग) समाप्ति की तारीख ———————
	(भ) थह रित्रिस्ट्रीकर्ता प्राधिकारी जिसके द्वारा प्रमाणपत्र दिया गया/ग्रस्तिम बार तवीक्वत किया गया था ————————— मेरा धर्तमान पता इस प्रकार ह ै ———————————————————————————————————
ाए ।	यदि यह पता रजिस्ट्रीकरण प्रमाणपत्न में प्रकिष्ट नहीं किया गया है तो मैं चाहना हूं/नहीं चाहना हूं कि यह पता इसमें इस प्रकार प्रकिष्ट किया
•	प्रमाणपत्न के नदीकरण के लिए किसी राजस्ट्रीकर्ता प्राधिकारी द्वारा इंकार नहीं किया गया है.— मैं यह भोषणा करता हुं कि राजिस्ट्रीकरण प्रमाणपक्ष किसी राजिस्ट्रीकर्ती प्राधिकारी द्वारा रद्द या निलंबित नहीं किया गया है ।
	1. याम का बर्ग ————————————————————————————————————
	४. भारत थान- (क) नया यान
	(स) सेना का भूतपूर्व यान है
	(ग) भागातित यान है
	3. बाही का टाईप
	4. निर्माता का नाम
	5. विनिर्माण का वर्ष
	6. सिलिडरों की संक्या
	7. घन धारिता / ध्रम्ब शक्ति
	8. निर्माता द्वारा किया गंधा वर्गीकरण —————
	9. बैसिस संख्यांक
	10. इंजन संख्यांक
	11. बैठने के स्थान (चालक सहित)
	12. लदान रहित भार
	13. उपयोग किया जाने बाला ईंधन
	मैं बीमा प्रमाणपत देखने ग्रीर वापस किए जाने के लिए संलग्न करता हूं।
	मैंनेरुपए की फीस का संवास कर दिया है।
	तारी व
	भाषयक के हस्ताबार टिप्पण जिपर वर्णित मोटर यान, ग्रवक्रय करार, प ट्टा करार या आडमान के ग्र धीम नहीं है।
	यान.—
	*(1) के साथ किए गए व्यवकय करार/प ट् टा करार के मधीन है।
	*(2) ———— के पक्ष में किए गए भाडमान के ब्राधीन है।
	* औं सागून हो उसे काट वें।
	र्राजस्ट्रीक्रत स्वामी के हस्ताक्षर
	र्राजस्ट्रीकृत स्वामी के नमुना हस्ताक्षर
	1.
	2
	$oldsymbol{\dot{f q}}_i^*$
	•

प्रमाणपत

गान	as Y	ਰਿਤੀਅਗ	किया—यान	कर	वै धिस	संस्कृतीक	1017	र्ष अन	संस्थान्त	भरमाणित	िक्रमा	
417	or I	ाण राजाण	19941—419	40.1	71111	77 79 41 1 1 7	MIL	D-41	त्तरुखाण	HEALING	17041	

	प्रभाणित	किया जाता	है कि	ग्रावेदन में	भन्तविष्ट	विशिष्टियां	म्रौर	यान के	रजिस्द्रोकरण	प्र माणपत्र	में भोषित	नस्संबेबी	विशिष्टिया	सही	₹ :	मौर	यह
कि	बान मीटर यान	ग्रधिनियम,	1988	भौर उसके	श्रशीन बन	ाए गए निय	मों की	ग्रपेका	भ्रों के प्रनुरूप	है।			_				•

निरीक्षण	प्राधिकारी	के	हस्ताक्षर
नाम			
पदाभिधा न			

प्रकप 26 (नियम 53 देखिए)

र जिस्ट्रीकरण प्रमाणपत्न के खो जाने या नष्ट हो जाने की सूचना भीर रिजस्ट्रीकरण प्रनागात्र को यूनरो प्रति दिए जाने के लिए क्रावेदन (यदि यान भवक्रय करार/भाडमान पट्टा करार के भवीन धारित हैतो वी प्रतियों में किया जाए और दूसरी प्रति रिजस्ट्रीकर्ता प्राधिकारी के पृथ्ठांकन महित दूसरी प्रति के जारी किए जाने के साथ ही विस्तरोषक को बापस की जाए)

रजिस्द्रीकर्ता प्राधिकारी—————

महोदय,

मेर हमारे मोटर यान का रजिस्ट्रीकरण प्रमाणपन्न, जिसका र<mark>जिस्ट्रीकरण चिह्न ------हैं,</mark> निम्नलिखिन परिस्थिनिया में खा गया है/नष्ट हो गया है। पूर्ण रूप से प्रपलिखित हो गया है/गल गया है/फट गया है | विकृत हो गया है।

मैं/हम चौषित करता हूं/करते हैं कि मेरी हमारी सर्वोत्तम जानकारी, से यान का रिजस्ट्रीकरण, प्रिधिनियम प्रथवा उसके प्रधीन बनाए गए नियमों के उपबन्धों के प्रधीन निलम्बित या रद्द नहीं किया गया है भीर ऊपर स्पष्ट की गई परिस्थितिया सही है।

मैं / हम रजिस्ट्रीकरण प्रमाणपत्न की दूसरी प्रति विए जाने के लिए प्रावेषन करता हूं करते हैं।

मपलिखित/गला हुमा/फ़टा हुमा/विकृत रिजस्ट्रीकरण प्रमाणपत्र संलग्न हैं। याम मवक्रय करार/पटटा करार/भाजमान के मधीन धारित नहीं है।

तार**ो ख----**-

पूरे पते सहित मावेषक के हस्ताकर/श्रंगूठा निगान

जो लागूनहो उसे काट दें।

यान ————के साम किए गए भवकय करार/पट्टा करार/पाडमान के मधीन धारित है भौर विक्तपोषक से प्राप्त "निराक्षेप प्रमाणपत्र" संलग्न है।

(जहां "निराक्षेप प्रमाणपत्र संलग्न नहीं है वहां मावेदक धारा 51 की उपधारा (8) की प्रपेक्षानुसार वोषणा करेगा)

स्वामी के हस्ताक्षर

माम

पूरा पता

स्वामी के ममूना हस्ताक्षर:

1. 2.

टिप्पण 1 — परिस्थितियों की पूर्ण विशिष्टियां, रिजिस्ट्रीकरण प्रमाणपत्र के खो जाने या नष्ट हो जाने की दणा में वी जाए।
2. जो लागू न हो उसे काट दें।

कार्यालय पृष्ठांभन के लिए

सेवा में,

(वित्तपोषक का नाम ग्रौर पता)

पिजस्ट्रीकृत काक द्वारा या अभित पावती के ककीन परिवस्त।।

प्ररूपा 27

(नियम 54 वेखि ए)	
दूसरे राज्य को किसी मोटर यान को से जाने पर नए रजिस्ट्रीकरण चिह्न के समनुदेशन के लिए घालेदल	
्यदि यान भवक्रय करार /पट्टा करार / भाडमान के भ्रधीन धारित है तो दो प्रनियों में किया जाए और दूसरी प्रांत, रजिस्ट्रीकर्ता प्राधिकारी	के
पृथ्ठांकन सहित, नए रजिस्ट्रीकरण जिन्ह के समनुदेशित किए जाने के साथ ही वित्तपोषक को वापस की जाए)	
पुट्यकृत महित, नेए राजस्ट्राकरण । चन्ह के नमनुपासत किए जान के ताम है। विराम के ना पानत का जाए)	
सेवा में	
रजिस्ट्रीकर्ता प्राधिकारी	
मैं/हुम	_
चैसिम संख्योक — यान का टा	 ईप
का/के रजिस्दीकृत स्वामी हं/हैं, यान ———————————————————————————————————	में
रिजस्ट्रीकृत है। मैं/हम धोषणा करता हूं/करते हैं कि मैंने/हमने तारीख	उय
मैं / हम क्षोषणा करता हूं / करते है कि रिजिस्ट्रीकरण तारीख तक विधिमान्य है भौ र यह इस र्यार्बानयम के उपधन्त्रों के श्रक्षोन निलम्बिन या र द् व न	g);
किया गया है।	•
मै/हम ६स मोटर मान का रजिस्ट्रीकरण प्रमाणपत्र ग्रीर ठीक हालत में होने का प्रमाणपत्र संलग्न करना हूं/करने हैं।	
भैं/हम र्राजस्ट्रीकर्ता प्राधिकारी का "निराक्षेप प्रमाणपत्न" संलग्न करता हूं/करते हैं ।	
यदि रजिस्ट्रीकर्ता प्राधिकारी का "निराक्षेप प्रमाणपत्न" मंलग्न नहीं किया जाता है तो अविदेक को इस आवेदन के साथ धारा 47 की उप ध	ारा
(i) की ग्रपेक्षानुसार घोषणा फाईल करनी होती ।	
 श्रम ध्रवक्रय करार/पट्टा करार/धाङमन के ध्रधीन नहीं है। 	
यान ————————————————————————————————————	ìr
प्रमाणपम्न मलग्न करता हूं / करते है	•
र्याद वित्तपोषक का "निराक्षेप प्रमाणपत्न" संलग्न नहीं किया जाता है तो अविशेक को उस अविशेष के साथ धारा 51 की उनबारा (8) की अविका सार घोषणा फाईल करनी होती।	ानु-
सार धाषणा कार्य करने राज । तारीख	
मानेदक के हस्ताक्षर <i>था</i> अंगूठा निकान	
*जो सागूनहो उसे का दे।	
कार्यालय पृष्ठांकन	
सङ्ग्रांक	
का कार्यालय	

यान संबंधाक -----को इस राज्य में लाए जाने पर नया रिजस्ट्रीकरण चिक्क -----(यहां राजिस्ट्रोकरण चिह्न प्रविष्ट करें)

को समनुदेशित किया गया है।

तारीख--

रजिस्ट्रीकर्ता प्राधिकारी

सेवा में,

बिस्त पोषक का नाम श्रीर पता

र्राजर्स्ट्राकृत हाक द्वारा या उचित पावती के मधीन परिस्ता।

प्रस्प 28

[(नियम 54, नियम 58(1),(2) भीर (4) वेबिए)]

(तीन प्रतियों में प्रस्तुत किया जाए। रजिस्ट्रीकर्ता प्राधिकारी के पृष्ठांकन सहित दूसरी प्रति भीर तीसरी प्रति कमण यान के स्वामी की मोर ऐसे रजिस्ट्रीकर्ता प्राधिकारी को, जिसकी अधिकारिया में याम ले जाया आता है. वापस की जाए।)

		भाग 1	
सेवा			
	-	किर्ता प्राधिकारी	
			ाणय रखता <i>ह</i> ं/रखते हैं।
		यान का श्री/श्रीमती/कुमारीको जो	**
प्राधिक		प्रधिकारिता में निवास करता है _। करती है, विक्रय करने का श्राग्रय रखता हूं/रखते हैं । अन. मैं/	
		तरता हुं/करते हैं, यान की विशिष्टियां नीचे दी जाती हैं:	
	1.	नाम भौर पता:	
	2.	का पुत्र/की पत्नी/की पुत्री	
	3.	यान का रिजस्ट्रीकरण संख्याक :	
	4	यान का वर्ग :	
	5	बह् रजिस्ट्रीकर्ता प्राधिकारी जिसने मूल रूप से यान को रजिस्ट्रीकृत किया था	
	6	इंजन संख्याक:	
	7	चेसिस संख्याकपेसिल चिन्ह लगाएं:	
	8	राज्य में ठहरने की भवधि:	
	9.	वह भ्रवधि जिस तक मोटर याम कर का संदाय किया गया है:	
		क्या कर के लिए कोई मांग लम्बिस है, यदिहां तो, ब्योरे दें:	
	11.	क्या यान किसी कोरी के मामले में अन्तर्वालत है, यवि हां तो, ब्यौर दें:	
		क्या मोटर यान मिधिनियम, 1988 की धारा 53, धारा 54 या धारा 55 के मधीन धन्य बिहित प्राधिकारी के समक्ष लम्बित हैं, यदि हां तो, क्योरे दें:	कोई कार्रवाई किसी रजिस्ट्रीकर्ता प्राधिकारी या
	1 3.	क्या थान प्रतिषिद्ध माल के परिवहन के किसी मामले में ग्रन्तवर्शित है, यदि हां तो, ब्यौरे दें:	
		सत्यमिष्का से घोषणा करता हूं/करते हैं कि उक्त विवरण सही है।	
	म/ह्म	सर्थान आका सं पायणा पारता है। का उत्तर । यथरण तहा है।	
तारीख-		the first and the first and an imperior and the first and the	यान के स्वामी के हस्ताक्षर
		(कार्यालय प्रयोग के लिए) भाग2	
	#		
	W.,	"निराक्षेप प्रमाणपक्ष" के लिए भावेदन की प्राप्ति के लिए श्रभिस्तीकृति	
	~च सं	व्यांकके संबंध में "निराक्षीप प्रमाणपत्र" विये जाने के लिए	/
	मान स	व्याकार	
			ा नारा धुना ६ मारपर मियारावान है।
तारीख-			रजिस्ट्रीकर्ता प्राधिकारी या उसके द्वारा प्राधिकृत
			व्यक्ति के हस्ताक्षर
			कार्यालय मुद्रा
सेवा में			
		का रजिस्ट्रीकृत स्वामी)	
	(भाग 3	
	(1) 1	यान अधिमियम, 1988 की खारा 48 की उपधारा (3) के अधीन "निराक्षेप प्रमाणपद	
		उम यान के संबंध में, जिसकी ब्यौरेबार विशिष्टियां पिछले पृष्ठ पर झिभिलिखित की गई हैं, " 1988 की घारा 48(3) के अधीन दिया जाता है ।	·
	*(2)	उस मोटर यान के संबंध मे, जिसकी क्यौरेवार विशिष्टियां पिछले पृष्ठ पर अभिलिखित की गई अधिनियम, 1988 की आरा 48(3) के अधीन इंकार किया जाता है। उसके लिए कारण नि	है, "निराक्षेप प्रमाणपक्ष" के लिए मोटरयान स्निलिखित हैं:
		Experimental Conference of the	
तारीख			रजिस्ट्रीकर्ता प्राधिकारी के हस्साक्षर भौर मुद्रा
			पता

सेवा मे	·
	(रजिस्ट्रीकृत स्वामी) – रजिस्ट्रीकृत डाक द्वारा या उचिन पावनी के धधीन परिदत्त –––––––––––––––––––––––––––––––––––
	प्ररूप सं. 29
	[नियम 55(1) वे बिए]
<u></u>	मोटरयाम केस्वामित्व के बन्तरण के मोटिस का प्ररूप (दो प्रतियों में किया जाएगा भौर दूसरी प्रति रजिस्ट्रीकर्ता प्राधिकारी के पृष्ठांकन सहित स्वामित्व रण की प्रविष्टियों करने के ठीक पक्ष्वात् भंतरक को भेजी आएंगी)
सेवा मे	
	र्राजस्ट्रीकर्ता प्राधिकारी, ————————————————————————————————————
को धप	मै/ह्म,के निवासी हूं/हैं आज(तारीख, मास भीर वर्ष) ानाः थान स
या या श्री/श्रीर	मतीका पुत्र/परनी/है, को जो
•	(नाम)
	(मकान सं.) (गली), ग्राम/कस्या जिला भीर राज्य का नियासी है, विकीत भीर परिवत्त
कर वि	या है।
	रजिस्ट्रीकरण प्रमाणपत्न भौर बीमा प्रमाणपत्न/ उसको/उनको वे विए गए है।
~	र जिस्ट्रीकृत स्वामी (भंतरक) के ह स्ताक्षर
तारीख	
	1. प्रतिलिपि
	टिप्पण
	र्राजस्ट्रीकर्ता प्राधिकारी को रसीवी रिजस्ट्री डाक द्वार। भेजा जाएगा।
	कार्यालय पृष्ठांकन
	सका कार्यालय
	यान का स्वामित्वको अंतरित कर दिया गया है।
	रिजस्ट्रीकर्ता प्राधिकारी
	(कार्यालय की सुद्रा)
सेवा मे	i,
	Mark-Americal & September 12 and 22 and 22 and 23 and 24 and 25 a
(मंतरः	
	जो लागून हो उसे काट दे। _,
	স ক্ प ti . 30
	[(नियम 55(2) भौर (3) देखिए]
	मोटस्याम के स्वामित्व के ग्रंतरण की रिपोर्ट
	भाग- ~ 1
	भंतरक के प्रयोग के लिए
•	(जब थान भवत्रय/पट्टा करार/माडमान के मधीन धारित है) तो इसे दो प्रतियों में दिया जाएगा मौर (दूसरी प्रति साथ ही रजिस्ट्रीकर्ता प्राधिकारी के सिहित रजिस्ट्रीकरण प्रमाणपत्र में स्वापित्व का प्रतरंग है। प्रतिक्षित रचे के पश्चात् वित्तवीयक को भेज वी जाएगी)
सेवा	म, रजिस्ट्रीकर्ता प्राधिकारी,
स्रंतरक	कानामः
11 - 1	—
	qt

कार्यालय पृष्ठीकम

रॉजस्ट्रीकर्ता प्राधिकारी

सेषा में,

(विस्तपोषक का नाम भीर पता) रिजस्ट्रीकृत डाक द्वारा या सम्यक पावती के भन्नीन परिवरत किया गया।

प्रस्प सं 31

[नियम 56 (2) वेखिए]

यान के कब्बे के उस्तराधिकारी अपनित के नाम में स्वामित्य के अंतरण का आवेदन और सूचना ।

(यदि यान भवक्रय या पट्टा/श्राङमान/करार के श्रधीन धारित है तो इसे दो प्रतियों में प्रस्तुत किया जाएगा भीर दूपणी प्रति साथ ही रजिस्ट्रीकर्ता प्रतिकारी के पृष्टोकन सहित रजिस्ट्रीकरण प्रमाणपत्न में स्वामित्य का श्रंतरण करने के पण्चात विस्तयोषक की भेज दी जाएगी) सेवा मे,

रिजस्ट्रीकर्ता प्राधिकारी,

1. यान रजिस्ट्रीकरण संख्यांकः

मेक भीर माजल

चेसिस सक्या

इंजन संख्या

यान का टाईप

- 2. मृत रजिस्ट्रीकृत स्वामी का नाम
- 4. मृत राजिस्ट्रीकृत स्वामी के साथ नातेवारी
- उत्तराधिकार का सबूत

रिजस्ट्रीकरण प्रमाणपत्न संलग्न है। यान का स्वामित्व मेरे नाम में प्रंतरित करने की कृपा करें।

भावेदक के हस्ताक्षर

तारीख

उस मोटरयान की दशा में सहमति, जो भवकय / पट्टा / करार / भाइमान के प्रधीन धारित है।

मैं / हुन, जो ऊपर विनिर्दिष्ट मोटर यान की बान सबकय/ करार /पट्टा / करार / धाडमान का पक्षकार हैं, के पक्षकार हैं, उपरोक्त नामित धाबेदक के नाम में उक्त मोटर यान के स्वामित्व के संतरण के लिए सहमति देता हूं देते हैं, जिसके साथ मैंने /हमने /धवकय /पटटटा थ्राडमान/करार किया है ।

वित्तपोषक के हस्ताक्षर

तारीख

कार्यालय पृष्ठीकम

हंक्यांक-----तारीख

यान के ग्रंतरण को यान के रिजस्ट्रीकरण प्रमाणपत्र भीर कार्यातव के रिजस्ट्रीकरण संबंधी ग्रमिनेख में ------------(तारीख) से ग्रांभिलिखित कर दिया गया है:

र्राजस्ट्रीकरण प्राधिकारी

सेवा में,

(विस्पोषक का नाम भौर पना)

रजिस्ट्री डाक द्वारा या सम्यक पावती के प्रधीन परिवल्त किया गया। को लागु न हो उसे काट दीजिए

प्ररूप सं. 32

(नियम 57 वेखिए)

क्रम किए गए या लोक नीलामी धर्जिन मोटर यान की दशा में स्वामित्य के मंतरण के लिए ग्रावेदन। सेवा में,

रजिस्ट्रीकर्ता प्राधिकारी,

मैं / हम वे दस्तावेज संलग्न करता हूं /करते हैं जो नियम 57 के उपनियम $_{i}(i)$ के भ्रधीन मेरे /हमारे द्वारा पेश किए जाने हैं। मोटरयाम का स्वामित्व मेरे/हमारे नाम में भ्रदिय करने की क्षण करें।

भावेदक के हस्ताक्षर

1478 GI|89--11

प्रस्प ४३

(नियम 59 देखिए)

रजिस्ट्रीकरण प्रमाणपत में श्रभिलिखित पते के अंतरण की सूचना

	जहां यात <i>भवकप माडमान करार</i> के श्रजीन धारित है वहां इसे दो प्रतियों में दिया जाएगा और दूसरी प्रति र इस रक्रिस्ट्रीकरण प्रमाणपत्र में स्वामित्व का अंतरण करने के पत्रवात जिस पोषक को भेज दी जाएगी)	तथ ही रजिस्ट्रीकर्ता प्राधिकारी के पृष्टां-
सेवा में,	ा राजन्द्राकरण प्रसाणपत्र सं स्वासित्व को अन्तरण करन के पश्चाम विष्य प्रापक को सज वा आए्गा)	
	रजिस्ट्रीकर्ना प्राधिकारी,	

	मैं/हमका पृत्र/की पत्नी/की पृत्री	/par mar)
ने	(मारीखा) से रिजस्ट्रीकरण प्रमाणपत्न में ग्राभिलिखित पते पर निवास करना/कारबार का स्थ (प्रमाण संलग्न किया जाए)।	ान छोड़ दिया है। वर्तमान पना नीचे विया
	यान किसी झबक्रय, पट्ट या झाड़मान करार के झधीन धारित नहीं हैं।	
	यान कं पास झवक्रव/पट्ट/धाड्मान/करार के झधीन धा	रेंग नहीं हैं।
		(नाम और पूरा गना दिया जाए)
	रिजर्म्नीकरण प्रमाणपत्र मंत्रम है।	
	मैं/हम यह प्रन् रोध करते हैं कि रजिस्ट्रीकरण में पते मंबंधी परिवर्तन को प्रमिलिखित कर लिया जाए।	
		यान के रिजस्ट्रीकृत स्वामी
		के हस्सक्षर या अंगृटा छाप
	जो लागून हो उसे काट वें।	
	ः कार्यालय प्रठोकन	
ri .		नारीखः,
	कायलिय	
	रिजस्ट्रीकरण प्रमाणपद्ध में पने संबंधी उपरोक्त परिवर्तन की प्रविक्टि कर ली गई हैं।	
		रजिम्द्रीकर्ता प्राधिकारी के हस्साक्षर
		लगात्तार , ,
मेव(में,		
	(क्तिपोषक का नाम और पता)	
	रिजस्ट्रीकृत कान द्वारा या सम्यक पावती के प्रधीन परिदेन किया गया।	
	प्ररूप ३४	
	(नियम ६० देखिए)	
	ग्रवक्रय/पट्टा करार/ग्राड्मान की प्रविष्टि करने के लिए ग्रावेदन	
	(दो प्रतियों में प्रम्युत किया जायगा और दूसरी प्रति माथ ही रजिन्द्रीकर्ता प्राधिकारी के पृथ्ठोकन सहित रि पण्चात वित्त पोथक को भेज दी जाएगी)	नस्ट्रीकरण प्रमाणपत्र में स्वामित्व का अंतरण
5 St		
सेवा में,	£though profits such	
,	र्राजस्द्रीकर्ता प्राधिकारी, 	
1	 मोटर यान, जिसका रजिस्ट्रीकरण मं०	्रार्शिक्टीक्रव स्वामी/स्वामी के कट में
रजिस्द्रीष्ट	हिन किए जाने वाले व्यक्ति और	के भी
•	(विचपोषक का नाम भौर पूर	
प्रथक य/प	ıट्ट/फ्राइमान करार का विषय है ।	•

ر بر و و را در موجود المستعدم المستعدم و المستعدم المستعد

١ -	THE GAZLITE OF HIDLA, LATRAORDINAN	
	=====================================	
	सगुचित फीस महित र्राजस्ट्रीकरण प्रमाणपत्न सलग्त है ।	
नारी ख	· · · · · · · · · · · · · · · · · · ·	रजिस्ट्रीकृत स्वामी के हस्ताक्षर
		वित्त पोषक के हस्ताक्षर
	जो लागु न हो उसे काट दे।	
	कायनिय पृ ष्टाकन	
	विचयोषक को सूचना देने का प्ररूप	
	का करर्यालय	
त्रम स	,	नारीख
में प्रम	- ऊपर जैसा प्रतृरोध किया गया है प्रवक्ष्य/पट्टा/प्राडमान करार की प्रविष्टि - नारीखा प 24 में और रजिस्ट्रीकरण प्रमाणपत्र में प्रभिनिम्बित कर सी गई है।	को इस कार्थानय के रजिस्ट्रीकरण समिलेख
यारीख	· · · · · · ·	रजिस्ट्रीकर्ना प्राधिकारी के हस्भाक्षर
सेवा मे	7.	
	(থিকাণাথক কা নাম और पता) रजिस्ट्रीकृत काक द्वारा या सम्यक पावती के प्रधीन परिदत्त किया गया।	
	परूप सं 35	
	[नियम 61(1) देखिए]	
	ध्यक्रय[पट्टा/करार/ध्राडमान की समान्ति की सूचना	
พล√ฃ	(दो प्रतियो मे प्रस्पृत किया जाएगा भ्रौर इसरी प्रति साथ ही रिजस्ट्रीकर्ता प्राधिकारी के पृष्ठीकत सहित र करने के पण्चात विस्पोषक को भी दी जाएगी)	जिस्ट्रीकरण प्रमाण पत्र में स्वासित्व का
ीं सेकामे,	·	
111111	रजिस्ट्रीकर्ता प्राधिकारी,	
	हम यह घोषणा करते हैं कि हमारे बीच किया गया भ्रवकय/पट्टा/श्राक्षमान करार समाप्त कर दिया गया है। के रिजिस्ट्रीकरण प्रमाणपत्न में हमारे बीच उक्त करार की बाबत किए गए तोट का पृष्टीकर	-
	र्राजम्ट्रीकरण प्रमाणपत्न भौर साथ ही फीस सलग्न है।	
मारी स		रजिस्ट्रीकृत स्वामी के हस्ताक्षर
नारी ख		वित्तपोषक के हस्ताक्षर
	कार्यालय पृष्ठोकन षः। कार्यालय	
अस्म सं		तारीख
	उत्पर जैसा धन्रोध किया गया है, करार की प्रविध्टि के रह कए जाने को	ोसा) को इस कार्यालय के रिजम्ट्री रण
नारीखा		रजिस्ट्रीकर्ता प्राधिकारी के हस्याक्षर
सेवा मे,		
	(दिल पोषक का नाम भ्रीर पता)	
	रिजिस्ट्रीकृत डाक इसरा या सम्यक पावती के सश्चीन परिदक्त किया गया।	
	प्ररूप ३६	
	[नियम ६१(२) देखिए]	
	विस्त पोषक के नाम नया र्राजस्त्रीकरण प्रमाणपक जारी करने के लिए ग्रावे	देन -
सेवा में,		
	रजिम्ट्रीकर्ता प्राधिकारी,	
(विस	मैंने/हमने	····· (नाम)

[भाग 11—खण्ड 3(i)]	भारत का राजपन : घ्रसाधारण	83
ाःः का कठजा ग्रहण कर लिया है।	(पूरापक्षा) के क्यतिकम के कारण मोटरयान स	
*(।) उक्त यान का रजिस्ट्रीकर	रण प्रमाणपत्न इसके साथ प्रस्यपित किया आता है।	
st(2) रजिस्द्वीकृत स्वामी ने	मुझे/हमें रजिस्ट्रीकरण प्रमाणपत्र परिदक्त करने में इंकार कर दिया है	1
*(३) रजिस्ट्रेक्टत स्वामी फ़रार	र है।	
मै/हम श्राप से प्रमाणपत्न की रह	ह करने का भ्रौर श्रपने/हभारे नाम में एक नया रजिस्ट्रीकरण प्रमाणपत्र जारी कर	ने का अनुरोध करने हैं।
मैं हम	स्पए की फीस सलान करते है।	
तारीख ,		वित्त पीषक के हस्ताकार
	वित्त पीषक के तमुना हस्याक्षर	
	1	
*जो लागुन हो, उसे काट दें।	A1	
मूल रजिस्ट्रीकर्नाप्राधिकारीको	ਧੀਤ ।	
मूल राजस्ट्राकता प्रसावकारा का	प्ररूप 37	
	[नियम ७1(३) देखिए]	
विरूप पंथिक के	नाम तथा रिजिस्ट्रोकरण प्रभाणपत्र जारी करने के प्रयाजन के लिए मोटरथान के रिजिय	स्ट्रेकृत स्वामी को सूचना । रजिस्ट्रीकर्ता प्राधिकारी
मं		त ारीख
वित्त पोषक के यह सूचित किया है कि उ मोटर यान जिसका रजिस्ट्रीकरण स 1. *(1) भ्रापने उसे/उन्हें रजि *(2) भ्राप फ़रार हो गए 2. उसने/उन्होंने रजिस्ट्रीकृत प्रमाध	णपत्र रह करने स्रीर भ्रपने नाम में नया र्राज <i>म्द्रीकरण</i> प्रमाणपत्र जारी करने का	/पट्टा करार श्रन्तर्गत श्राने वाले ' प्रनुरोध किया है।
	रजिस्ट्रीकरण प्रमाणपत्न को ग्रम्थपित करने ग्रौर भ्रम्पावेदन, यदि कोई हों, को इस । का निदेश दिया जाता है।ऐसा न करने पर यह उपब्राग्या को जाएगोंकि श्रर	
		रजिस्द्रोकर्ता प्राधिकारी के
		हस्लाक्षर
सेवा में,		
रजिस्द्रीकर्ना स्वामी,		
रसीदी रजिस्ट्री डाक द्वारा वित्त पोषक को प्रति स्ल रजिस्ट्रीकर्ता प्राधिकारी को प्रति *जो लागू न हो उसे काट दै।	न	,
	प्ररूप ३৪	
	[नियम 62(1) देखिए]	
यान टीक हालत में होने का प्रम	राणपत्र (केवल परिवहन यानों की दशा में ही लाग् है)	
	मोटर यान भ्रधिनियम, 1988 भीर उपके (तारीख) को समाप्त होगा।	घंबीन त्रनाएं गए नियमों के उपबन्धों

तारीख.....19

निरीक्षण प्राधिकारी के हस्ताक्षर ग्रीर पर्वाभिधान या

प्राधिकृत परीक्षण केन्द्र के प्राधिकार पत्न के धारक के हस्ताक्षर

मान ठीक हालत में होने	का प्रमाणपत्न
से19 तक	
से.,.,19,,,,,,वक	•••••
से19,.तक नवीकृत किया जाता है।	• • • • • • • • • • • • • • • • • • • •
	निरीक्षण प्राधिकारी के हस्ताक्षर या
	प्राधिकृत परीक्षण केन्द्र के प्राधिकार पन्न के धारक के हस्साक्षर
प्ररूप ३५	
[नियम 63(1) भीर (5) देखिए]
प्राधिकृत परीक्षण केन्द्र को दिए जाने वा	ं ले प्राधिकार पत्र का प्रारूप
प्राधिकार पत्न सं	नारीख
मोटर यान मिन्नियम, 1988 भौर केन्द्रीय मोटर यान नियम, 1989 के नि मेहोने का प्रमाणपत्न दिए जाने या उसके मबीकरण के प्रयोजन के लिए में मिन्नियम की धारा 58 की उपबारा (2) के मिन्नीन परीक्षण केन्द्र की स्थापना	यमों के उपबन्धों के मधीन रहते हुए, परिवहन यानो के ठीक हालत (परिसर का पूरा पता) परिसर
	(नाम भीर पूरा पना)
को प्राधिकार पत्र विथा जाना है।	
यह प्राधिकार पत्नमेमे	्तक विधिमान्य है।
	रजिस्ट्रीकर्ता प्राधिकारी
यह प्रोधिकार पत्नसेसेसे	
तारीख,	रजिस्ट्रीकर्ता प्राधिकारी
प्ररूप 40	
[नियम 63(2)	देखिए]
प्राधिकार पत्न विए जाने या उसके नवी	किरण के लिए मावेदन का प्रारूप
सेवा में,	•
रजिस्ट्रीकर्ता प्राधिकारी	
मैँ/हम	•••••
1. भावेदक का नाम :	
2. कापुत्र/की पस्नी/कीपुस्री:	
3. पता	
4. भावेदक की प्रह्ताएं:	
 घाटोमोबाइल कर्मशाला में घनुभव : 	
6. क्या प्रत्यक्षतः या प्रप्रत्यक्षतः परिवहन संबंधी कारोबार में भ्रनग्रंस्त/स संबद्ध है :	
7. मशीनशी ग्री र उपस्कर :	
 शिम्न-भिन्न काडरो में लग्हुए कर्मचारी: (i) प्रवंधक : 	
(ii) फोरमैन :	
(iji) मैकेनिक :	
(iv) हेल्पर :	
(v) भ्रस्य प्रशासनिक कर्मचारी :	
 अ्यक्ति के संबंध में विशिष्टियां जो केन्द्रीय मोटर यान नियम, 1989 के नि उपनियम (3) के खंड (क) के भ्रश्नीन भ्रष्टेक्सित है: 	लयम 63 के
भर्षात् :	
(क) नाम :	
(चा) मायु:	
(ग) घाटोमोबाइल इंजीनियरी में घहुंता:	

(ध) भाटोमोबाइल कर्मणाला में वास्तविक मनुभव:

- (इ) फर्म का नाम, पूरे पते सहित :
- (घ) विभिन्न प्रकार के परिवहन यान चलाने का ग्रनुभव :
 - (i) चालन धनुशप्ति संख्यांक :
 - (ii) किसके द्वारा जारी किया गया:
 - (iii) जारी किए जाने की सारीखा:
 - (iv) यान का टाइप ·
 - (v) एम. डी. एल. की विधिमान्यता की ग्रवधि:
 - (vi) चालन अनुकाप्ति पर पृष्ठाकन, यदि कोई हो :
- 10 प्रावेदक द्वारा स्वामित्व में की या किराए पर ली गई भूमि का सबूत:
- 11. क्या ग्रंज मे---
 - (i) जल प्रवाय (ji) विद्युत (iii) शीचालय
 - (iv) प्राराम कक्ष जैसी मृतिघाएं उपलब्ध है :
- 12. वित्त कास्त्रोत[्]
- 13. यदि भ्रावेदन, प्राधिकार पत्न के नवीकरण के बारे में है ता निम्नलिखित विशिष्टियां प्रस्तुत करें, श्रथात् '--
 - (i) विद्यमान प्राधिकार पत्न का मंख्यांक
 - (ji) जारी करने की तारीख
 - (iii) विधिमान्यता की मवधि:
 - (iv) यदि भावेदन समय से प्रस्तुत नहीं किया गया है तो कारण बताएं
 - (v) क्या प्राधिकार पत्र पहले निलंबिन/रह/ग्रक्थिप किया गया है, क्यौरा दीजिए :
- 14. मैं यह सस्य निष्टापूर्वक घोषित करता हूं कि अपर दी गई जानकारी सही और ठीवा है। मैं यह भी घोषित करता हूं कि मैं नियमो, विनियमों और इस प्राधिकार पत्न सं सलग्न तथा मोटर यान प्रधिनियम, 1988 घीर केन्द्रीय मोटर यान नियम, 1989 में विहित शर्तों से धावड रहुँगा।

ध्रावेषक के हम्लाक्षर

प्ररूप 41

(नियम 75 देखिए)

मीटर यान का राज्य र्राजस्टर

- 1. रजिस्ट्रीकरण सं.
- 2. पहला रजिस्ट्रीकरण संख्यांक, यदि कोई हो
- 3. क्या मोटरयान :
 - (क) नयाहै
 - (ख) प्रायातित है
 - (ग) पुरामा मेना यान 🕏
- 4. निर्माताकानाम
- 5. विनिर्माण का वर्ष
- इंजन संख्यांक
- 7. वेसिस संख्यांक
- ८. सिलेण्डरों की संख्या
- 9. धर्नाय क्षमता/ग्रम्य प्रक्तित
- 10. प्रयोग किए गए ईंग्रन का प्रकार
- 11. मोटरयान का वर्ग
- 12. रजिस्ट्रीकृत स्वामी का नाम भौर पूरा पता
- 13. बैठने के स्थान
- 14. सकल यान भार
- 15. लवान रहित मार

प्ररूपस 42

[नियम 76(1) देखिए]

राजनियत/कोशलोय अधिकारी द्वारा या उसकी भोर में मोटर यान के रिजस्ट्रीकरण के लिए भावेदन का प्रक्रप (सक्षम प्राधिकारी की मार्फन नीन प्रतियो में भेजा जाएगा)

सेवा मे.

र्राजस्ट्रीकर्ना प्राधिकारी,

- 1 राजनियक/क/सलीय श्रीधकारी का पूरा नाम, पवाभिधान भार पता राजनियक मिणन/कोशलीय कार्यालय या पोस्ट का पूरा नाम, पता और स्टेणन
- 2 रिजस्ट्रीकृत स्वामी के रूप में रिजर्स्ट्रीकृत किए जाने वाले व्यक्ति की प्राय
- उस व्यक्ति का नाम ग्रीर पना जिसमें यान क्रय किया गया था। उस प्रतन का नाम ग्रीर पना जिसमें होकर यान का ग्रायान किया गया था। उस व्यक्ति या कम्पनी का नाम जिसके बणित स्टाक से यान क्रय किया गया था ग्रीर पक्ष का नाम
- 4 वह देश जिसम भ्रायान किया गया
- 5 यान का बर्ग
- 6 बाडीका टाइप
- 🤈 निर्माताका नाम
- ८ विनिर्माणकावर्ष
- 9 सिलेण्डरो की संख्या
- 1 () अपन गक्ति
- 11 निर्माता का वर्गीकरण या, यवि ज्ञान न हा ना पहिया श्राधार
- 12 र्जीमस सल्याक
- 13 इजन सच्याक
- 14 बैठक के स्थान (च।सन्धः सहित)
- 15 लदान रहित भार
- 16 पूर्व रजिस्ट्रीकरण का विशिष्टियां भीर रजिस्ट्रीकरण संख्याक (यदि कोई हो)
- 17 में घोषणा करता ह कि यान भारत में किसी ग्रस्य राज्य में राजस्दीकृत नहीं है।
- 18 बाडी, बिग और फुट का रंग या के रंग
- 19. टायरां की सं, वर्णन भीर उनके माइज
 - (क) भ्रागे वाली ध्री
 - (सा) पीछं वाली धुरी
 - (ग) कोई भ्रन्य धुरी
- 20 प्रधिकतम लदान वजन---किलाग्राम
- 21 अधिकतम ध्री अजन (केवल भारी मोटर यानो की दशा मे दिया जाना है)

(क) धार्ग वाला धुरी

किलोग्राम

(ख) पीछे बाली धुरी

किलोबाम

(ग) कोई ग्रन्य ध्रा

किलाग्राम

जपर्यमत विशिष्टितया दो या प्रिधिक धुरियों के ठास फेम याले मोटर यात के लिए ही भरी जानों है।

पावेदक के हस्ताक्षर विदेश मंत्रालय (प्रोटोक क्ष प्रभाग) या सबधित राज्य सरकार के मृथ्य सचित्र के कार्यालय में प्रयोग के लिए

				and the street and added the foliation
	प्रमाणिन किया जाना है कि	(नाम ग्रीर पद)	भारत	सरकार द्वारा मान्यता प्राप्त राज-
नयिक	म्रक्षिकारो/कौमलीय अधिकारी है भीर वह रिजस्ट्रीकरण फीम के मदाय से छूट के हकवार	है/नहीं हैं।		
स्थान				मधिकारी के हस्ताक्षर
सारीख				पदाभिधान

प्र**स्प−** 4.3

[fनयम 7८(1) व्यक्तिक]

राजनियक या भौमलीय प्रधिवारी से संबंधित साटर यान के रिजिस्दोकरण प्रमाण पत्न का प्र∘प

रजिस्ट्रीकरण सख्यांक यान का मक्षिप्त वर्णन (उदाहरणाध फ्येंट 1100 या हिन्दुरतान लेंड मास्टर कार विका जीप, ढाज,डैसेटो गीडगा पेट्रोल/रीजल ट्रक लेलेंड 36 सीट वाली क्षेत्रल बस देलर राजनयिक प्रधिनारी/कौसलीय प्रविकारी का पुरा नाम पद और पता/राजनयिक मिशन/ कौंसलीय क्षार्यात्रय या पोस्ट का परा नाम पता धौर स्टेशन रिजर्द्वायर्ता प्राधिकारः के हस्ताक्षर क्सिको ग्रन्ति रिस को अ∩रिन रजिस्टीकर्ला प्राधिकारी के हस्ताक्षक विस्तृत वणन---1 यान का बर्ग 2 निर्मासा का नाम 3 बाडी का टाइप 4 विनिर्माण का वर्ष 5 मिलेंडरो की मख्या ६ चेसिस संख्यांक 7 ईजन सम्प्रीक ८ ग्रम्य गक्ति निर्माता का वर्गीकरण या यदि ज्ञात न हो तो उसका पहिया भाधार। 10 बैठने के स्थान (चालक महिन) 11 लवान रहित भार सभी परिवहन याना की दशा में प्रतिरिक्त विशिरिटया 12 बाडी विग धीर फट बा/के रंग 13 र्राजस्ट्रीकृत लवान भार 14 टायरा की सक्या, वर्णन श्रीर माइज--(क्) ग्रागेकी ध्री (ख) पिछली ध्री (ग) कोई ग्रन्य धुरी 15 रिजम्हीकृत ध्रा भार (केवल भारी मोटर याना की वणा मे) (क) द्यागें की ध्री **क्लिग्राम** (ख) पिछली ध्री किलोग्राम (ग) काई मन्य ध्री किलोग्राम रजिस्ट्रीकर्मा प्राधिकारी के हस्ताक्षर तारीख प्रह्म 44 [नियम 78(1) देखिए] निवास के राज्य में परिवर्तन की मुक्ता और नए रिजस्ट्रीकरण जिन्ह के समन्देशन के लिए। राजनियक या कीसवीय प्रधिकारी द्वारा या उनकी भीर से आवेदन (दो प्रतियो मे दिया जाएगा) सेवा मे, र्गजस्ट्रीकर्मा प्राधिकारी −−−−−−−(नाम भीर पदाभिधान) ~−−−−−−−−−− जो मोटर यान ¬──────का स्वामी हू जो मोटर यान प्रधिनियम 1988 की धारा 42 के स्रश्री**न ¬**─────

	THE GAZETTE OF TADIA . EATRAORDIN	· · · · · · · · · · · · · · · · · · ·
में र्रा	जेस्ट्रीकृत है, यह घोषणा करता हूं कि सैने ————————————————————————————————————	
	है और मोटरयान के नए रजिस्ट्रीकरण चिन्ह के लिए झावेदन करता हूं ।	
	मैं रजिस्ट्रीकरण प्रमाणपत्न और यान के ठीक हालत में होने का प्रमाणपत्न * संजग्न करता हूं।	
तारीख	Ţ	
.,, , ,		स्वामी के हस्ताक्षर
	*''श्रीर यान के ठीक हालत में होने का प्रमाणपत्र'' णब्दों को, यति लागू न हों तो ृकाट दें।	
		विवेण मंत्रालय (प्रोटोक)ल प्रभाग) या संबंध राज्य के मुख्य म <mark>ाचित्र के कार्या</mark> लय में प्रयोग के लिए।
हैं मिया	प्रमाणित किया जाता है कि(नाम झौर पदाभिद्यान), न धारण कर रहे है।	राजनयिक सिंधकारी/कौमलीय प्रधिकारी की
•	वह इस समय	
स्थान	\	
तारीख	T.	प वाभिधा न
(II - 1 -		श्रधिकारी के हस्साक्षर
	Яжч 45	
	[नियम 82(1) देखिए]	
	पर्यटन यान की बाबन परिमट दिए जाने के लिए भावेदन	
सेवा		
	ं' राज्य परिवहन अधिकारी,	
	नाज वाज्यत्त	
	मैं/हम, प्रधोहस्ताक्षरी, भारत के राज्यक्षेत्र में मर्जत	राज्य में पर्यटक यात के लिए विधि-
	(राज्यों के नाम विभिन्निक्ट करें)	
	पर्यामट विष् जाने के लिए श्रावेदन करता हूं/करते हैं——	
	थ्रावेदक (भ्रावेदकों) का पूरा नाम ग्रावेदक की हैमियन, क्या वह ब्यष्टि कंपनी या भागीवारी फर्म, सहकारी सोसाइटी ग्रादि हैं	
	भावदक्ष का हानवरा, क्या यह क्यांक्ट कारणा या माधायारा कर्म, महकारा नामाञ्जा आग्रेस ह विता या पप्ति का नाम	
	पता या पात का गाम (इंबब्डिट की दणा में) द्यौर फार्म या कंपनी की दशा में, यथास्थिति प्रकंध भाशीदार या प्रबंध निवेशक की विशिष्टियाँ	
4. 9	ूरा पना	
2	(क्यप्टियों की दशा में रामनकार्ड, विजली के बिल घाति धनुप्रमाणित प्रति द्वारा हा राज्य परिवहन प्राधिकारी के समाधानप्रद रूप में कोई घन्य त्रिधिमान्य वस्त्रावेज द्वारा घीर कंपनी या हर्म की दशा में संगम जापन या भागीदारी विलेख की सत्यापित प्रति द्वारा प्रमाणित किया जाना चाहिए ।	
5. ((क) क्या स्वर्थ प्रा वेदक यान चलाना चाहता है ?	
	(ख) (1) यदि हों, तो क्या भाजेदक के पास भारी यात्री मोटर यान चालन मनुक्राप्ति हैं?	
	(2) चालन प्रनृज्ञप्ति का संख्यांक, नारीख ग्रीर निधिमान्यता की भवधि	
	(3) ग्रनुज्ञापन प्राधिकारी का नाम भीर पता	
	थम रजिस्ट्रीकरण की तारीख महित रजिस्ट्रीकरण प्रमाणपत्र, बीमा प्रमाणपत्र	
•	कमी विशिष्टि यान की बाबन ग्रन्थ परिसटों, यदि कोई हों, का ध्यौरा	
	ग्रा थेव क के पास परमिटों की कुल संख्या का व्याप्तीरा 	
	ान का टाइप >	
	ोटर यान का मैक	
र	तबेदक (भाजेदकों) द्वारा धारित यान/परिमट की बाबत गत तीन वर्षों के दौरान दोषिमिद्धि/निलंबन/ हकरण, यदि कोई हो, की विभिष्टियाँ	
12. म प्र	,हम इसके साथ यान का रजिस्ट्रीकरण प्रमाणपत्र भेजना हूं/मेजने हैं या मैं/हम यान का रजिस्ट्रीकरण भागपत्र परमिट जारी किए जाने से पहले प्रस्तृत कर दूँगा/देंगे ।	

		के मै/हम इस राज्य का/के निवासी ह/हे और इस) पर मेरा/हमारा बाराब र का मुख्य स्थान है ।	<u> </u>
14. मैंने/ह्मने		े थिमा है।	
तारीय			
			भाषेतक के हस्ताक्षर या संगुटे की छाप
		प्रमप् मं 46	
	-	83 (1) ग्रीर नियम 87 (1) देखिए]	
-36-1		मेट या राष्ट्रीय परिभट के लिए ग्राबेदन का प्ररूप	
प्रावेशिक/राज्य परिवहन प्राधिकरण-			
में/ह्म ग्रधीहरूनाकरी, इसके	क्षाराभाग्त के सैपूर्ण राज्य क्ष	नेत्र	
त्राधिकार पत्न देने के लिए आवेदन	करता है/करते हैं।	(राज्या भार भाग स्थासाय-७ व	·
া. আৰহক (আবহকাঁ) কা/के पुर	ा मा म		
2. कापुत्र/की पत्नी/की पुत्री			
3. पता			
 मोटर यान का रिजस्ट्रीकरण कि 	क् _{रिट} ग्रौर विनिर्माण वर्ष श्रौर रा	जिस्टीकरण की तारीखा	
 मोटर यान का इंजिन संबंधिक 		,	
	_		
6 मोटर यान का चेसिस संख्यांक -			
 गरमिट मेंग्रेयांक, वह प्राधिकारी उसकी समास्ति की तारीख 	जिसने गरमिट जारी किया है	तथा परमिट जारी करने की नारी थ धौ र	
 भोटर यान का लदान रिहत भ 	गर		
9. मोटर यान का सकल यान भा	ਹ		
10 मोटर यान का ग्राय भार (पर्य	टिक यान की दशा में बैठने के	स्थान)	
11. वह अवधि जिसके लिए प्राधिक		,	
11. यह अपाद स्थान स्थान स्थान			
12. मैं/हम यान का रजिस्ट्रीकरण प्र	माणपत भीर परिमट संख्यत कर	ला हं/करने हैं	
		हा हं/कर रहे है जिसका/जितया वर्णन नीचे	
त्रम मं राज्य का नाम	संदत्त रकम	बैंक कृपिट की विशिष्टियां और तारीख	संदाय की सारीख
(1) (2)	(3)	(4)	(5)
	arrango, diferiminado de constante arrango de como de constante de constante de constante de constante de cons	ग्राबंदक (ग्राबंदकी) के हस्ताक्षर या अगुडे की छ

[#]जो लागून हो उसे काट दें। 1478 GI/89—1?

प्ररूप: 47

[नियम 83 (2) भौर नियम 87 (2) देखिए] पर्यटन परमिट या राष्ट्रीय परमिट के लिए प्राधिकार पत्न

						ના	प्रयाका कामील
					,	नादेशिक/राज्य परिव	कत प्राधिकारी
धिकार पत्न स०					·		T
यह प्राधिकार यह भा	रत के संघ राज्यक्षेत्र	में सर्वेज्ञ/निम्नलिखित	राज्य/राज्यों में विश	धेमास्य है :			
		,	2.	Ì			
			4.				
			6.				
			8.				
			10.				
(यहां उन राज्यों क	ा साम लिखिए जहाँ	ंलागू है)					
। पूरा नाम							
भौर परमिट के धारक	••						
 मोटर थान का रिजस्ट्री 	करण चिन्ह और मे	भी					
 विनिर्माण वर्षे 							
 मोटर थान का इंजिन व 	सं ख् यांक						
5. भोटर यान का चैसिस	संबंधीक						
 मोटर यान का परिमट 							
7. परमिट जारी करने वा र		ाम					
 परमिट की समाप्ति की 							
. मोटर यान का सकल य							
). मोटर यान का लदान 1. पर्यटक यान की दणा रे	-						
1. पगटक थान का दशा - 2. प्राधिकार पत्न की थिधि			÷-	7 7.D -			
८ आध्यकार पद्म का पाय	मान्यताका भवाब			.—- (1 d)			
						परिवहन प्राधिकार ग्रौर पदाभिधान	
		सम्मिश्र	फीस के मंदाय क	त प्रभाणपत्न	1		
न उस राज्यों के नाम जिनके जिल्हा संदाय किया गया		संख्यांक भीर तारीख			लिए संबत्त किया		हस्ताक्षर भीर
t		भीर बैंक का नाम			गया है		मुद्रा
2	3	4	5	6	7	8	9
						~ ~~ ~~~~	

प्ररूप सं० 48 राष्ट्रीय परमिट देन के लिए भावेदन (नियम 86 देखिए)

	-
मया	Ħ

प्रावेशिक/राज्य	परियहन	प्राधिकारी
A14141010101	11: 142	AII A DI VI

- 1 भावेदक (भावेदको) का पूरा नाम
- 🙁 त्राविषक की हैसियत, क्या वह व्यष्टि, कमानी या भागीवारी फर्म, सहकारी मोसाइटी मादि है
- 3 पिता या पित का नाम (क्यप्टि की दशा में) भीर कंपनी या फर्म की दला में, यथास्थिति, प्रबंध भागी-दार या प्रबंध निदेशक की रिजस्ट्रीकरण संख्यांक
- 4 पूरा पता (व्यष्टियो को वशा मे) राशन कार्ड, विश्वुत बिल धार्वि की धनुप्रमाणित प्रति द्वारा या राज्य परिवहन प्राधिकारी/प्रावेशिक परिवहन प्राधिकारी के सामाधानप्रव रूप मे किसी प्रत्य विधिमान्य वस्तावेजी सबूत द्वारा धौर कंपनी या फर्म की वशा में, यथास्थिति, सगन ज्ञापन या भागीवारी विलेख की धनु-भमाणित प्रति द्वारा समर्थित किया जाना वाहिए)
- 5 (क) नया भावेदक स्वयं यान चलामा चाहुना है
 - (मा) (1) यदि हा तो क्या प्रावेधक के पास भारी माल यान चालन प्रमुक्ताप्त है।
 - (2) चालन प्रनुशप्त का संख्यांक, तारील भौर विधिमान्यता की भवधि।
 - (3) श्रनुशप्ति प्राधिकारी का नाम भौर पता।
- प्रथम रिजस्ट्रीकरण की तारीख, सिंहन रिजस्ट्रीकरण प्रमाणपत्न, बीमा प्रमाणपत्न ।
- 7. किसी विशेष यान की बाबत कोई झन्य परिमट धारित किया हुआ है तो उसका व्यारा।
- धानेदक द्वारा पहले से ही धारित राष्ट्रीय पर्रामट की सख्या का भ्यौरा।
- 9 यान का टाइप, क्या वह दो धुरी वाला ट्रक या मंलग्न यान या बहुक्षुरी वाला यान या ट्रक-ट्रेलर संयोजन है।
- 10 मोटर यान का मैक
- 11 प्रार्वेग्क (घाष्ट्रेयको) द्वारः धारित किए हुए यान/परिमट को बाबत गत तीन वर्षों के दौरान दोषसिद्धि। निराधन/रद्दकरण, कोई हो, की विशिष्टियां।
- 12 मैं/हम इसके साथ यान का रिजस्ट्रीकरण प्रमाणप्रक्ष भेज रहा हूं/भेज रहे हैं या मै/हम पर्शमट दिए जाने से पहले यान का र्राजस्ट्रीकरण प्रमाणपत्र प्रस्तुत कर बगा/कर देंगे।
- 14. मैने हमने ----- रिपा है।

तारीखः:

भावेवक के हस्ताक्षर या श्रंपूठे की छाप

प्ररूप 49

(नियम 89 देखिए)

त्रैमासिक विवरणी

- । राष्ट्रीय परमिट धारक का माम ग्रौर पूरा पताः
- 2 मोटरयान का रजिस्ट्रीकरण चिन्ह
- राष्ट्रीय परिमट सक्यांक

		के भीतर की गई याह्ना ——— - — याह्ना की कुल दु			
हीना 	राज्य म की गई यात्रा की कृल दूरी	याक्षाका कुल द्		टिप्पणिया 	
(1)	(2)	(3)		(4)	
~ 					
				नारांश्व	
ste					
दिप्पण . ति	यों के नाम लिखे जिन्हें लागू होता हो। टप्पणियो थाल स्तभ में किसी विशेष राज्य य प्राज्ञा कम हुई ।	ारा≇यामे कमया∄	र्याधाः याता का कारणो	श्चार ऐसे भ्रन्थ कारणों का उल्लेख	करे जिल
		प्ररूप मु० 50	ì		
		[नियम १०(३) दी	Marc.]		
		बहुन पन्न			
म म०					
र्जान भरमित भा	रह का राम भीर परा ============			न। रीर	¥,
	रक्ष का नाम भ्रीर पता	, and the particular particular particular particular particular particular particular particular particular p		ना रीर	¥,
टरयान की रजि	स्ट्रीकरण मध्या			नारीर तारी श्व ं	. , , , ,
टरयान की रजि :एक का नाम –	स्ट्रीकरण मध्या				· · · · · · · · · · · · · · · · · · ·
टरयान की रजि एक का नाम ~ रेपिती का नाम	स्ट्रीकरण मख्या				design and and and and and
टरयान की रजि एक का नाम ~ रेषिती का नाम परिभक्ष स्थान -	स्ट्रीकरण मख्या				***************************************
टरयान की र्राज एक का नाम रिषिती का नाम रिस्भिक स्थान सब्य स्थान	स्ट्रीकरण मस्या			तारीश्वा	**************************************
टरयान की रजि एक का नाम ~ रेषिती का नाम परिभक्ष स्थान -	स्ट्रीकरण मख्या	 - - - संदल्त भाड़ा प्रभार	सेवेस्व भाष्ट्रा प्रभार		***************************************
टरयान की र्राज एक का नाम रिषिती का नाम रिस्भिक स्थान सब्य स्थान	स्ट्रीकरण मस्या	- - - र्यदस भाड़ा प्रभार		तारीश्वा	**************************************
टरयान की र्राज एक का नाम रिषिती का नाम रिस्भिक स्थान सब्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख थोग	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख योग बिल मं० तारीक्ष	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख योग बिल मं० तारी ख प्राप्त किया	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख योग बिल मं० तारी ख प्राप्त किया	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार		तारी ख	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - - - संदस भाड़ा प्रभार	फ्रं० पै०	योग योग बिल मं० तारीख प्राप्त किया पैकेज ट्रक	
टरयान की र्राज रेपक का नाम रेपिती का नाम रिम्भिक स्थान सन्य स्थान	स्ट्रीकरण मख्या	- - संदश भाड़ा प्रभार रु० पै०	फ्रं० पै०	योग योग बिल मं० तारीख प्राप्त किया पैकेज ट्रक	
टरयान की रिज एक का नाम रियती का नाम रस्भिक स्थान क्य स्थान त्तुग्रा की सच्या	स्ट्रीकरण सख्या	- - संदश भाड़ा प्रभार रु० पै०	फ्रं० पै०	योग योग बिल मं० तारीख प्राप्त किया पैकेज ट्रक	
टरयान की रिज रेषक का नाम रेषिती का नाम रिम्भिक स्थान लब्य स्थान तुक्रा की संख्या	स्ट्रीकरण मख्या	- - संदश भाड़ा प्रभार रु० पै०	फ्रं० पै०	योग योग बिल मं० तारीख प्राप्त किया पैकेज ट्रक	

टिप्पण -- बहुन पन्न ऊपर विष् गए प्रोफार्मा में होगा और चार प्रतियों में होगा जिसमें में मूल (सफेंब) मीटर यान में ने जाथा আएगा, दूसरी प्रति (हल्का हुरा) परेपक के लिए होगा, तीसरी प्रति (गुलाकी) परेषिती के लिए होगा खाँर चौथी प्रति (हल्का नीला) राष्ट्रीय परमिट धारक के प्रभिलेख के लिए होगा।

प्रस्तु-51

(नियम 141 देखिए)

की बाबत बीमा प्रमाणपत्र

प्रमाणपत्न सं

- 1 बीमाकृत यान का रिजस्ट्रीकरण चिह्न
- 2. यान का वर्णन
- 3. और विनिर्माण का वर्ष
- इंजन संस्थाक विभिन्न सक्योक
- 5. बहुन **क्षम**ना
- पालिसी धारक का नाम घीर पना
- 7. बीमा के प्रारंभ की प्रभावी सारीख और समय
- बीमा की समाप्ति की तारीख
- अताने के लिए हकदार क्यांक्न या व्यक्ति वर्ग म जिली गाड़ी ठेला गाड़ी प्राप्टवेट सेवा यान

माल बाहन

गैर-परिवहन याम।

10. प्रयोग के शिए परिसीमाएं---मंजिली गाईं।/ ठेका गाईं।/ माल बाहन। पालिसी धारक सहित कोई व्यक्ति।

परन्तु यह सब जबकि चलाने याला व्यक्ति, दुर्घटना के समय प्रभाकी, चालन प्रनुकारित धारण करना है ग्रीर ऐसी ग्रनुकारित धारण करने या श्रमिप्राप्त करने के लिए निर्राहत नहीं है:

पालिसी सं.

परतुयह श्रीर कि दुर्घटना के समय किसी प्रभावी शिक्षार्थी श्रनुक्षण्ति का धारक व्यक्ति मी, जब यान का श्रावियों के परिवहन के लिए प्रयोग न किया जा रहा हो, तब यान का चला सकेंगा ग्रीर ऐसा व्यक्ति केन्द्रीय मोटर यान नियम, 1989 के नियम 3 की अपेक्षाओं को पूरा करता है।

पालिसी धारक सहित काई भ्यक्ति।

परंतु यह तब जन्नकि जलाने भाला ब्यक्ति, दुर्घटना के समय प्रभार्था ज्ञालन प्रमुजीया धारण करता है प्रौर ऐसी प्रमुजयिस धारण करता था प्रभिप्राप्त करने के लिए सिरोहिंग नहीं है:

परन्तु यह भीर कि दुनेटमा के समय किना प्रमाणी मिलाणी मनुभाव का पारक व्यक्ति मी, जब यान का माण के परिवहन का निए प्रयोग त किया जा रहा हो तब यान का चला सक्तमा भीर ऐसा व्यक्ति, केन्सीय मोटर यान नियस, 1989 के नियम 3 की क्षपेक्षाओं का पूराकरना है।

पालिसी धारक सहित काई व्यक्ति।

परन्तु यह तम जब कि चलाने माला व्यक्ति दुर्घटना के समय प्रमानी चालने अनुक्राप्ति द्यारण करता है और ऐसी अनुक्राप्ति द्यारण करने अ असिपाप्त करने के लिए निरिहित नहीं है:

परंतु यह श्रीर कि दुर्घटन। के समय किसी प्रभावी शिक्षार्थी श्रनुजाध्तिका धारक व्यक्ति, केम्ब्रीय मोटर यान नियम, 1959 के नियम .. को श्रवेक्षाओं को पुराकरता है।

पालिसी के घंनगंत मोटर यान

प्रावितियम, 1988 के व्यर्थ में परिसट मथवा मोटर यान प्रवितियम, 1988 की घरित 66 की उपधारित (3) के प्रतिर्गत प्राप्त वालों ऐसी गाड़ी के रूप में प्रयोग में आने हैं।

पालिमी की अपनेय निम्नलिखित की लिए प्रकीय नहीं ध्रांत है .

- ু(ফ) सर्याजिन रेमिन, या
- (का) गति परीक्षण

4	THE GAZETTE OF	INDIA: EXTRAORDINARY	[PART]I—SEC. 3(i
====	 शहरेट नेत्रा यान ग्रीर गैर परिवृत्त यान 		—————————————————————————————————————
		(क) भाडायापारिश्रमिक	
		(ख) संयाजिन रेभिंग, या	
		(ग) गतिपरीक्षण ।	
10 t	हम प्रमाणित करते हैं कि यह पालिसी जिससे यह प्रमाणपन्न र (1 प्रघ्याय 11 के उपबंघा के श्रनुसार जारी किया जाता है।	संबंधित है भीर साथ हा यह वाना प्रसाणपत्र मोटर	धानं श्रधिनियम्, 1988 के श्र श्याय
			प्राधिकृत सत्तकारी
		प्ररूप-उ.	
		[(नयम 142 (1) दे बि ए]	
		क वर नोट	
	। र्वामाश्चन थान कारशिस्ट्रीकरण चिह्न और संख्यांक या वर्णन	1	
	⊋. पालिसी घार क का नाम भी र पता		
	.उ. इस अजिनियम के प्रयोजन के लिए बंग्मा के प्रारम्य की प्रसानी	त्तरिख भी र कपम	
	া, बीमा की समाध्ति की तारीख		
	 খবান को লিছে ह्रकदार व्यक्ति या व्यक्ति सर्गे 		
	 मोट स्यान क्रेप्रयोग पर निर्मेषन 		
	इस अवर नोट की विधिमान्यना की ग्रवधि	~= को सभारत होगी	Ť I
	मै/हम घाषणा करता हूं/करते है कि यह कथर नोट, माटर	बान ग्रिधिनियम, 1988 के अध्याय 11 के अपवंत्री	के अनुमार जारा किया गया है।
			(प्राधिकृत वामाकर्ता)
		पक्ष- ६उ	
		[नियम । 4६ (1) वेखिए]	
	प्रमाणित किया जाता है कि निम्नलिखित वर्ग के मोटर धात -		
	(क) √किस्ट्रेक्परणंस क्ष्याक		
	(खः) मेंक		
	(ग) बर्ग, भ्रथान्, माटर साइकिल, मोटर कार, मजिले गाई	ो, माक्ष यान, टेका गाई। या घन्य अर्ग (जो उल्लिक्डि	त किया जाना है)
	(घ) बाड़ी का रग,		
	निम्नलिखत की सपत्ति हैं		
	(1)	(
	(ii) स्यानीय प्राधिकारी/राज्य परिवहन उपलस, शर्थात्		
	जिसके यान की		
	मपन भादेण सं०	तारीख	

थह प्रमाणपत्न, यदि इसी वीरान रह नहीं किया जाता है तां-------------------------------- विधिमान्य है।

----- की श्रीर से हस्ताकारित पदाभिधान

प्रस्प सं. 54

[नियम 150(1) और (2) देखिए] इपेंटना सुचना रिपोर्ट

- । पुलिस धाने का नाम
- ं मी पार मा/देकिक दुर्घटना विपोर्ट
- 3 द्षेटना की सारीता, मभय श्रीण क्याग
- 4. भतिग्रस्त/मृतक का नाम भौर पूरा पता
- 5. उस भ्रम्पताल का नाम जिसमें उसकी ने भाया गया था।
- यान की रिजिस्ट्रीनारण संख्या और यान का प्रकार
- 7. फालन भन्जलि की विशिष्टियां
- ँ (क) चालक का नाम **मी**र पता
 - (ख) चालन प्रतृक्तिन संख्या और समाप्ति की सारीख
 - (ग) जारोकर्ना प्राधिकारी का पना
- 8 यात के स्वामी का नाम और पना जैसा कि वह दुर्वेटना की नारोख को है
- उस बीमा रूपनी का नाम और पता,
 जहाँ पर नाम बोमाकृत या और उक्त बीमा कंपनी का मंडलीय अधिकारी
- 10 बोमा पालिमी/बीमा प्रमाणपत्र की संख्या भीर बोमा पालिसी/बीमा प्रमाणपत्र की विधिमान्धता की तारीख
- 11 यान का रिजिस्ट्रीकरण विणिष्टियां
 - (क) ^रजिस्ट्रीकरण सं.
 - (ख) इंजन सं.
 - (ग) चे सिम सं.
- 12. श्रामं परिषट विशिष्टियां
- 13. की गई कार्रवाई, यदि कीई है, और उसका परिणास

प्रकृष सं. 55

[नियम 160(1) देखिण]

विवेशी क्रोमाकर्ता के धनुगोवन के लिए प्रावेदन

में/हम, केन्द्रीय मोटर यान नियम, 1999 के नियम 159 के प्रद्रीन रुपी गई प्रन्मोदिन युची में

(विवेशी बीमाकर्ताका माम) जी

में गठिम/निगमिन/भिविशासी है, सिम्मिलित करने श्रीर अपना नाम मीटर थान श्रीधिनियम, 1988 के श्रष्टवाय 11 और असत नियमों के प्रयोजनों के लिए अनत (विवेशी बीमाकर्ता का नाम) के प्रत्याम् निवाता के रूप में सिम्मिलित करने के लिए आनेवन करना हूं/करने हैं। कैं/तिम प्रमाणिन करना हूं/करने हैं कि मैंने/हमने अनत श्रीधिनियम श्रीर उक्त नियमों के प्रयोजनों के लिए अनत विवेशी बीमाकर्ता के साथ एक ठहराव कर लिया है और मैं/हम इसके हारा अस अधिनियम, श्रीर उक्त नियमों के प्रयोजनों के लिए अनत विवेशी बीमाकर्ता की बाबत भारत में प्रत्याम् निवाता के रूप में गार्ग करने के लिए सहस्रविहें।

भाराज

प्राधिकृत कीमाकती के

हरनाक्षर ----

पना

प्रक्षासं, 5G

[सियम 160(3) देखिए]

प्रत्याभूतिदाना के रूप में बार्य करने की समाध्नि की सूचना

यह मूचना दी जाती है कि मैं/हम, मोटर, यान प्रश्नितियम, 1988 के प्रष्ट्याय 11 और केन्द्रीय मोटर यान नियम, 1989 के प्रयोजनी के लिए,——— के पश्चात् या उस सारील में जिसको यह मूचना केन्द्रीय सरकार को परिव्रच की जानी है, दो सार की समाप्ति से, इनमें से जो भी पश्चानवर्नी हो. (विदेणी बीमा अर्गी का नाम)

(जिसेणी भीमाकर्ता का पना) के भारत में प्रत्याभृतिवाना के रूप में कार्यन करने की बांछा घरना हं/करने हैं।

(प्राधिकृत बीमाकती)

प्रस्पसं. 57

[नियम 150(v) और नियम 161(1) देखिए]

थियेशी बीमा के लिए प्रमाण पक्र

नियम:

प्रमाणण्त्रं गं ----- - - --- पालिमी सं.

(वैकस्पिक)

- 1. अनुमोदिन बीमा कर्ता का नाम और पना
- प्रत्याभृति दाना का नाम और पणा
- 3. मोटर यान का राजस्ट्रीकरण चिक्क और संख्याक
- 4 परिवर्शक का नाम और पना
- 5. पालिमी की प्रारम्भ की नारीख
- 6. पालिसी की समाप्ति की नारीख
- 7. भारत के चालन के हकचार व्यक्ति या व्यक्तियों का वर्ग
- भारत में मोटर यान के प्रयोग पर कोई निबंधन
- 9, किसी प्रस्य यान (यानों) की विभिष्टियाँ विदेशी परिवर्शक भारत में चलाने का हकदार है और भारतीय के

ऐसे यान के प्रयोग पर निबंधन

मैं/हम प्रमाणित करता ह्र/करते हैं कि विदेशी बीमें का यह प्रमाणियत्र मोटर यान प्रक्षिनियम, 1988 के व्यव्याय 11 और केन्द्रीय मोटर यान नियम, 1989 के उपबन्धों के प्रनुसार जारी किया गया है।

(अनुमोदिय विवेश भीमाकर्ता)

प्रका ५८

[नियम 161(2) देखिए]

बिवेणी बीमा प्रभाणपस्न का पुष्ठांकन

प्रमाणित किया जाता है कि मैंने इस विदेणी बीमा प्रमाणपत्न की परीक्षा कर नी है और यह कि मेरा यह समाधान हो गया है कि यह प्रमाणपत्न भोटर यान प्रक्रितियम, 1988 के अध्याय 11 और केन्द्रीय मोटर यान नियम, 1989 की अपेक्षाओं को पूरा करता है।

इस पृष्टांकत की विधिमान्यणा, यदि मोटर यान प्रधिनियम, 1988 और उसके प्रधीम बनाए गए नियमों के उपबन्धों के प्रानुसार उसकी विधिमान्यना की प्रविधि की समाप्ति के पूर्व रह नहीं किया जाना है तो, नारीखा को समाप्त होगी।

नारीख

(सक्षम प्राधिकारी के हस्ताक्षर सथा पदाभिधान)

इस पृष्ठोकन की श्रवधि का यदि इसी दौरान रह महीं किया जाना है तो

দদ

नक

শক

मधीकरण भिया जाता है।

'(मक्षम प्राधिकारी के हम्नाक्षर तथा पदाभिधान)

उपाबस्म । (नियम 115(2) देखिए)

पैट्रोल से चलने वाले यानों के लिए ब्रश्यमान उत्पर्जन स्नर

। टाउप १	प्रनुमोदन	परीक्षण	:
----------	-----------	---------	---

•		7,,,,	1 (14)		
	दो श्रीर	नीन	पहिए	वाले	यान '

निर्देण द्रव्यमान, भ्रार. (कि. ग्रा.)	- — मीस्रो (ग्रा/किग्रा)	 एचसी (ग्रा/किग्रा)
प्रार ≤ 150	12	8
∙ 150<मार ⊴ 350	18(बार—150) 12+	4(घार —150) 8+
ग्रा ^र > 3 5 0	200 30	200

हल्के कार्य यान

निर्देग द्रव्यमान, धार डब्क्यू (किग्रा)	मोग्रो (ग्रा/किया)	एचसी/ग्रा∤किया)	
धारः उदल्य ≤ 1020	14 3	2 0	
1020< भार ङ ब्ल्यृ ≾ 1250	16.5	2.1	
1250 < प्रारंशकन्यु ≤ 1470	18.8	2.1	
1470 < घ.रडाम्प < 1700	20.7	2.3	
1700< ग्रार ङलू ⊴ 1930	22,9	2,5	
1930<भारङब्लु ≦ 2150	24.9	2.7	
घारखन् < 2150	27,1	2.9	

उत्पादन परीक्षणो **की** प्रनुरूपमा.

दो धीर तीन पहिए वाले यानः

निर्देश द्रथ्यमान, श्रार (किग्रा)	सोम्रो (ग्रा/किया)	 एचमी (ग्रा/किग्रा)
म्रार ⊴ 150	15	10
150<ऋार ≤ 350	2.5(阿マー150) 15十一	5(知7150)
घार> 350	200 40	200 15

हत्के कार्ययान

निर्देण द्रायमान, भारडब्ल् (किग्रा)	मीघो (ग्रा/किया)	एचसी (ग्रा/किग्रा)	
-totalenes (-totalenes etc.) (totalenes (-totalenes etc.)			
भार ड ाल् < 1020	17 3	2.7	
1020 ≦ श्रारहब्यु ≰ 1250	19.7	2.7	
1250 🗲 घारउब्नु ≤ 1970	22.5	2.8	
1470≦ भारडब्यु ≤ 1700	24.9	3.0	
1700मारड ≤ ब्यु ≤ 1930	27.6	3 3	
1930 ≰ घारउङ्ग् ≰ 2150	29.9	3,5	
ग्रारडक्ल् > 2150	32,6	3.7	

उत्तर निर्दिष्ट किसी प्रदूषक के लिए, श्रक्षिप्राप्त तीन परिणामों में से केवल एक, यात के लिए विनिर्दिष्ट ऐसी सीमा से प्रधिक हो सकेगा जो 10 प्रतिशत में प्रक्रिक नहीं होगी।

[स्पष्टीकरण--द्रव्यमान उत्सर्जन स्तर, यान के प्रति किलोमीटर चलने से उत्सर्जित प्रदूषकों के ग्राम के प्रति निर्वेश है जो भारतीय चालन साइकिल का प्रयोग करके देनिस डाइनोमीटर गरीक्षण द्वारा ग्रवधारित किया जाए।]

उपाबन्ध - 2

(नियम 115(3) वेखिए)

परीक्षण के लिए प्रयुक्त प्रचालन साइकिल का क्रेकडाउन

प्रचाल	न की स .	न्यः (मि/से 	रण 2)	गति (किमी/ध [ा])	प्रत्येक प्रचालन की श्रवधि	ग्राचित संस्थ
01	म्राहडलिग	limportera in in to 4 å in a sampans ∰ er (m der en varr			16	16
02	स्वरण	0	65	0 14	6	22
0.3	त्वरण	0	56	1-22	4	26
04	मंदन	- 0	63	22-13	4	30
0 5	स्थायी गति			13	2	32
0.6	स्बरण	0	56	1 7-23	5	37
07	स्वरण	0	44	23-31	5	4.2
08	मदन	-0	56	3125	3	45
09	स्थायी गति			25	4	49
10.	म दन	~ 0	56	25-21	2	51
11	त्वरण	0	45	21-34	8	59
12	त्वरण	0	32	34-42	7	66
1 3.	मंदन	- 0	46	4.2- 3.7	3	69
14.	स्थायी गनि			37	7	76
15.	मंदन	- 0	42	87-31	2	78
16	स्बरण	0	32	34-42	7	8 5
17.	मयम	-0	4 G	42-27	9	94
18.	मदन	- 0	52	27-14	7	101
19	भवन	- 0	56	14-00	7	108

उपाबन्ध-- 3

[नियम 115(3) देखिए]

टाइप और उत्पादन धनुरूपना परीक्षणों के लिए निर्देश ईंधन

 कम	— - स , विशिष्टयां	- — ——————————————————————————————————		 परीक्षण पद्धानि	
		87 भ्राक्टेन	93 भारतन	(निर्देण पी : या भा मा. 1448*)	
•	1 2	3	4	5	
1.		 नारंगी	साल		
2	50° से पर 3 घटे के लिए ताम्र-पट्टी संक्षारण	स. 1 से खाराब न	र्हा	र्पाः 15(1968)	
3	ा 5° से . पर घनत्व	र्सामित नही किन्तु	रिपार्ट किया जाना है	पी. 16(1967)	
4.	प्रासबनः				
	(क) प्रारम्भिक नवथनाक	मोमित नहीं किल्तु रि	पोर्ट किया जाना है।	पी: 18(1967) }	
	(ख) 20° सं तक उपलब्धि परिमाण के श्रनुसार प्रतिशत न्यूनतम	10	10		
	(ग) 125° से. तक उपलब्धि परिमाण के मनुसार प्रतिशत, न्यूनतम	50	50		
	(घ) 130° सें. तक उपलब्धि परिमाण के भ्रनुसार प्रतिशत, स्यूनतम	90	90		
	(ङ) ग्रंतिम क्वथनाक, भ्रधिकतम	215° सें	215°सें.		
	(च) श्रव्रशिष्ट परिमाण के अनुसार प्रतिशत, ग्रधिकतम	2	2		
5.	म्राक्टेन सक्या (भ्रनुसधान पद्धति), भ्रधिकतम	87	94	पी: 27(1960)	
6	उपापचयन स्थिरता, मिनटो मे, न्यूनतम	360	360	पी. 28(1966)	
7	वाष्पन पर श्रवणिष्ट मिग्रा/100 मिली, श्रिषकृतम	4 0	4.0	पीः 29 (1960) एयर-जेट विसायक (धावन)	
8.	गंधक, कुल, भार के अनुसार प्रतिशत प्रधिक,तम	0,25	0.20	पीः 34(1966) 🛔	
9	गीसा श्रन्तर्वस्सु (जैसे पीवी), जी/1 ग्रधिकतम	0.56	0.80	पी. 37(1967) या पी. 38(1967)	
1 0	30°से. पर रोड बाष्य दाव, के जीएफ/ सी.एस ² ग्रधिकथम	0.70	0.70	पी: 39(1967) ं	

^{*}पैट्रोलियम भ्रौर उसके उत्पादों के लिए परीक्षण प्रविति।

उपाबम्ध--- 4

[नियम 115(4) देते. र

र्डाजल से चलने वाले यानों के लिए लागू एक्जास्ट गैस प्रपार्थना के सीमामूल्य

स्थाया गति पर इंजन परीक्षण

सामास्य प्रवाह् गे (१/एस)	भ्रवशोषण गुणांकः के (एम-1)	मामान्य प्रवाह जी (1/एम)	प्रव शोष ण गृणाक के (एम−1)	
< 43	2 00	120	1.20	
45	1.91	125	1.17	
50	1.82	130	1 15	
55	1.75	1 3 5	1.13	
60	1.68	140	1.11	
65	1.61	145	1.09	
70	1.56	150	1.07	
7 5	1.50	155	1.05	
80	1.46	160	1.04	
85	1.41	165	1.02	
90	1.38	170	1 01	
95	1.34	175	00.1	
100	1.31	180	0.99	
105	1.27	185	0.97	
110	1,25	190	0 98	
115	1.22	195	0,95	
		> 00	0.93	

उपायन्ध--- 5

[नियम 132(८) देविए]

परिवहन धापात कार्ड (सड़क)

कार्यो— **ख**तरनाक श्रीर परिमंकटमय माल की रासायनिक पहुचान उल्लिखन करें

परिसंकट की प्रकृति—

सरक्षा युक्ति---

बापात कार्रवाई---

पुलिस और श्रग्निशमन दल को तुरस्त सुचित करे

स्पाइनेज---

ग्रग्नि——

ायमिक उपवार---

विभिन्नीता या प्रेषक द्वारा दी गई म्रतिरिक्त आनकारी टेलीफोन

MINISTRY OF SURFACE TRANSPORT

(Transport Wing)

NOTIFICATION

New Delhi, the 2nd June, 1989

G.S.R. 590(E).—Whereas the draft of the Central Motor Vehicles Rules, 1989 was published as required by sub-section (1) of section 212 of the Motor Venicles Act, 1988 (59 of 1988) in the Gazette of India, Extraordinary, Part-II, Section 3 dated the 31st January, 1989 with the notification of the Government of India in the Ministry of Surface Transport, No. GSR. o8(E), dated the 31st January, 1989, inviting objections and suggestions from all persons likely to be affected thereby before the expiry of 45 days from the date on which the copies of the said notification, as published in Gazette of India are made available to the public:

And whereas, copies of the said notification were made available to the public on the 31d March, 1989;

And, whereas the objections and suggestions received on the said draft rules have been considered by the Central Government;

Now, therefore, in exercise of the powers conferred by sections 12, 27, 64, sub-section (14) or section 88, Sections 110, 137, 164 and 208 read with section 211 of the said Act, the Central Government hereby makes the following rules, namely:—

The Central Motor Vehicles Rules, 1989

CHAPTER 1

Preliminary

- Short title and commencement.—(1) These rules may be called the Central Motor Vehicles Rules, 1989.
 - (2) Save as otherwise provided in sub-rule (3), these rules, shall come into force on the 1st day of July, 1989.
 - (3) The provisions of sub-rule (3) of rule 16, sub-rule (4) of rule 96, sub-rule (3) of rule 105, sub-rule (2), (3), (4) or (5) of rule 115 rules 118, 122, 124, 125, 126 and 27 shall come into force on such date as the Central Government may, by notification in the Official Gazette, appoint.
- 2. Definitions.—In these rules, unless the context otherwise requires,
 - (a) "Act" means the Motor Vehicles Act, 1988 (59 of 1988);
 - (b) "Form" means a Form appended to these rules
 - (c) "section" means a section of the Act;

- (d) "trade certificate" means a certificate issued by the registering authority under rule 35;
- (e) "non-transport venicle" means a motor vehicle which is not a transport vehicle.

CHAPTER II

LICENSING OF DRIVERS OF MOTOR VEHICLES GENERAL

- 3. General.—The provision, of sub-section (1) of section 3 shall not apply to a person while receiving instructions or gaining experience in driving with the object of presenting hime. If for a test of competence to drive, so long as—
 - (a) such person is the holder of an effective learner's because usued to him in Form 3 to drive the vehicle;
 - (b) such person is accompanied by an instructor holding an effective driving licenice to drive the vehicle and such instructor is sitting in such a position to control or stop the vehicle; and
 - (c) there is painted, in the front and the rear of the vehicle or on a plate or card affixed to the front and the rear, the Letter "L" in red on a white background as under —

Note.— The painting on the vehicle or on the plate or card shall not be less than 18 centimeteres square and the letter "L" shall not be less than 10 centimetres high, 2 centimetres thick and 9 centimetres wide at the bottom:

Provided that a person while receiving instructions or gaining experience in driving a motor cycle (with or without a side-car attached) shall not carry any other person on the motor cycle except for the purpose and in the manner referred to in clause (b).

4. Evidence as to the correctners of address and age.—Every applicant for the issue of a licence under this Chapter shall produce as evidence of his address and age, any one or more of the following documents in original or relevant extracts thereof duly attested by a Gazetted Officer of the Central Government or of a State Government or

an officer of a local body who is equivalent in rank of a gazetted officer of the Government, namely '—

- (1) Ration Card,
- (2) Electoral roll,
- (3) Life insurance policy
- (4) Passport.
- (5) Electricity or telephone bill,
- (6) Pay slip issued by any office of the Central Government or a State Government or a local body,
- (7) House tax receipt,
- (8) School certificate,
- (9) Birth certificate:

Provided that where the applicant is not able to produce any of the above mentioned documents, the licensing authority may accept any such documents relating to parents of the applicant or any other document as evidence of age and address.

- 5. Medical certificate.—Every application for the issue of a learner's licence or a driving licence, or for making addition of another class or description of motor vehicle to a driving licence, or for renewal of a learner licence or a driving licence, shall be accompanied by a medical certificate in Form 1 issued by a registered medical practitioner referred to in sub-section (3) of section 8
- 6. Exemption from production of medical certificate.—Any person who has, after the date of commencement of these rules, produce a medical certificate in connection with the obtaining of a learner's licence or a driving licence, whether for initial insurance or for renewal thereof, or for addition of another class of motor vehicles to his driving licence, shall not be required to produce a medical certificate except where the application is made for the renewal of a driving licen ce.
- 7. Affixing of photograph to medical certificate.—A photograph of the applicant shall be affixed at the appropriate place shown in Form I and the registered medical practitioner shall allix his signature and seal to the said photograph in such a manuer that the signature and the seal appear partly on the photograph and partly on the form of the medical certificate:

Provided that the licensing authority shall refuse to accept a medical certificate if it is granted more than thirsty days prior to the date of presentation of the application to the licensing authority.

8. Minimum educational qualification for driving transport vehicles.—The minimum educational qualification in respect of an applicant for obtaining a licence to drive a transport vehicle (other

than tractor-cum-trailer) shall be a pass in the fourth standard:

Provided that the minimum educational qualification specified in this rule shall not apply in the case of —

- (i) renewal of a driving licence to drive a transport vehicle; or
- (ii) addition of another class of transport vehicle to the driving licence;

already held before the commencement of these rules.

9. Educational qualifications for driving goods sarriage carrying dangerous goods.—Any person drinving a goods carriage carrying goods of dangerous or hazardous nature to human life shall, in addition to being the holder of a driving licence to drive a transport vehicle, also possess a minimum educational qualification of a pass in the tenth standard.

Learner's Licence

- 10. Application for learner's licence.—An application for the grant or renewal of a learner's licence shall be made in Form 2 and shall be accompanied by .—
 - (a) save as otherwise provided in rule 6, a medical certificate in Form 1,
 - (b) three copies of the applicant's recent photograph of the size of five centimatres by six centimetres,
 - (c) appropriate fee as specified in rule 32,
 - (d) in the case of an application for medium goods vehicle, a medium passenger motor vehicle, a heavy goods vehicle, or a heav passenger motor vehicle the driving licence held by the applicant.

Preliminary test.—(1) Save as otherwise provided in sub-rule (2), every applicant for a learner's licence shall present himself before the licensing authority or such date, place and time as the licensing authority may appoint, for a test and satisfy such authority that the applicant possesses adequate knowledge and understanding of the following matters, namely:—

- (a) the traffic signs, traffic signals and the rules of the road regulations made under section 118;
- (b) the duties of a driver when his vehicle is involved in an accident resulting in the death or bedily injury of a person or damage to property of a third party;
- (c) the precautions to be taken while passing an unmanned railway crossing; and
- (d) the documents he should carry with him while driving a motor vehicle.

- (2) Nothing contained in sub-rule (1) shall apply to the following class of applicants, namely:---
 - (a) the holder of an effective driving licence,

- (b) the holder of a driving lieence which has expired but five years have not elapassed,
 - (d) the holder of a learner's licence issued or received after the commencement of these rules.
- 12. Consent of parent or guardian. In the case of application by miner.—In the case of an application for a learner's licence to drive a motor cycle without gear by an applicant under the proviso to sub-section (1) of section 4, the application shall be signed by the parent or guardian of the applicant.
- 13. Form of learner's licence.—Every learner's licence issued by the licensing authority shall be in Form 3.

Driving Licence

- 14. Application for a driving licence.—An application for a driving licence shall be made in Form 4 and shall be accompanied by.—
 - (a) an effective learner's licence to drvie the vehicle of the type of which the application relates;
 - (b) appropriate fee as specified in rule 32, for the test of competence to drive and issue of licence:
 - (c) three copies of the applicant's recent photograph of the size of five centimetres by six centimetres;
 - (d) save as otherwise provided in rule 6 a medical certificate in Form 1;
 - (e) a driving certificate in Form 5 issued by the school or establishment from where the applicant received instruction, if any.
- 15. Driving test.—(1) No person shall appear for the test of competence to drive unless he has held a learner's licence for a period of at least six weeks.
- (2) The test of competence to drive referred to in sub-section (3) of section 9 shall be conducted by the licensing authority or such other person as may be authorised in this behalf by the State Government in a vehicle of the type to which the application relates.
- (3) The applicant shall satisfy the person conducting the test that he is able to-
 - (a) adjust rear view mirror;
 - take suitable precautions before starting the engine;
 - (c) move away safely and smoothly straight ahead at an angle, while at the same time engaging all gears until the top gear is reached;

- (d) to change to the lower gears quickly from the top gear when the traffic conditions warrant such change;
- (e) change quickly to lower geats when driving down hill;
- (f) stop and re-start the vehicle on a steep upward incline making proper use of the hand brake or of the throttle and the foot brake without any rolling back, turn right and left corners correctly and make proper use of rear view mirror before signalling;
- (g) overtake, allow to be overtaken, meet or cover the path of other vehicles safely and take an appropriate course of the road with proper caution giving appropriate signals;
- (h) give appropriate traffic signals at appropriate time, in clear and unmistakable manner by hand or by electrical indicators fitted to the vehicle;
- (i) change the lanes with proper signals and with due care;
- (j) stop the vehicle in an emergency and otherwise, and in the latter case, bring it to rest at an appropriate course on the road safely, giving appropriate signals;
- (k) in the case of vehicle having a reverse gear, driving the vehicle backwards, reverse it into a limited opening either to the right or left under control and with reasonable accuracy;
- cause the vehicle to face in the opposite direction by means of forward and reverse gears;
- (m) take correct and prompt action on the signals given by traffic signs, traffic lights, traffic controllers, policemen and take appropriate action on signs given by other road users;
- (n) act correctly at pedestrian crossings, which is not regulated by traffic light of traffic police, by giving preference to persons crossing the road;
- (o) keep well to the left in normal driving;
- (p) regulate speed to suit varying road and traffic conditions;
- (q) demonstrate general control of the vehicle by confident steering and smooth gear changing and braking as and when necessary;
- (r) make proper use of the rear view mirror before signalling, beginning manouvering, moving away, altering the course to overtake, turning right or stopping;
- use proper side when driving straight, turning right, turning left and at junction of the road;
- (t) make proper use of accelerator, clutch, gears, brakes (hand and foot) steering and horn;

- (u) anticipate the actions of pedestrians, drivers of other vehicles and cyclists;
- (v) take precaution at cross roads and on road junctions with regard to:
 - (i) adjustment of speed on approach,
 - (ii) proper use of rear view mirror,
- (iii) correct positioning of the vehicle before and after turning to the right or left,
- (jv) avoidance of cutting right hand corners,
- (v) looking right, left and right again before crossing or emerging,
- (w) concentrate in driving without his attention being distracted and to demonstrate the presence of mind;
- (x) show courtesy and consideration for the safety and convenience of other road users, such as pedestrians, drivers of other motor vehicles or cyclists.
- 16. Form of driving licence.—(1) Every driving licence issued or renewed by a licensing authority shall be in Form 6.
- (2) Where the licensing authority has the necessary apparatus, for the issue of a laminated card type driving licence, such card type driving licence shall be in Form 7.
- (3) On and from the date of commencement of this sub-rule, every driving licence issued or renewed by the licensing authority shall be in Form 7.
- 17. Addition to driving licence.—(1) An application for addition of another class or description of motor vehicle to the driving licence shall be made in Form 8 to the licensing authority and shall be accompanied by—
 - (a) an effective learner's licence and driving licence held by the applicant.
 - (b) in the case of an application for addition of a transport vehicle, the driving certificate in Form 5;
 - (c) Evidence of educational qualification as specified in rule 8;
 - (d) appropriate fee as specified in rule 32.
- (2) The provisions of sub-section (1), sub-section (3) and sub-section (4) of section 9 shall, in so far as may be, apply in relation to an application under sub-rule (1) as they apply in relation to an application for the grant of a driving licence
- 18. Renewal of driving licence.—(1) An application for the renewal of a driving licence shall be made in Form 9 to the licensing authority having jurisdiction over the area in which the applicant ordinarily resides or carries on business and shall be accompanied by—
 - (a) appropriate fee as specified in rule 32.

- (b) three copies of the applicant's recent photograph of the size of five contimetres by six contimetres, if renewal is to be made in Form 6.
- (c) the driving licence,
- (d) the medical certificate in Form 1.
- (2) Where the driving licence authorises the holder of such licence to drive a transport vehicle as well as any other vehicle, then the licensing authority shall, subject to the production of medical certificate, nenew such licence for the appropriate period as specified in sub-section (2) of section 14.
- 19. Refund of fee.—Where the licensing authority rejects an application for the renewal of a driving licence under sub-section (4) of section 15, it shall refund half of the fee paid for such renewal to the applicant, on an application made by him in that behalf not later than thirty days from the date of receipt of the order rejecting the application
- 20. Driving licence to drive motor vehicle belonging to the Defence Department.—The authorities for the purpose of sub-section (1) of section 18 shall be—
 - (i) all the officers commanding of Units of Army of and above the rank of Major;
 - (ii) all the officers commanding of units of Navy of and above the rank of Lieutenant Commander:
 - (iii) all the officers commanding of Units of Air Force of and above the rank of Squadron Leader;

Disqualification

- 21. Powers of licensing authority to disqualify.—For the purpose of clause (f) of sub-section (1) of section 19, the commission of the following acts by holder of a driving licence shall constitute nuisance or danger to the public, namely:—
 - (1) Theft of motor vehicle.
 - (2) Assault on passengers.
 - (3) Theft of personal effects of passengers.
 - (4) Theft of goods carried in goods carriages.
 - (5) Transport of goods prohibited under any law.
 - (6) Driver engaging himself in conversation with another person while driving.
 - (7) Abduction of passengers.
 - (8) Carrying overload in goods carriages.
 - (9) Driving at speed exceeding the specified limit.
 - (10) Carrying persons in goods carriage, either inside the dr'ver's cabin in excess of its capacity or on the vehicle, whether for hire or not.
 - (11) Failing to comply with the provisions of Section 134
 - (12) Failure to stop when signalled to do so by any person authorised to do so.

(13) Misbehaviour with and showing discourtesy to passengers intending passengers or consigners and consigness of goods.

- (14) Smoking while driving public service vehicles.
- (15) Abandoning vehicle in a public place causing inconvenience to other road users or to passengers in the vehicle.
- (16) Driving vehicle while under the influence of drink or drugs.
- (17) Interfering with any person mounting or preparing to mount upon any other vehicle.
- (18) Allowing any person to sit or placing things in such a way as to impede the driver from having a clear vision of the road or proper control of the vehicle.
- (19) Not stopping a stage carriage at approved stopping places for a sufficient period of time in a safe and convenient position upon demand or signal of the conductor or any passanger desiring to alight from the vehicle and unless there is no room in the vehicle, upon demand or signal of any person desiring to become a passenger.
- (20) Loitering or unduly delaying any journey and not proceeding to the destination as near as may be in accordance with the time table pertaining to the vehicle, or, where there is no such time table, with all reasonable despatch.
- (21) Not driving a contract carriage, in the absence of a reasonable cause, to the destination named by the hirer by the shortest route.
- (22) The driver of a motor cab not accepting the first offer of hire which may be made to him irrespective of the length of the journey for which such offer is made.
- (23) The driver of a motor cab demanding or extracting any fare in excess to that to which he is legally entitled or refusing to ply motor cab.
- (24) Allowing or causing to allow a transport vehicle to participate in a strike or withdraw such vehicle from the road without adequate reason with a view to causing inconvenience to the public or passengers.

Endorsement in Driving Licence

- 22. Endorsement by courts.—A court convicting a holder of a licence, for any one of the offences specified hereunder shall endorse or cause to be endorsed in the driving licence, the particulars of such conviction, namely:—
 - (a) Driving without a licence, or without a licence which is effective, or without a licence applicable to the vehicle driven (section 3).

- (b) Allowing a licence to be used by another person section 6(2).
- (c) Driving when disqualified (section 23).
- (d) Driving an unregistered vehicle (section 39).
- (e) Driving a transport vehicle not covered by a certificate of fitness (section 56).
- (f) Driving a transport vehicle in contravention of section 66.
- (g) Driving in contravention of rule 118.
- (h) Failure to comply with provision of section 114.
- Refusing failing within specified time to produce licence or certificate of registration (section 130).
- (j) Failing to stop vehicle as required under section 132.
- (k) Obtaining or applying for a licence without giving particulars of endorsement (section 182).
- (l) Driving at excessive speed (section 183).
- (m) Driving dangerously (section 184).
- (n) Driving while under the influence of drink or drugs (section 185)
- (o) Driving when mentally or physically unfit to drive (section 186).
- (p) Abetment of an offence punishable under section 183 or 186.
- (q) Abetment of offence specified in Section 188.
- (r) Taking part in unauthorised race or trial of speed (section 189).
- (s) Using vehicle in unsafe condition (section 190).
- (t) Driving vehicle exceeding permissible limit or weight (Section 194).
- (a) Affecting a licence or using an altered licence.
- (v) An offence punishable with imprisonment in the commission of which a motor vehicle was used.

State Register.

- 23. State Register of driving licences.—(1) Each State Government shall maintain a State Register of driving licences in respect of driving licences issued or renewed by the licensing authorities in the State in Form 10.
- (2) Each State Government shall send to the Director (Transport Research), Ministry of Surface Transport, New Delhi, a printed copy of the register referred to in sub-rule (1).

Driving Schools and Establishments.

24. Driving schools and establishments.—(1) No person shall establish or maintain any driving school

or establishment for imparting instructions for hire or reward in driving motor vehicles without a licence in Form 11 granted by the licensing authority.

(2) An application for the grant or renewal of a licence under sub-rule (1) shall be made in Form 12 or Form 13, as the case may be, to the licensing authority having jurisdiction in the area in which the school or establishment is situated and shall be accompanied by appropriate fee as specified in rule 32.

Explanation.—For the purpose of this rule and rules 25 to 28 "licensing authority" means an officer not below the rank of the Regional Transport Officer of the Motor Vehicles Department established under section 213.

- (3) The licensing authority shall, when considering an application for the grant or renewal of a licence under this rule, have regard to the following matters, namely:—
 - (i) The applicant and the staff working under him are of good moral character and are qualified to give driving instructions.
 - (ii) The premises where the school or establishment is proposed to be conducted is either owned by the applicant or is taken on lease by him or is hired in his name and it has adequate provision for a lecture hall, room for demonstration of models, administrative section, reception room and sanitary block besides adequate parking area for the vehicles meant to be used for imparting instructions in driving:

Provided that in respect of schools or establishments imparting instructions in driving of motor vehicles or matters connected therewith immediately before the commencement of these rules, the licensing authority may permit the conducting of instruction facilities in the same premises where the school or establishment is housed for a period of six months, notwithstanding the fact that the premises do not satisfy conditions laid down in this clause.

- (iii) The financial resources of the proposed school or establishment are sufficient to provide for its continued maintenance;
- (iv) The applicant owns and maintains a minimum of one motor vehicle each of the type in which instruction is imparted in the school or establishment;
- (v) The vehicles are available exclusively for purposes of imparting instruction and all such vehicles, except motor cycles, are fitted with dual control facility to enable the instructor to control or stop the vehicle;
- (vi) The applicant maintains the following apparatus, equipments and other requirements namely:—
 - (a) a black board;
 - (b) a road plan board with necessary model signals and charts;
 - (c) traffic signs chart;

- (d) chart on automatic signals and signals given by traffic controllers where there is no automatic signals;
- (e) a service chart depicting a detailed view of all the components of a motor vehicle;
- (f) engine gear box, rear axle assembly, chassis assembly complete with steering mechanism, suspension and brake shoes and drums of the type of motor vehicle in which instruction is imparted in the school or establishment (except where the applicant desires to impart instruction in the driving of motor cycles only);
- (g) puncture, kit with tyre lever, wheel brace, jack and tyre pressure guage;
- (h) spanners (a set each of fix spanners, box spanners, pliers, screw drivers, screw spanners, and hammer);
- (i) driving instructions manual;
- (j) benches and tables for trainees and work bench;
- (k) complete electrical equipment to demonstrate working of lights, self starter, dynamo cut-out battery and switches;
- a projector with screen and a minimum of ten films for demonstration about road safety;

Provided that where the applicant is unable to maintain a projector and screen, it shall be sufficient if arrangements are made by the applicant for the audio-visual demonstration on road safety by means of pre-recorded video cassettes through television or other similar display equipment;

- (m) a library consisting of books on automobile mechanism, driving, road safety, traffic regulations, laws relating to motor vehicles and related subjects both in English and in the regional languages;
- (n) a fully equipped first aid box use in emergency at the premises;
- (vii) The need for a school or establishment in the particular locality,
- (viii) The applicant or any member of the staff employed by him for imparting instructions possesses the following qualifications, namely:—
 - (a) a minimum educational qualification of a pass in the 10th standard;
 - (b) a minimum driving experience of five years in addition to a certificate in a course in motor mechanics or any other higher qualification in mechanical engineering from an institution established by the Central or a State Government or from an institution recognised by the Board of Technical Education of a State Government;

- (c) through knowledge of traffic signs specified in the Schedule to the Act and the regulations made under section 118;
 - (d) ability to demonstrate and to explain the functions of different components, parts of the vehicles;
 - (e) adequate knowledge of English or the regional language of the region in which the school or establishment is situated.
 - Provided that any person who has served as an Instructor for a period of not less than 5 years immediately before the commencement of these rules, is exempted from the requirements of this subclause.
- (4) The licensing authority may, on receipt of an application under sub-rule (2) and after satisfying that the applicant has complied with the requirements of sub-rule (3), grant or renew a licence in Form 11.
- (5) No application for licence shall be refused by the licensing authority unless the applicant is given an opportunity of being heard and reasons for such refusal are given in writing by the licensing authority.
- 25. Duration of a licence and renewal thereof.—A licence granted in Form 11 shall be in force for a period of five years and may be renewed on an application in Form 13 made to the licensing authority which granted the licence not less than sixty days before the date of its expiry.
- 26. Issue of duplicate licence.—(1) If at any time a licence granted under sub-rule (4) of rule 24 is lost or destroyed the holder of the licence shall forthwith mtimate the loss to the licensing authority which granted the licence and shall apply in writing to the said authority, tor a duplicate.
- (2) On receipt of an application alongwith the appropriate fee as specified in rule 32, the licensing authority shall issue a duplicate licence clearly marked "DUPLICATE".
- (3) If after the issue of a duplicate certificate, the original is found, the same shall be surrendered forthwith to the licensing authority by which it was issued.
- 27. General conditions to be observed by the holder of a licence.—The holder of a licence granted under rule 24 shall:—
 - (a) maintain on an annual basis, a register in Form 14 and an alphabetical list of the names of the students admitted during the year;
 - (b) conduct the training course according to the syllabus specified in rule 31:
 - (c) forward to the licensing authority before whom a trainee has to appear for obtaining a driving licence an extract of entries made in Form 14 in relation to each trainee within seven days of admittance of a student to the school or establishment,

- (d) issue to every student who has completed the course a certificate in Form 5;
- (e) submit to the licensing authorizy which granted the licence such information or return as may be called for by it from time to time for the purposes of this Chapter;
- (f) not shift the school or establishment from the premises mentioned in the licence without the prior approval in writing of the licensing authority, which granted the licence;
- (g) keep the premises of the school or establishment and the record and registers maintained by it at all reasonable times open for inspection by the licensing authority or by any person authorised in this behalf by the licensing authority;
- (h) exhibit in a conspicuous manner on all the motor vehicles used for imparting instructions the name, full address of the school or establishment and the telephone number, if any, in bold letters;
 - (i) maintain a record separately for each trainee showing the number of driving hours spent every day in Form 15;
- (j) display at a prominent place in its office the following:—
 - (i) the licence in original issued to the school or establishment by the licensing authority, and
- (ii) the names and addresses of instructors employed by the school or establishment;
- (k) not act in a manner calculated to mislead any person making an application to receive instructions from the school or establishment as to his ability to procure a licence for such person other than in accordance with these rules or to connive with any person in acts of commission or omission with a view to circumventing the provisions of this Chapter.
- 28. Power of the licensing authority to suspend or revoke licence.—(1) If the licensing authority which granted the licence is satisfied, after giving the acider of the licence an opportunity of being heard, that he has—
 - (a) failed to comply with the requirements specified in sub-rule (3) of rule 24. or
 - (b) failed to maintain the vehicles in which instructions are being imparted in good condition; or
 - (c) failed to adhere to the syllabus specified in rule 31 in imparting instruction, or
 - (d) violated any other provision of rule 27.

it may, for reasons to be recorded in writing, make an order.—

(i) suspending the licence for a specified period;

- (ii) revoking the licence;
- (2) Where the licence is suspended or revoked under sub-rule (1) the licence shall be surrendered to the licensing authority by the holder thereof.
- 29. Appeal.—Any person aggreived by any order of the licensing authority under sub-rule (5) of rule 24, rule 25 or rule 28 may, within thirty days of the date of receipt of such order, appeal to the Head of the Motor Vehicle Department established under section 213.

30. Procedure for appeal.—(1) An appeal under rule 29 shall be preferred in duplicate in the form

- of a memorandum, setting forth the grounds of objections to the order of the licensing authority and shall be accompanied by a certified copy of the order appealed against and appropriate fee as specified in rule 32.
- (2) The appellate authority, after giving an opportunity to the parties to be heard and after such further enquiry, if any, as it may deem necessary, pass appropriate orders.
- 31. Syllabus for imparting instructions in driving of motor vehicles.—(1) The syllabus for imparting instructions in driving of motor vehicles of the schools or establishments shall be as follows:

A. Driving Theory -1

- 1. Know your Vehicle:
- Vehicle control:Foot controls

Hand controls:

Other Controls:

3. Pre-Driving Checks:

Beginning to drive:

- 5. Driving on the road:
- 6. Driving at intersections:
- 7. Manoeuvers

Simple introduction to automobile engines & their working.

Foot Brake: Accelerator, Clutch-Dipper (not in present models).

Steering Wheel, Hand brake, Horn, Light, Wipers, Ignition Switch, Starter, Dipper and Indicators.

Rearview Mirror (Right and Left side) Instrument Cluster gages, Dials, Wind Screen-their purpose.

- (i) Before sitting on Driver's seat and
- (ii) After sitting on Driver's seat.

Precautions just before moving

While moving,

Bitting point,

Moving,

Steering control,

Changing of Gear,

Stopping,

Breaking,

Accelerator (gradual/sudden)

Traffic sense, road sense judgement, parking and positioning according to road users,

Reversing.

Anticipation, judgement and road positionin gecording to other road users.

Mirror Signal and Manoeuver (MSM) and position Speed and Look (PSL)

Zone of vision.

Merging and diverging Manoeuvers—Turning manoeuvers to left, right about 3 point turn, 5 point turn and U-turn-over-taking, stationery vehicle, moving vehicle in left side and right side.

10. Licensing.

	<u> </u>	the state of the s
8.	Reversing:	-Locating reverse gear in sitting position, speed control, steering in reverse gear weaving the 'S' Bend and Common errors.
9.	Parking:	—Parallel angular perpendicular parking facing uphill parking facing down hill, common errors.
10.	Diver's responsibility on the road:	 Driving behaviours, consideration for other road users courtesy and competitiveness, over-confidence, impatience and defensive driving.
		- Distance between Cars while driving Railway crossing.
11.	Priority for certain vehicles:	Emergency vehicles - Fire engines, and - Ambulance.
	В.	Traffic Education-l
1.	Driving Regulations	Road use regulations made under Section 118 of the
2.	Hand signals	Motor Vehicles Act. 1988.
3.	Traffic signs	Schedule to Motor Vehicles Act, 1988.
4.	Hand signals of traffic constables traffic warden.	
5.	Introduction to automatic light signals.	
6.	Introduction to Road markings.	
7.	Speed regulations on Highways and city	Roads
8.	Parking at objectionable places.	
9.	Some important provisions of the M Vehicles Act. 1988—Sections 122, 123, 126 and 128 of the Motor Vehicles Act.	125,
10.	Test of competence to Drive.	Sub-rule(3) of rue 15 of Central Motor Vehicles Rules 1989.
	C. Light	Vehicles Driving Practice
1.	Identification of various parts of the veh	neles.
2.	Pre-driving cheeks.	(i) Before sitting on Driver's seat, and
		(ii) After sitting on Driver's seat.
3.	Steering practice:	—Push and Pull method.
4.	Bitting point	
5.	Moving and Gear Changing:	
6.	Stopping:	 Normal stopping Emergency stopping,
7.	Developing Judgement & anticipation drive on road.	to
Ċ.	Reversing:	—In straight. —In 'S' Bends.
4)	furning about and parking.	

D. Vehicle Mechanism & Repairs

1.	I ayout of vehicle		
2.	Function of Diesel and Petrol Engines.		
3.	Fuel System:	 Fuel lines Fuel injection pump Automiser Air lock Oil Block 	
4.	Cooling system:	 Purpose Radiator Water Pump Fan leaf/fan belt Radiator water Boiling Rectification 	
5.	Lubrication system:	—Purpose—Engine lubrication—Chassis lubrication—Oil grade numbers unity	vise
6.	Fransmission system:	(a) Clutch	FunctionSlipRisingLinkages.
		(b) Geat box	FunctionPurposeParts
		(c) Propeller shaft:	 Function/purpose Yoke joint C J Bearing slip U Joint Lubrication
		(d) Disserential	PurposeI unction/Noise
7.	Suspension system:	 Purpose Springs Shackle, shackle pin bus Shock absorber and its 	
S.	Steering System	-Purpose Steering Geometry -Stearing Lintages -Steering box	

9.	Brake system	 Purpose Hydraulic Brahe and its know how. Air assisted Hydraulic Brahe and its know how. Air Brake and its know how. Brake adjustment of the entire system.
10,	Electrical system	 Battery and its condition Dynamo/Alternator Self Motor—Starter Motor Regulators Lights—knowledge to read the charging rate in the Ampere Meter.
11.	Tyres	—Study of tyres—Maintenance—Effect of defective tyres and wheel alignment.
12.	Instruments Cluster Dash Board Meters their purposes and functions.	and
	E. Medium and H	feavy Vehicle Driving:
	D	riving Theory II
1.	Qualities of a good driver:	-Patience, responsibility, self-confidence, anticipation, concentration, courtesy, defensive driving, knowledge of road rule regulations, knowledge of vehicle controls, maintenance and simple mechanism.
2.	Knowledge of vehicle controls	—Major controls —Minor controls
3.	Response of controls	AcceleratorBrakeGradual/Sudden/sudden-fierceClutch
4.	Pre-Driving Checks	—Steering (i) Before sitting on Driver's seat, and (ii) After siiting on Driver's seat.
5.	Holding steering wheel	 —Push and pull method practice —on the move —while gear changing —while turning —while sounding horn —while operating dash board switches —while signalling —on emergency
6.	Gear changing	Double de-clutching, importance and procedure single clutching.Gear up procedure, shifting to lower gears.

-Gear down procedure, shifting to higher gears.

-		
7.	Beginning to drive	f gear
		ll हर्म
		HI sear
		IV genr
		V gear
		Reverse gear
		Over drive/optional
8.	M.S.M. and P.S.L. Routines	
9.	Manoeuvres	Passing
		Merging
		Diverging
		Overtaking
		Crossing
		Turning
		Cornering
		Reversing
		Parking
10.	Stopping	Normal stopping
• • • •	e prose	Fmergency stopping
		Use of engine brake/exhaust brake
11.	Stopping distance	Reaction distance
	monthly deviated	Braking distance
12.	Following distance	Meaning
		Distance method
		Car length method
		2 second time rule method
13.	Identification, prediction, decision and execution (IPDF) principle.	
14	Defensive driving techniques	Judgement
1.1	reserve and a server of the se	Anticipation
		Escape route
15.	Night driving	Location of head light switch
12.	The state of the s	Procedure
		Obligation to light the lamps, restriction on lighting
		the lamps
16.	Hill driving	Starting in hill using the parking brake method
	Ť	Slipping the clutch method
		driving the up-hill
		driving in down-hill
17.	Finergency manoeutres	Prevention is better than cure in case of skidding
		horn stuck
		Fire, wheels coming out
		Brake failure

Broken stub axle
Burst of front tyre
steering wobbling

Snapping of steering linkages Jamming of Accelarator pedal

Snapping of clutch rod

Under special circumstances like chances of collusion

with a disabled vehicle

Brake failure during down-hill

Sudden obstruction in front of the vehicle

18. Driving under special conditions

in wet weather

in dawn, dusk and misty roads

in dense traffic

19. Towing (Trailer driving)

Procedure on tow board speed of towing

reversing and positioning the vehicle with trailers

20. Fuel saving methods.

21. Reports-discussions.

F. Traffic Education II

1. Know your road

Functional classification

design speeds road geometrics

surface types and characteristics

slopes and elevation

2. Sight distance

At bends

At intersections

3. Road junctions

Principles and types

T junctions
Y junctions
4 Arm junctions
staggered junction
controlled junctions
uncontrolled junctions

4. Traffic islands

Types of round abouts

channelisers, Median

5. Bye-Pass, subway, over bridge and flyovers

Purpose

driving procedures

6. Bus srop, bus terminus, bus stand

Ingress Egress

Method

7. Road markings

white line: continuous and broken

yellow line lane marking zebra crossing stop line

parking markings sense of Road signals

- 8. Lane selection and Lane discipline
- 9. Automatic light signals
- 10. Road users characteristics:

Pedestrian, drunkard, children and blind, deaf and

dumb

Youth, aged, women with children

slow moving vehicles mopeds and motor cycles Autos, tompos, vans Buses and trucks

VIP, ambulance, fire engine

Animals

11. Accidents

Types of accidents causes of accidents Preventive methods

Driver's duties and responsibilities on the occurance

of accidents.

12. Important provisions in Motor Vehicles Act, 1988 (59 of 1988) Central Motor Vehicles Rules, 1989 and the State Motor Vehicles Rules:

Certain definition

Driving licence and its renewal

carrying driving licence, certificates of registration, fitness and insurance, permit taxation card or tax token and production of such document on damand by checking officers

Traffic offences and penalties stipulated under the Act and Rules.

Relevant Extracts of Petroleum Act, 1934.

City Police Act,

Indian Penal Code, 1860.

G. Public Relations for Drivers

Some basic aspects about ethical and courteous behaviour with other road users.

H. Heavy Vehicle Driving Practice

1. Introduction of various instruments

Dial gauges and controls

2. Pre-Driving Checks 1

- (i) Before sitting on Driver's seat and
- (ii) After sitting on Driver's seat

3. Beginning to Drive

Bitting Point, moving, changing gear including Double declutch Steering, Stopping, Hand Signals.

4. Rural Road Driving

Application of IBDE—Principle.

5. Development of Judgement:

Passing, overtaking, Merging, Diverging, M.S.M., and P.S.L. Routine method of practice, Defensive Driving technique Proper following.

6. Development of Anticipation:

Turning, meeting, entering and emerging in Junctions, lane selection and Lane Discipline, Intersection observation.

- 7. Developing skill to Drive in Crowded Streets.
- 8. Night Driving.
- 9. Cross Country Practice and Hill Driving.
- 10. Internal trade test.
- 11. Reversing and packing practice.
- 12. Licensing.

I. Fire Hazards

Fire fighting and prevention method on vehicle.

J. Vehicle Maintenance

- 1. Factors affecting the vehicle parts due to bad and negligent driving
- 2. General day-to-day Maintenance and periodical Maintenance
- 3. Battery Maintenance.
- 4. Tyre Maintenance and tube vulcanising.
- 5. Engine tune up.
- 6. Checking wheel alignment.
- 7. Brake adjustment.
- 8. Accelerator, Brake, Clutch-pedal Adjustment.
- 9. Fan Belt Adjustments.
- 10. Observation of Dash Board Metres.
- 11. Lubrication
- 12. Removal of Air Lock and Oil Block

K. First Aid

- 1. Introduction to First Aid
- 2. Outline of First Aid.
- 3. Structure and Functions of the body.
- 4. Dressings and Bandages.
- 5. The circulation of the Blood.
- 6. Wounds and Haemorrhage.
- 7. Haemorrhage from Special regions.
- S. Shock.
- Respiration.

- 10. Injuries to Bones.
- 11. Burning scales.
- 12. Unconsciousness (Intersibility)
- 13. Poisons.
 - (2) The lessons for training drivers of non-transport vehicles shall cover part A, B, C, D, F, G & K of sub-rule(1) and the training period shall not be less than forty-five days.
 - (3) The lessons for training drivers of transport vehicle shall cover E, F, G, H, J & K of sub-rule(1) and the training period shall not be less than sixty days for heavy vehicles and not less than forty-five days for medium or light vehicles.
 - (4) The actual driving hours for trainees in driving non-transport vehicle shall not be less than twenty-four hours and actual driving hours for training for driving transport vehicles shall not be less than thirty hours.
- 32. Fees.—The fees which shall be charged under the provisions of this Chapter shall be as specified in the Table below:

TABLE

Seria No.	l Purpose	Amount	Rule	Section
(1)	(2)	(3)	(4)	(5)
1.	In respect of issue or renewal of learner's licence for each class of vehicle.	Fifteen rupees	10	
2.	In respect of issue of a driving licence in Form 6.	Twenty rupees	14(b)	
3.	In respect of issue of a driving licence in Form 7.	Forty-five rupees	14(b)	_
4.	For test of competence to drive.	Fifteen rupees	14(b)	
5.	In respect of addition of another class of vehicle to driving licence in Form 6.	Fifteen rupees	17(1)(d)	_
6.	In respect of renewal of driving licence in Form 6.	Fifteen rupees	18(1)(a)	_
7.	In respect of renewal of a driving licence in Form 6 to drive a motor vehicle for which application is made after the grace period.	Fifteen rupees. Additional fee at the rate of ten rupees for a period of delay of one year or part thereof reckoned from the date of expiry of the grace period.	15(4)	15(4)
8.	In respect of addition of another class of motor vehicle to the driving licence in Form 7 and renewal of driving licence in Form 7.	Forty rupees	17(1)(d) 18(1)(a)	15(4)
9.	In respect of issue and renewal of licence to a school or esiablishment for imparting instructions in driving.	Five hundred rupees	24(2)	_
10.	In respect of issue of duplicate licence to the school or establishment imparting instruction in driving.	Fifty rupees	26(2)	
11.	In respect of an appeal against the orders of licensing authority referred to in rule 30.	Fifty rupees	30(1)	

CHAPTER III

REGISTRATION OF MOTOR VEHICLES

Trade Certificate

- 33. Condition for exemption from registration.—For the purpose of the proviso to section 39, a motor vehicle in possession of a dealer shall be exempted from the necessity of registration subject to the condition that he obtains a trade certificate from the registering outhority having jurisdiction in the area in which the dealer has his place of business in accordance with the provisions of this Chapter.
- 34. Trade Certificate.—(1) An application for the grant of renewal of a trade certificate shall be made in Form 16 and shall be accompanied by appropriate fee as specified in rule 81.
- (2) Separate application shall be made for each of the following classes of vehicles, namely:—
 - (a) motor cyc.e;
 - (b) invalid carriage;
 - (c) light motor vehicle;
 - (d) medjum passenger motor vehicle;
 - (e) medium goods vehicle;
 - (f) heavy passenger motor vehicle;
 - (g) heavy goods vehicle;
 - (h) any other motor vehicle of a specified description.
- 35. Grant or renewal of trade certificate.—(1) On receipt of an application for the grant or renewal of a trade certificate in respect of a vehicle, the registering authority may, if satisfied that the applicant is a bona fide dealer and requires the certificates specified in the application, issue to the applicant one or more certificates as the case may be, in Form 17 and shall assign in respect of each certificate a trade registration mark consisting of the registration mark referred to in the notification made under sub-section (6) of Section 41 and followed by two letters and a number containing not more than three digits for each vehicle, for example:—
 - AB—Represent State Code.
 - 12-Registration District Code.
 - TC.1—Trade Certificate number for the vehicle.
- (2) No application for trade certificate shall be refused by the registering authority unless the applicant is given an opportunity of being heard and reasons for such refusal are given in writing.
- 36. Refund.—Where the registering authority refuses to issue or renew a trade certificate, it shall refund to the applicant fifty per cent of the free paid along with application.
- 37. Period of validity.—A trade certificate granted or renewed under rule 35 shall be in force for

- a period of twelve months from the date of issue or renewal thereof and shall be effective throughout India.
- 38. Issue of duplicate certificate,—(1) If at any time the trade certificate is lest or destroyed, its holder shall report to the Police Station in the jurisdiction of which the loss or destruction has occurred and intimate the fact in writing to the registering authority by whom the certificate was issued and apply in Form 18 to the said authority for a duplicate certificate accompanied by the appropriate fee as specified in rule 81.
- (2) On receipt of an application along with the fee, the registering authority may issue a duplicate "Trade Certificate" clearly marked "DUPLICATE".
- (3) If after the issue of a duplicate certificate the original is traced, the same shall be surrendered forthwith to the registering authority by which it was issued.
- 39. Use of trade registration mark and number.—
 (1) A trade registration mark and number shall not be used upon more than one vehicle at a time or upon vehicle other than a vehicle bona fide in the possession of the Jealer in the course of his business or on any type of vehicle other than the one for which the trade certificate is issued.
- (2) The trade certificate shall be carried on a motor vehicle in a weather-proof circular folder and the trade registration mark shall be exhibited in a conspicuous place in the vehicle.
- 40. Registrations on use of trade certificate or trade registration mark and number.—A trade certificate shall be used only by the person to whom it is issued and such person shall not allow or offer or cause the certificate or the number assigned in connection therewith to be used by any other person:

Provided that the provision of this rule shall not apply where the person to whom the certificate is granted, or a person bona fide in his employment and acting under his authority, or any other person bona fide acting on behalf of the holder of a Trade Certificate is present in the vehicle, or if such vehicle is designed for use by only one person and is being used by a prospective purchaser of that vehicle for the purpose of reasonable test or trial.

- 41. Purposes for which motor vehicle with trade certificate may be used—The holder of a trade certificate shall not use any vehicle in a public place under that certificate for any purpose other than the following:—
 - (a) for test, by or on behalf of the holder of a trade certificate during the course of, or after completion of construction or repair; or
 - (b) for proceeding to or returning from a weigh bridge for or after weighment, or to and from any place for its registration; or

- (c) for a reasonable trial or demonstration by or for the benefit of prospective purchaser and for proceeding to or returning from the place where such person intends to keep it; or
- (d) for proceeding to or returning from the premises of the dealer or of purchaser or of any other dealer for the purpose of delivery; or
- (e) for preceeding to or returning from a workshop with the objective of fitting a body to the vehicle or painting or for repairs; or
- (f) for proceeding to and returning from airport, railway station, wharf for or after being transported; or
- (g) for proceeding to or returning from an exhibition of motor vehicles or any place at which the vehicle is to be or has been offered for sale, or
- (h) for removing the vehicle after it has been taken possession of by or on behalf of the financier due to any default on the part of the other party under the provisions of an agreement of hire-purchase, lease or hypothecation.
- 42. Delivery of vehicle subject to registration.— No holder of a trade certificate shall deliver a motor vehicle to a purchaser without registration, whether temporary or permanent.
- 43. Register of trade certificate.—(1) Every holder of a trade certificate shall maintain a register in Form 19 in duplicate which shall be in a bound book, with pages numbered serially.
- (2) The particulars referred to in Form 19 except the time of return under column 7, shall be entered in the register before the commencement of each trip by the holder of the trade certificate or his representative and a duplicate copy of Form 19 made prior to the commencement of each trip shall be carried during the trip by the driver of the vehicle and shall be produced on demand by any officer empowered to demand production of documents by or under the Act.
- (3) The holder of a trade certificate shall, at the end of a trip, fill in column 7 of Form 19 (both original and duplicate, and the register and the duplicate shall be open for inspection by the registering authority.
- 44. Suspension or cancellation of trade certificate.—
 If the registering authority has reason to believe that the holder of any trade certificate has not complied with the provisions of rules 39 to 43, it may, after giving the holder an opportunity of being heard, suspend or cancel the trade certificate held by him.
- 45. Appeal.—Any person aggrieved by an order of the registering authority under rule 35 or rule 44, within thirty days of the receipt of any such order, appeal to the head of the Motor Vehicles Department established under section 213.

- 46. Procedure for appeal.—(1) The appeal referred to in rule 45 shall be preferred in duplicate in the form of a memorandum, setting forth the grounds of objections to the order of the registering authority and shall be accompanied by appropriate fee as specified in rule 81 and a certified copy of the order appealed against.
- (2) The appellate authority, after giving an opportunity to the parties to be heard and after such enquiry, if any, as it deems necessary, pass appropriate orders.

REGISTRATION

- 47. Application for registration of motor vehicles.—(1) An application for registration of a motor vehicle shall be made in Form 20 to the registering authority within a period of two days from the date of taking delivery of such vehicle, excluding the period of journey and shall be accompanied by :—
 - (a) sale certificate in Form 21;
 - (b) valid insurance certificate;
 - (c) copy of the proceedings of the State Transport Authority approving the design in the case of a trailer or semi-trailer;
 - (d) original sale certificate from the concerned authorities in Form 21 in the case of exarmy vehicles;
 - (e) proof of address by way of any one of the documents referred to in rule 4;
 - (f) temporary registration, if any:
 - (g) road-worthiness certificate in Form 22 from the manufacturers;
 - (h) custom's clearance certificate in the case of imported vehicles along with the licence and bond, if any; and
 - (i) appropriate fee as specified in rule 81.
- (2) In respect of vehicles temporarily registered, application under sub-rule (1) shall be made before the temporary registration expires.
- 48. Issue of certificate of registration.—On receipt of an application under rule 47 and after verification of the documents furnished therewith, the registering authority shall, subject to the provisions of section 44, issue to the owner of the motor vehicle a certificate of registration in Form 23.
- 49. Registration records to be kept by the registering authority.—Every registering authority shall keep in Form 24 a permanent register of motor vehicles registered by it under section 41 and of motor vehicles of other States for which new registration mark are assigned by it under sub-section (2) of section 47 and shall also enter in such record under the respective registration number all changes made with reference to the provisions of sub-section (10) or sub-section (14) of section 41, sub-section (5) of section 49, sub-section (6) of section 50, sub-sections (1), (2), (3) and (5) of section 51, sub-section (4) of section 52, orders of suspension under Section 53 and order of cancellation under sections 54 and 55.

- 50. Form and manner of display of registration marks In respect of vehicles other than motor cycles and invalid carriages.—The registration mark referred to in sub-section (6) of section 41 shall be displayed in reflecting colour clearly and legibly on a plain surface of a plate or part of the vehicle not inclined from the vertical by more than thirty degrees both at the front and rear facing direct to the front or the rear in the following manner, namely:—
 - (a) In the case of motor vehicles other than motorcyles and invalid carriages, the registration mark shall not be less than 6.5 centimeters high and 1.5 centimeters thick with numerals not less than 9 centimeters high and 2 centimeters thick with space between different letters or numerals or between numerals and letters and edge of the plain surface to be not less than 1.5 centimeters:

Provided that :--

- (a) the registration mark exhibited at the rear of a transport vehicle shall be affixed to the vehicle on the right hand side at a distance not exceeding one meter from the ground as may be reasonably possible having regard to the type of the body of the vehicle;
- (b) the registration mark shall also be painted on the right and left side on the body of the vehicle in the case of a transport vehicle;
- (c) the registration mark shall also be painted and exhibited on the partition provided between the driver and the passengers, facing the passengers' seats or, where there is no such partition, on the front interior of the vehicle near the roof to the left side of the driver's seat facing the passengers' seats in the case of a stage carriage or a contract carriage and in the case of a motor cab or a maxi cab it shall be sufficient if the registration mark is painted on the dash-board;
- (d) the registration mark shall be exhibited on a plain plate or surface on the left hand side and on the rear in the case of a trailer or the last trailer, apart from the registration mark of the drawing motor vehicle to which such trailer or trailers are attached.
- 51. Form and manner of display of Registration Mark in respect of motor cycles and invalid carriages.—In the case of motor cycles or invalid carriages, the registration mark shall not be less than 4.5 centimetres high and 1 centimetre thick with numerals not less than 6 centimetres high and 1 centimetre thick with space between any letter and numeral or edge of the plain surface not less than 1 centimetre:
 - Provided that in the case of motor cycle, the registration mark may be displayed on a plate in line with the axis of the vehicle and if it is so displayed on both sides of the place.

- 52. Renewal of certificate of registration.—(1) An application by or on behalf of the owner of a motor vehicle, other than a transport vehicle, for the renewal of a certificate of registration, shall be made to the registering authority in whose jurisdiction the vehicle is, in Form 25 not more than sixty days before the date of its expiry, accompanied by the appropriate fee as specified in rule 81.
- (2) On receipt of an application under sub-rule (1), the registering authority shall refer the vehicle to the authority referred to in sub-section (1) of section 56 and after obtaining a certificate of fitness from that authority, renew the certificate of registration:
 - Provided that in a case where the certificate of fitness is granted on a date after the expiry of a certificate of registration, the renewal shall be made from the date of grant of certificate of fitness for a period of five years.
- (3) A motor vehicle other than transport vehicle shall no the deemed to be validly registered for the purposes of Section 39, after the expiry of the period of validity entered in the certificate of registration and no such vehicle shall be used in any public place until its certificate of registration is renewed under sub-rule (2).
- 53. Issue of duplicate certificate of registration.—
 (1) If at any time, the certificate of registration is lost or destroyed the owner shall report to the police station in the jurisdiction of which the loss or destruction has occurred and intimate the fact in writing to the Registering Authority by whom the certificate of registration was issued.
- (2) An application for the issue of a duplicate certificate of registration shall be made to the original registering authority in Form 26 and shall be accompanied by the appropriate fee as specified in rule 81.
- 54. Assignment of new registration mark.—(1) An application for the assignment of a new registration mark under sub-section (1) of Section 47 shall be made in Form 27 and shall be accompanied by a no objection certificate in Form 28 alongwith the appropriate fee as specified in rule 81, within a period of thirty days from the date of expiry of the period specified in the said section:

Provided that where a motor vehicle is intended to be kept in a State for a period exceeding twelve months and the owner of such vehicle makes a declaration to that effect, the application may be made at any time within the said period of twelve months.

- (2) On receipt of an application under sub-rule (1) the registering authority shall, subject to the provision of Section 44, assign to the vehicle the registration mark.
- 55. Transfer of ownership.—(1) Where the ownership of a motor vehicle is transferred, the transferor shall report the fact of transfer in Form 29 to the

registering authorities concerned in whose jurisdiction the transferor and the transferee resides or has their place of business.

- (2) An application for the transfer of ownership of a motor vehicle under sub-clause (i) of clause (a) of sub-section (1) of Section 50 shall be made by the transferee in Form 30, and shall be accompanied by—
 - (i) the certificate of registration;
 - (ii) the certificate of insurance; and
 - (iii) appropriate fee as specified in rule 81.
- (3) An application for transfer of ownership of a motor vehicle under sub-clause (ii) of clause (a) of sub-section (1) of Section 50 shall be made by the transferee in Form 30 and shall, in addition to the documents and fee referred to in sub-rule (2), be accompanied by one of the following documents, namely:—
 - (a) a no objection certificate granted by the registering authority under sub-section (3) of Section 48; or
 - (b) an order of the registering authority refusing to grant the no objection certificate under sub-section (3) of Section 48; or
 - (c) where the no objection certificate or the order, as the case may be, has not been received, a declar €ion by the transferor that he has not received any such communication together with—
 - (i) the receipt obtained from the registering authority under sub-section (2) of Section 48; or
 - (ii) the postal acknowledgement received from the registering authority where the application for no objection certificate has been sent by post
- 56. Transfer of ownership on death of owner of the vehicle.—(1) Where the owner of a motor vehicle dies, the person succeeding to the possession of the vehicle may for a period of three months, use the vehicle as if it has been transferred to him where such person has, within thirty days of the death of the owner informs the registering authority the occurrence of the death of the owner and of his own intention to use the vehicle.
- (2) The person referred to sub-rule (1) shall apply in Form 31 within the period of three months to the said registering authority for the transfer of owner-ship of the vehicle in his name, accompanied by—
 - (a) the appropriate fee as specified in rule 81;
 - (b) death certificate in relation to the registered owner:
 - (c) the certificate of registration; and
 - (d) the certificate of insurance.
- 57. Transfer of ownership of vehicle purchased in public auction.—(1) The person who has acquired or purchased a motor vehicle at a public auction conducted by or on behalf of the Central Government

- or a State Government, shall make an application in Form 32 within thirty days of taking possession of the vehicle to the registering authority accompanied by—
 - (a) the appropriate fee as specified in rule 81;
 - (b) the certificates of registration and insurance;and
 - (c) the certificate or order confirming the sale of the vehicle in his favour duly signed by the person authorised to conduct the auction;
 - (d) certified copy of the order of the Central Government or Sta'e Government authorising the auction of the vehicle.
- (2) Where the vehicle auctioned is a vehicle without any registration mark, or with a registration mark which on verification is found to be false the registering authority shall subject to the provisions of section 44, assign a new registration mark to the vehicle in the name of the Department of the Central Government or State Government auctioning the vehicle and thereafter record the entries of transfer of ownership of the vehicle giving the name and address of the person to whom the vehicle is sold.
- 58. No objection certificate.—(1) An application for the issue of no objection certificate under Section 48 in respect of a motor vehicle shall be made in Form 28 to the registering authority by which the vehicle was previously registered, accompanied by—
 - (a) the certified copy of the certifiacte of registration,
 - (b) the certified copy of the certificate of insurance,
 - (c) evidence of payment of motor vehicle tax upto date,
 - (d) where no tax is pavable for a certain period a certificate from the tax collecting authority that no tax is due from the vehicle for the said period
- (2) In the case of a transport vehicle, in addition to the documents referred to in sub-rule (1), documentary evidence in respect of the following matters shall also be furnished, namely:—
 - (a) that the vehicle is not covered by any permit issued by any transport authority;
 - (b) that the sum of money agreed upon to be paid by the holder of the permit under subsections (5) and (6) of Section 86, if any, is not pending recovery;
 - (c) evidence of payment of tax on passengers and goods under any law for the time being in force upto the date of application for no objection certificate.
- (3) On receipt of an application under sub-rule (1), the registering authority shall fill Part-III of Form 28 and return that part to the applicant duly signed.
- (4) Where the registering authority grants or refuses to grant the no objection certificate, it shall

return the duplicate copy of the said Form to the applicant and the triplicate copy to the other registering authority after duly filling and signing Part II thereof.

- 59. Change in residence—An application for recording a change in the residence in the certificate of registration of a motor vehicle shall be made by the owner of the vehicle in Form 33 accompanied by the certificate of registration and proof of address in the manner specified in rule 4 and appropriate tee as specified in rule 81.
- 60. Endorsement of hire-purchase agreements, etc.—An application for making an entry of hire-purchase, lease or hypothecation agreement in the certificate of registration of a motor vehicle required under subsection (2) of Section 51 shall be made in Form 34 duly signed by the registered owner of the vehicle and the financier and shall be accompanied by the certificate of registration and the appropriate tee as specified in rule 81.
- 61. Termination of hirz-purchase agreements, etc.—
 (1) Application for making an entry of termination of agreement of hirz-purchase, lease or hypothecation referred to in sub-section (3) of Section 51 shall be made in Form 35 duly signed by the registered owner of vehicle and the financier, and accompanied by the certificate of registration and the appropriate fee as specified in rule 81
- (2) The application for the issue of a fresh certificate of registration under sub-section (5) of Section 51 shall be made in Form 36 and shall be accompanied by a fee as specified in rule 81.
- (3) Where the registered owner has refused to deliver the certificate of registerion to the financier, or has absconded then the registering authority shall issue a notice to the registered owner of the vehicle in Form 37.

Certificate of Fitness

62. Validity of Cértificate of Fitness — (1) A certificate of fitness in respect of a transport vehicle granted under Section 56 shall be in Form 38 and such certificate when granted or renewed shall be valid for the period as indicated below:—

(a) new transport vehicle

-two years

(b) renewal of certificate of fitness in respect of vehiclesmentioned in (a) above, till such time the vehicle completes ten years from the date of its first registration as a new vehicle

-one year

(c) renewal of certificate of fitness the reafter

-six months

(d) for imported vehicles

—same period as in the case of vehicles manufacured in India having regard to the date of manufacture.

- (2) The fee for the grant or renewal of certificate of fitness shall be as specific 1 in rule \$1.
- 63. Regulation and control of authorised testing stations,—(1) No operator of an authorised testing station shall issue or renew a certificate of litness to a transport vehicle under Section 56 without a letter of authority in Form 39 granted by the registering authority.
- (2) An application for grant or renewal of a letter of authority under sub-rule (1) shall be made in Form 40 to the registering authority having jurisdiction in the area in which the service station or garage situated and shall be accompanied by.—
 - (a) the appropriate fcc as specified in rule 81;
 - (b) a security deposit of rupees ten thousand in such manner as may be specified by the State Government.

Explanation.—For the purpose of this rule and rules 64 to 72, the registering authority means an officer not below the rank of the regional transport officer of the Motor Vehicles Department established under Section 213.

- (3) A registering authority shall, when considering an application for the grant or renewal of a letter of authority, have regard to the following matters, namely:—
 - (a) the applicant or at least one of the members of the staff employed by him for the inspection of transport vehicles for the purpose of issue or renewal of certificate of fitness possesses the following minimum qualifications:—
 - (i) a diploma in automobile engineering or mechanical engineering or an equivalent qualifiaction;
 - (ii) Experience of minimum service of five years in an automobile workshop undertaking repairs of heavy goods vehicles, heavy passenger motor vehicles medium motor vehicle and light motor vehicle;
 - (iii) a driving licence to drive motor cycle, heavy passenger motor vehicle and heavy goods vehicle with a minimum driving experience of not less than five years;
 - (iv) thorough knowledge of the Act and the rules made thereunder, especially the Chapters relating to registration of motor vehicles and construction, equipment and maintenance of motor vehicles;
 - (b) the premises where the authorised testing station is to be housed is either owned by the applicant or is taken on lease by him or is hired in his name and it has adequate space for administrative section, reception room and sanitary block for erection of testing equipments and other apparatus;
 - (c) inspection lanes are provided adjacent to the building in the same compound or at other places approved by the registering authority;

- (d) testing equipments and apparatus are installed in such manner that vehicles may pass through with ease and speed;
- (e) the applicant owns and maintains the following equipments and apparatus in good working condition, namely:—
 - (1) Exhaust gas analyser
 - (2) Smokemeter
 - (3) Brake testing machine (Brake Dynamometer)
 - (4) Head light aim tester
 - (5) Front wheel alignment tester
 - (6) Shock absorber tester
 - (7) Visual inspection pit-ramp or motorised hoist
 - (8) Jack
 - (9) Play detector
 - (10) Wheel spinner
 - (11) King tester for actual test of engine performance
 - (12) Compressor testor
 - (13) Signalling equipment tester
 - (14) Speedometer Tester
 - (15) Fire fighting equipment
 - (16) First-aid kit
 - (17) Instrument to check noise level.
- (f) the financial resources of the applicant are sufficient to provide for its continued maintenance;
- (g) the applicant maintains upto date copy of the Act, these rules and the concerned State Motor Vehicles Rules.
- (4) The registering authority shall also, when considering an application under this rule, take into consideration the fact that the setting up of the authorised testing station will improve the availability of testing facilities in the area both in relation to the number of vehicles and proximity to such facilities.
- (5) The registering authority may, on receipt of an application under sub-rule (2) and after satisfying himself that the applicant has complied with the requirements of sub-rules (3) and (4), grant or renew the letter of authority in Form 39:

Provided that no application for a letter of authority shall be refused by the registering authority unless the applicant is given an opportunity of being heard and reasons for such refusal are given in writing by the registering authority.

- 64. Duration of letter of authority.—A letter of authority granted or renewed shall be effective for a period of five years from the date of grant or renewal.
- 65. General conditions to be observed by the holder of letter of authority:—The holder of a letter of authority shall—

- (a) maintain a register with a separate page for each vehicle containing the registration number of the vehicle for which the certificate of fitness is granted or renewed, the make and model of the vehicle, the engine number and chassis number of the vehicle along with the pencil point of the chasis number, the name and address of the owner of the vehicle, particulars of any permit of such vehicle, period of validity of certificate of fitness granted or renewed and the signature of the owner of the vehicle or his authorised representative;
- (b) forward the particulars of the transport vehicles for which certificates of fitness have been granted or renewed and the period of validity of such certificate, within two days of grant of renewal of the certificate of fitness, to the authority which has granted permit an dwhere the transport vehicle is not covered by a permit, to the transport authority in whose jurisdiction the vehicle is kept;
- (c) issue to every transport vehicle satisfying the requirements of Section 56. a certificate of fitness in accordance with the provisions of rule 62;
- (d) not shift the place of business mentioned in the letter of authority without the prior approval in writing of the registering authority which granted the letter of authority:
- (e) keep the premises of the testing station and the records and registers maintained by it and all the machinery, equipment and apparatus in the premises at all reasonable time onen for inspection by the registering authority or any person of the Motor Vehicles Department of the State Govt. established under Section 213 authorised in this behalf by the registering authority;
- (f) display at a primonent place in its main office the following:—
 - (i) the letter of authority in original issued to the authorised testing station by the registering authority;
 - (ii) the name and address of the person authorised to issue or renew the certificate of fitness;
- (iii) the qualifications of the persons referred to in clause (a) of sub-rule (3) of rule 63;
- (g) not charge a fee for inspection of vehicle for the nurnose of issue or renewal of annopriate certificate of fitness in excess of the fee specified in the rule 81
- (h) surrender to the Regional Transport Authority having jurisdiction over the area, the register referred to in Clause (a) as soon as entries in all the pages in the register are completed and in any case not later than two days after such completion

- 66. Issue of duplicate letter of authority:—(1) It at any time the letter of authority granted or ienewed under sub-rule (5) of rule 63 is lost or destroyed, the holder of the letter of authority shall report to the Police Station in the jurisdiction of which the loss or destriction has occurred and intimate the fact in writing to the registering authority which granted or renewed the letter of authority and shall apply for a duplicate.
- (2) On receipt of an application along with the appropriate fee as specified in rule 81, the registering authority may issue a duplicate letter of authority clearly marked "DUPLICATE".
- (3) If after the issue of a duplicate letter of authority, the original is traced, the same shall be surrendered forthwith to the registering authority by which it was issued.
- 67. Supervision of authorised testing stations The registering authority or any officer of the Motor Vehicles Department of the State Govt. duly authorised in this behalf by the registering authority may, at any time, conduct test checks at the premises of the authorised testing station with a view to ensure that the vehicles are properly tested by the authorised testing station.
- 68. Power of registering authority or Regional Transport Authority to call for information:—The authorised testing station shall submit to the registering authority or the Regional Transport Authority having jurisdiction in the area, such information or returns as may be called for by such authority from time to time.
- 69. Power of registering authority to suspend or cancel the letter of authority or forfeit security deposit:—(1) If the registering authority is satisfied after giving the holder of a letter of authority an opportunity of being heard, that he has—
 - (a) failed to maintain the equipment, machinery and apparatus referred to in subclause (e) of sub-rule (3) of rule 63 in good condition; or
 - (b) failed to comply with the other requirements laid down in sub-rule (3) of rule 63; or
 - (c) failed to observe correct standards of testing before granting or renewing certificates of fitness as noticed at te time of test checking referred to in rule 67 or the frequency of accident, involving transport vehicles covered by certificates of fitness granted or renewed by the authorised testing station attributable to any mechanical defect of the vehicle, it may—
 - (i) suspend the letter of authority for a specified period; or
 - (ii) cancel the letter of authority; or
 - (iii) order forfeiture of security deposit furnished by the authorised testing station.
- (2) Where the letter of authority is suspended or cancelled under sub-ulc (1), the holder of the letter

- of authority shall, within thirty days of the receipt of the order of forfeiture, remit to the registering authority the amount ordered to be forfeited so that the requirement of sub-rule (2) of rule 63 in relaxation to deposit of security is complied with.
- 70. Appeal:—Any person aggrieved by an order of the registering authority under sub-rule (5) of rule 63 or sub-rule (1) of rule 68, may, within thirty days of the receipt of the order, appeal to the Head of the Motor Vehicle Department of the State Government established under Section 213.
- 71. Procedure for appeal '—(1) An appeal under rule 70 shall be preferred in duplicate in the form of a memorandum, setting forth the grounds of objections to the order of the registering authority and shall be accompanied by the appropriate fee as specified in rule 81 and a certified copy of such order.
- (2) The appellate authority may, after giving an opportunity to the parties to be heard and after such enquiry us it may deem necessary, pass appropriate orders.
- 72. Voluntary surrender of letter of authority:—
 (i) The holder of a letter of authority may, at any time, surrender the letter of authority issued to him, to the registering authority which has granted the letter of authority and on such surrender, the registering authority shall cancel the letter of authority forthwith.
- (2) On cancellation of the letter of authority under sub-rule (1), the registering authority shall refund to the holder of the letter of authority, the amount of security deposit referred to in sub-rule (2) of rule 63 in full and without any interest.
- 73. Tax clearance certificate to be submitted to the testing station.—No authorised testing station shall accept an application for the grant or renewal of a certificate of fitness unless the same is accompanied by a tax clearance certificate in such form as may be specified by the State Government, from the regional transport officer or motor vehicle inspector having jurisdiction in the area to the effect that the vehicle is not in arrears of motor vehicle tax or any compounding fee referred to in sub-section (5) and (6) of section 86.

Registration of Vehicles belonging to the Central Government used for Defence purpose.

74. Assignment of registration mark to the vehicles belonging to the Central Government used for defence purpose:—The authority referred to in sub-section (1) of section 60 shall assign registration marks to the vehicles belonging to the Central Government and used for defence purposes in the following manner, namely:—

A group of figures followed by a single capital letter, a broad arrow, not more than six figures and a capital letter or a group of letters. The registration mark shall be in English letters and arabic numerals.

State Register of Motor Vehicles

75. State Register of Motor Vehicles—(1) Each State Government shall maintain a State Register of

Motor Vehicles in respect of motor vehicles registered in the State in form 41.

(2) Each State Government shall send to the Exector (Transport Research), Monstry of Surface Transport, New Delhi a printed copy of the regitter referred to in sub-rule (1).

Special provision for Registration of Motor Vehicles of Diplomatic officers, etc.

- 76. Registration of vehicles of diplomatic and consular officers.—(1) Every application for registration of a motor vehicle under sub-section (1) of section 42 by or on behalf of any diplomatic officer or consular officer shall be made in triplicate by the head of the mission or consular office in Form 42 and be addressed to the registering authority through the competent authority accompanied by the relevant documents and fees referred to in rule 47.
- (2) The Competent Authority shall forward one copy of the application to the registering authority concerned together with a statement certifying the status of the person applying for registration and shall return one copy of the application to the applicant. The third copy of the application may retained by the competent authority for record.
- (3) The registering authority shall, on receipt of the application duly endorsed under sub-rule (2) register the vehicle, subject to the provision of section 44
- (4) The registering authority shall issue to the owner of a motor vehicle registered by it under sub-rule (3), a certificate of registration in Form 43 and shall enter in a register to be kept by it, particular of such certificate.
- (5) The registering authority shall assign to the motor vehicle for display thereon in the manner specified in rule 77, the registration mark in accordance with sub-rule (6) or sub-rule (7), as the case may be
- (6) A motor vehicle belonging to a diplomatic mission or to a consular post in Delhi or to any of its diplomatic or consular officers shall be assigned a registration mark consisting of the letters CD preceded by the number allotted to the mission or post by the Ministry of External Affairs of the Government of India and followed by a number allotted to the vehicle by the registering authority in the following manner, namely:—
 - (i) an official vehicle meant for the use of the Head of a Mission or Post shall be allotted the number 1;
 - (11) personal vehicles of the Head of the Mission of Post shall be allotted the number 1, followed consecutively, in alphabetical order, by a letter beginning with the letter A;
 - (iii) official vehicles, other than those referred to in clause (1) shall be allotted consecutive numbers beginning with the number 2;
 - (iv) which belonging to other officers of the Mission or Post shall be alloted number in consecutive order after the last number allotted under clause (iii),

- (v) vehicle acquired by a Mission or Post, or by its diplomatic of consular officers, other than Heads of Mission or Posts, shall be allotted numbers in consecutive order after the last number allotted under clause (iv) inespective of whether such vehicle is for official or personal use of the Mission or Post or of any of its officers;
- (vi) a number allotted to a vehicle under any of the clauses (1) to (iv), which is lying unutilised due to sale or export of such vehicle or cancellation of its number may be allotted to another vehicle under the same clause in respect of which an application has been made under sub-rule (1).
- (7) A motor vehicle belonging to a consular post outside Delhi or to any of its officers shall be assigned a registration mark consisting of the letters CC preceded by the number of the post allotted to it by the Ministry of External Affairs of the Government of India and followed by a number allotted to the vehicle by the registering authority out of a block of numbers allotted for that post in the following manner, namely .—
 - (1) an official vehicle meant for the use of the head of a Consular Post shall be allotted the first number from the block of numbers allotted to that post;
 - (n) personal vehicle of the Consul General shall be allotted the number referred to in clause (1), followed consecutively in the alphabetical order, by a letter beginning with the letter A,
 - (in) official vehicles other than those referred to in clause (1), shall be allotted consecutive numbers beginning with the second number from the block of numbers allotted to the post,
 - (iv) vehicles belonging to other officers of the post shall be allotted number in consecutive order after the last number allotted under clause (iii),
 - (v) Vehicles acquired by a Post, or by the Consular Officers, other than the head of the Post shall be allotted numbers in consecutive order after the last number allotted under clause (iv) irrespective of whether such vehicle is for official or personal use of the Post or any of its officers.
 - (vi) a number allotted to a vehicle under any of the clauses (1) to (v), which is lying unutilised due to sale or export of such vehicle or cancellation of its number, may be allotted to another vehicle under the same clause in respect of which an application has been made under sub-rule (1).
- Lyplanation —For the purpose of this rule and rules 77, 78 and 79, "competent authority" means .—
 - (1) in relation to a diplomatic officer or a consular officer who has his residence in Delhi, the Secretary to the Government of

- India in the Ministry of External Affairs (Protocol Division); and
- (ii) in relation to a diplomatic officer or a consular officer who has his residence at any other place, the Chief Secretary to the State Government.
- 77. Exhibition of registration mark.—(1) The registration mark assigned under sub-rules (5) to (7) of rule 76 shall be clearly exhibited in reflacting colour both at the front and road of the vehicle on the plain surface of a plade or part of the vehicle and the size of which shall be 41 centimetres by 14 centimetres—
 - (i) with deep blue background, the registration mark and the number being in white in the case of motor vehicles referred to in sub-rule (6) of rule 76;
 - (ii) with yellow background, the registration mark and the number being in black, in the case of motor vehicles referred to in sub-rule (7) of rule 76.
- (2) The registration mark shall be in English letters and arabic numerals and---
 - (i) save in the case of a motor cycle or an invalid carriage, the letters shall be not less than 6 centimetres high and 2 centimetres thick at any part, the numeral shall be not less than 9 centimetres high and 2 centimetres thick at any part, and there shall be a space between any letter or any numeral and between any letter or any numeral and the edge of the plain surface of not less than 1 centimetres and a space between any two numerals of not less than 1 centimetre; and
 - (ii) in the case of a motor cycle or an invalid carriage, the dimensions of the letters and figures shall not be less than two thirds of those specified in clause (i).
- (3) The plain surface referred to in sub-rule (2) shall not be including from the vertical by more than thirty degrees. The letters and numerals shall be exhibited as follows:—
 - (i) in the case of a transport vehicle, the registration mark shall be exhibited in two separate horizontal lines, the number allotted to the Mission or Post and the letters forming the first line followed by the number allotted by the registering authority in the second line; and
 - (ii) in all other cases, the registration mark may exhibit the letters and numerals either in two horizontal lines as aforesaid or in one horizontal line.
- (4) Notwithstanding anything contained in subrulc (1), the registration mark exhibited at the front of a motor cycle or an invalid carriage may be displayed on a plate in line which the axis of the vehicle and shall in such a case, be displayed on both sides of the plate.

(5) In the case of a trailor —

- (i) the registration mark shall be exhibited on a plate or surface on the left hand side of the trailer, the dimensions of the letters and figures being not less than two-thirds of the dimensions specified in sub-rule (2);
- (ii) the registration mark of the drawing motor vehicle to be affixed to the rear of the trailor shall be in conformity with the provisions of these rules relating to the registration mark affixed to the rear of the motor vehicle.
- (6) The registration mark shall also be painted on the right and left side of the body of a transport vehicle.
- 78. Assignment of new registration mark on removal of vehicle to another State.—(1) Every application for assignment of new registration mark on removal to another State under sub-section (1) of section 47 by or on behalf of a diplomatic officer or consular officer shall be made in triplicate in form 44 and shall be addressed to the registering authority through the competent authority accompanied by the relevant documents and fees referred to in rule 54.
- (2) The provisions of sub-rule (2) to (7) of rule 76 shall apply to an application made under sub-rule (1) as they apply to an application made under sub-rule (1) of rule 76.
- 79. Suspension and cancellation of registration of vehicle registered under rule 7.—If, under the provisions of section 53, section 54 or section 55, the registration of a motor vehicle made in accordance with rule 76 is suspended or cancelled, than a copy of the order of suspension or cancellation shall be sent to the competent authority in addition to each of the authorities or persons to whom a copy has of be sent under the said sections.
- 80. Transfer or disposal of motor vehicle registered under rule 76—(1) Where a motor vehicle registered in accordance with rule 76 is transferred by way of sale or otherwise, the transfer or shall, within fourteen days, report the fact of the transfer alongwith the full name and address of the person to whom the vehicle is transfered to the registering authority within whose jurisdiction transfer is effected and shall simultanesouly send copies of the said report to :---
 - (a) the transferce;
 - (b) the comperent authority,
 - (c) the collector of customs of the port of importation of the vehicle and where it is not possible to lecate the port of importation, to the Collector of Central Excise and Customs nearest to the headquarters of the transfered; and
 - (d) the original registering authority in whose records the registration of the vahicle is

recorded, if the transfer is effected in the jurisdiction of another registering authority;

and shall also surrender the number plate in respect of the vehicle to the registering authority in wheose records the registration of the vehicle is re-

corded, when the transfer is to a person other than a diplomatic officer or a consular officer.

(2) Where the transferee is a diplomatic officer or a consular officer, an application by or on his behalf shall be made to the registering authority for registration of the vehicle in accordance with the provision of rule 76.

----FEES-----

81. Fees.—The fee which shall be charged under the provisions or this Chapter shall be as specified in the Table below:

TABLE

S.No.	Purpose	Amount	Rule	Section
1	2	3	4	5
	ant and renewal of trade certificate in respect	Twenty-five rupees	34(1)	_
Mo	tor Cycle	Twenty-five rupees		
Inva	alid Carriage	twenty-five rupees		
Oth	ners	One hundred rupees.		
2. Du	plicate trade certificate	•	38(1)	
Mo	otor Cycle	Fifteen rupees	` '	
	alid carriage	Fifteen rupees		
Oth	•	Fifty rupees		
3. Apj	peal under rule 46 Fifty rupees	- 20, 00pm	46(1) 47(1),	
	ne, renewal of certificates of registration and ignment of new registration mark.		52(1), 54(1) 76(1) and	
Inv	alid carriage	ten rupees.	78(1)	
	otor Cycle	thirty rupees.		
Lig	ht Motor vehicle	one hundred rupees		
Mo	dium Goods vehicle	two hundred rupees.		
Me	dium passenger Motor vehicle	two hundred rupees.		
Hea	avy goods vehicle	threes hundred rupees.		
	avy passenger motor vehicle	three hundred rupees.		
Imp	ported motor vehicle	four hundred rupees		
_	ported Motor Cycle	one hundred rupees.		
An	y other vehicle not mentioned above.	one hundred and fifty rupees.		

			- <u>-</u>	
-1	2	3	4	5
5.	Issue of duplicate certificate registration	Half of the fee mentioned in serial number 4.	53(2)	<u> </u>
6.	Transfer of ownership	Half of the fee mentioned in serial number 4.	55(2) (iii), 55(3), 56(2) (a) and 57(1) (a)	
7.	Change of residence	ten rupees	59	_
8.	Recording alteration in the certificate of registration.	twenty-five rupees	<u>—</u>	52(4)
9.	Endorsing hire-purchase/lease/hypothecation agreement.	fifty rupees	60	_
10.	Cancellation of hire-purchase/lease/hypothe- cation agreement or issue of fresh certificate of registration.	fifty rupees	61(1) 61(2)	_
11.	Grant and renewal of certificate of fitness. Light Motor vehicle Medium Goods/passenger Motor vehicle. Heavy Goods/passenger Motor vehicle.	one hundred rupees two hundred rupees. three hundred rupees.	62(2)	
12.	Grant and renewal of letter of authority	five thousand rupees.	63(2)(a)	_
13.	Issue of duplicate letter of authority.	fifty rupees	66(2)	_
14.	Appeal under rule 70	two hundred rupees.	71(1)	_

CHAPTER-IV

CONTROL OF TRANSPORT VEHICLES

TOURIST PERMITS

- 82. Tourist permits.—(1) An application for the grant of permit in respect of a tourist vehicle (hereinaster referred to in these rules as a tourist permit) shall be made in Form 45 to the State Transport Authority.
 - (2) (a) No tourist permit shall be granted in respect of a motor vehicle which is more than 2 years old,
 - (b) (b) A tourist permit shall be deemed to be in alid from the date an which the vehicle covered by the permit completes seven years where the vehicle is a motor cab and five years, where the vehicle is other than a motor cab, unless the vehicle is replaced.
 - (c) Where a vehicle covered by a tourist permit is proposed to be replaced by another, the later vehicle shall not be more than two years old on the date of such replacement.

Explanation.—For the purposes of this sub-rule, the period of 2 years, 5 years or 7 years, shall be computed from the date of initial registration of the motor vehicle.

- 83. Authorisation fee.—(1) An application for the grant of authorisation for a tourist permit shall be made in Form 46 and shall be accompained by a fee of Rupees five hundred per annum in the form of a bank draft
- (2) Every authorisation shall be granted in Form 47 subject to the payment of taxes or fees, if any, levied by the concerned States.
- (3) The period of validity of an authorisation shall not exceed one year at a time and shall expire on the 31st day of March of the year.
- 84. Right of operation—No tourist permit shall be demed to confer the right of operation in any State not included in the authorisation referred to in rule 83 nor shall it exempt the owner of a schicle from the payment of tax or fee, if any, leviable in any State.

- 85. Additional conditions of tourist permit.—As the following shall be the additional conditions of every tourist permit granted to a tourist venicle other than a motor cab under sub-section (9) of section 83, nan.ely:—
- (1) The permit holder shall cause to be prepared in respect of each trip a list in triplicate of tourist passenger to be carried in the vehicle, duly attested by the Executive Magistrate a Sub-Inspector of Police of Gazetted Officer or the State Transport Authority or Regional Transport Authority in this regard of the area from which the our emanates giving full particular as under:—
 - (a) name of the passenger.
 - (b) address of the passengers.
 - (c) age of passengers.
 - (d) starting point and the point of destination.
- (2) One copy of the list shall be sent by Registered AD Post to the Authority which issued the permit for record, the second copy shall be carried in the tourist vehicle and shall be produced on demand by the officers authorised to demand production of documents by or under the Act and the third copy shall be preserved by the permit holder.
- (3) The tourist vehicle shall either commence its journey, or and its journey, circular or otherwise, in the home State, subject to the condition that the vehicle shall not remain outside the home State for a period of more than two months. The permit holder shall see that every return of the tourist vehicle to the home State is reported to the authority which issued the permit:

Provided that where the contracted journey ends outside the home State, the vehicle shall not be effered for hire within that State or from that State to any other State except for the return journey to any point in the home State.

- (4) The tourist vehicle may operate circular tours of places lying exclusively in home state or in the home state and outside the State if such circular tours are in the list approved by tourist department of the home state to visit places of tourist, historical or religious importance and the tour is duly advertised before hand.
- (5) The permit holder or his authorised agent shall issue a receipt to the hirer and the counterfoil of the same shall be kept available with him and produced on demand to the officers empowered to demand documents by or under the Act.
- (6) The tourist vehicle shall not be parked on any bus stand used by stage carriage and shall not operate from such bus stand.
- (7) The tourist vehicle shall be painted in white colour with a blue ribbon of five centimetres width at the centre of the exterior of the body and the word "Tourist" shall be inserted on two sides of the vehicle within a circle of sixty centimetres diameter.

- (8) The permit holder shall display in the front top of the tourist vehicle a board in yellow with letters in black with the inscription "Tourist permit valid in the State(s) of......" in English and Hindi and also, if he so prefers, in regional language of the home State.
- (9) The permit holder shall not operate the tourist vehicle as a stage carriage.
- (10) The permit holder shall maintain a day to day logbook indicating the name and address of the permit holder and the registration mark of the vehicle, name and address of the driver with the particulars of his driving licence and the starting and destination points of the journey with the time of departure and arrival and the name and address of the hirer.
- (11) The permit holder shall furnish every 3 months the information contained in condition (10) to the State Transport Authority which granted the permit and the logbook shall be preserved for a period of 3 years and shall be made available to the said authority on demand alongwith the records referred to in conditions (2) and (4).

Explanation: In this rule. "home State" means the state which has granted the permit under subsection (9) of section 88.

- 85B.—The following shall be the additional conditions of every tourist permit in respect of motor cabs.
- (1) The words 'Tourist Vehicle' shall be painted on both the sides of the vehicle within a circle of twenty-five centimeter diameter.
- (2) A board with the inscription "Tourist Permit valid in the State(s) of...." in black letters in yellow background shall be displayed in the front of the vehicle above the registration number plates

National Permits

- 86. Application for national permit.—An application for the grant of a national permit shall be made in Form 48 to the authority referred to in section 69.
- 87. Form, contents and duration of authorisation.—(1) An application for the grant of an authorisation for a national permit shall be made in Form 46 and shall be accompanied by a tee of supees five hundred per annum in the form of a bank draft.
- (2) Every authorisation shall be granted in Form 47 subject to the payment of the taxes or fees, if any, levied by the concerned States.
- (3) The period of validity of an authorisation shall not exceed one year at a time and shall expire on the 31st day of March of the year.
- 88. Age of motor vehicle for the purpose of national permit.—(1) No national permit shall be granted in respect of a goods carriage which is more than nine years old at any point of time.

_ =___=

(2) A national permit shall be deemed to be invalid from the date the vehicle covered by the permit completes nine years from the date of its initial registration.

Explanation: For the purpose of this rule, the period of nine years shall be computed from the date of initial registration of the goods carriage concerned.

- 89. Quarterly return to be filled by a national permit holder.—A national permit holder shall file quarterly a return in Form 49 in respect of a moter vehicle covered by the national permit to the authority which granted the national permit.
- 90. Additional conditions for national permit.— The national permit issued under sub-section (12) of section 88 shall be subject to the following additional conditions, namely:—
- (1) The vehicle piying under a national permit shall be painted in dry leaf brown colour with thirty centimetres broad white borders and the words "NATIONAL PERMIT" shall be inscribed on both sides of the vehicle in bold letters within a circle of sixty centimetres diameter:

Provided that the body of a tanker carrying dangerous or hazardous goods shall be painted in white colour with a dry leaf brown ribbon of 5 cm, width around in the middle at the exterior and that the driver's cabin in orange colour.

- (2) A board with the inscription "National Permit" valid in the State(s) of with blue letters on white background shall be carried in front top of such vehicle.
- (3) No such vehicle shall carry any goods without a bill of lading in Form 50.
- (4) The vehicle shall have a minimum of two drivers and shall be provided with a seat across its full width behind the driver's seat providing facility for the spare driver to stretch himself and sleep.
- (5) The vehicle shall at all times carry the following documents and shall be produced on demand by an office empowered to demand documents by or under the Act, namely:—
 - (i) Certificate of fitness,
 - (ii) Certificate of insurance,
 - (iii) Certificate of registration,
 - (iv) National Permit,
 - (v) Taxation certificate,
 - (vi) Authorisation,
- (6) The vehicle shall be subject to all local rules or restrictions imposed by a State Government.
- (7) The vehicle shall not pick up or set down goods between two points situated in the same State, 1478 GI/89-17

CHAPTER V

CONSTRUCTION, EQUIPMEN' AND MAINTENANCE OF MOTOR VEHICLES

PRELIMINARY

- 91. Definitions,—(1) In this Chapter, unless the context otherwise requires,—
 - (a) "class label", in relation to any dangerous or hazardous goods, means the class label specified in column 3 of the Table to rule 137;
 - (b) "consignor", in relation to dangerous or hazardous goods intended for transportation by a goods carriage, means the owner of such dangerous or hazardous goods;
 - (c) "dangerous or hazardous goods" means the goods of dangerous or hazardous nature to human life specified in Table I, II and III to rule 137,
 - (d) "Emergency information panel" means the panel specified in rule 134;
 - (e) "primary risk", in relation to any dangerous or hazardous goods, means the most potent risk which such goods give rise to;
 - (f) "subsidiary risk", in relation to, any dangerous or hazardous goods, means the subsidiary risk which such goods are likely to give rise to in addition to the primary risk.
- 92. General.—(1) No person shall use or cause or allow to be used in any public place any motor vehicle which does not comply with the provisions of this Chapter.
- (2) Nothing in this rule shall apply to a motor vehicle:—
 - (a) which has been damaged in an accident or to a vehicle stopped or impeded owing to shortage of fuel or other temporary defects while at the place at which the accident or defect occured;
 - (b) which is defective or damaged and is being removed to the nearest place of repair or disposal; or
 - (c) which is more than 50 years old from the date of its registration and is being driven for taking part in a vintage car rally;

Provided that where a motor vehicle can no longer remain under the effective control of the person driving, the same shall not be used in a public except by towing.

OVERALL DIMENSION

93. Overall dimension of motor vehicles.—(1) The overall width of a motor vehicle, measured at right

angles to the axis of the motor vehicle between perpendicular planes enclosing the extreme points, shall not exceed,—

- (i) in the case of a motor vehicle, other than a transport vehicle, 2.5 metres;
- (ii) in the case of a transport vehicle, 2.7 metres.

Explanation.—For purposes of this rule, a rear view mirror, or guard rail or a direction indicator (when in operation) shall not be taken into consideration in measuring the overall width of a motor vehicle.

- (2) The overall length of motor vehicle, other than a trailer, shall not exceed,---
 - (i) in the case of a motor vehicle other than a transport vehicle having not more than two axles, 9.5 metres;
 - (ii) in the case of a transport vehicle with rigid frame having two or more axles, 11.25 metres;
 - (iii) in the case of an articulated vehicle having more than two axles, 16 metres;
 - (iv) in the case of truck trailer or tractor trailor combinations, 18 metres;
- (3) In the case of an articulated vehicle or a tractor trailer combination specially constructed and used for the conveyance of indivisible load of exceptional length,—
 - (i) if all the wheels of the vehicle are fittted with pneumatic tyres, or
 - (ii) if all the wheels of the vehicle are not fitted with pneumatic tyres, so long as the vehicle is not driven at a speed exceeding twentyfive kilometres per hour,

the overall length shall not exceed 18 metres.

Explanation.—For the purposes of this rule "overall length" means the length of the vehicle measured between parallel planes passing through the extreme projection points of the vehicle exclusive of—

- (i) a starting handle;
- (ii) any hood when down;
- (iii) any fire-escape fixed to a vehicle;
- (iv) any post office letter box, the length of which measured parallel to the axis of the vehicle, does not exceed 30 centimetres;
- (v) any ladder used for loading or unloading from the roof of the vehicle or any tail or indicator lamp or number plate fixed to a vehicle;
- (vi) any spare wheel or spare wheel bracket or bumper fitted to a vehicle;
- (vii) any towing hook or other fitment which does not project beyond any fitment covered by clauses (iii) to (vi).

- (4) The overall height of a motor vehicle measured from the surface on which the vehicle rests.—
 - (i) in the case of a vehicle other than a doubledecked motor vehicle, shall not exceed 3.8 metres;
 - (ii) in the case of a double-decked motor vehicle, shall not exceed 4.75 metres;
 - (iii) in the case of a laden trailer carrying ISO series 1 Freight Container, shall not exceed 4.2 metres:

Provided that the provisions of clauses (i) to (iii) shall not apply to fire-escape tower wagons and other special purpose vehicles exempted by general or special order of the registering authority.

- (5) The overhang of a tractor shall not exceed 1.85 metres,
- (6) The overhang of a motor vehicle other than a tractor shall not exceed sixty per cent of the distance between the plane perpendicular to the axis of the motor vehicle which passes through the centre or Centres of the front wheel or wheels and the foremost vertical plane from which the overhang to be measured.

Explanation.—For the purpose of this rule, "overhang" means the distance measured horizontally and parallel to the longitudinal axis of the vehicles between two vertical planes at right angles to such axis passing through the two points specified hereunder:

- A. The rearmost point of the vehicle exclusive of-
 - (i) any hood when down;
 - (ii) any post office letter-box, the length of which measured parallel to the longitudinal axis of the vehicle, does not exceed thirty centimetres
 - (iii) any ladder forming part of a turn-table fireescape fixed to a vehicle;
 - (iv) any ladder used when the vehicle is at rest for loading or unloading from the roof of the vehicle, or any tail lamp or number plate fixed to a vehicle;
 - (v) any spare wheel or spare wheel bracket fitted to a vehicle;
 - (vi) any luggage carier fitted to a motor vehicle constructed solely for carriage of passengers and their effects and adopted to carry not more than seven passengers exclusive of the driver;
- (vii) any towing hook or other fitment which does not project beyond any fitment mentioned in clauses (ii) to (vi):

Provided that in the case of a stage carriage :--

- (a) the projection of any bumper or advertisement panel fitted at the rear of the vehicle shall not exceed fifteen centimenters;
- (b) the projection in respect of an advertisement panel shall not be such as to obstruct either

the vision from the rear view mirror or project through the emergency exit at the rear or both;

- B (i) In the case of a vehicle having only two axles, one of which is not a steering axle, the centre point of that axle; or
 - (ii) in the case of a vehicle having only three axles and the front axle is the only steering axle: a point 102 millimetres in rear of the centre of a straight line joining the centre points of the rear and middle axle;
 - (iii) in the case of any vehicle registered in India before the commencement of these rules it shall suffice if the overhang does not exceed 7/24th of the overall length of the vehicle;
 - (iv) in the case of a motor vehicle having only three axles where two front axles are steering axles, the centre point of rear-most axle;
 - (v) in the case of a motor vehicle having four axles, where two front exles are steering axles, a point 102 millimetres in rear of the centre of a straight line joining the centre points of the rear-most two axles;
 - (vi) in any other case, a point situated on the longitudinal axis of the vehicle such that a line drawn from it at right angle to that axis will pass through the centre of the minimum turning circle of the vehicle;
 - (vii) no part of the vehicle other than a direction indicator, when in operation, or a driving mirror, shall project laterally more than 355 millimetres beyond the centre line of the rear wheels, in the case of a single rear wheels or more than 152 millimetres beyond the extreme outer edge of the outer tyres, in the case of dual rear wheels.

Provided that the State Government or any authority authorised in this behalf by the State Government, if it is satisfied that it is necessary because of the nature of any road or bridge or in the interests of public safety, may prohibit or restrict the operation of a motor vehicle in a specified route or area unless such vehicle complies with the requirements specified by the State Government for such route or area.

- (7) No motor vehicle shall be loaded in such a manner that the load or any part thereof extends,—
 - (i) laterally beyond the side of the body,

- (ii) to the front beyond the foremost part of the load body of the vehicle;
- (iii) to the rear beyond the rear most part of the vehicle;
 - (iv) to a height beyond the limits specified in sub-rule (4)

Provided that clause (iii) shall not apply to a goods carriage when loaded with any pole or rod or indivisible load so long as the projecting part or parts do not exceed the distance of one meter beyond the rear most point of the motor vehicle.

SIZE, NATURE AND CONDITION OF TYRES

- 94. Condition of tyres.—(1) Every motor vehicle, other than a road-roller or a tracklaying vehicle, shall be fitted with pneumatic tyres.
- (2) The pneumatic tyres of a motor vehicle shall be kept properly inflated and in good and sound condition.
- (3) For the purpose of sub-rule (2), a tyre shall not be deemed to be of good and sound condition if
 - (i) any of the fabric of its casing is exposed by wear of the tread or by any unvulcanised cut or abrasion in any of its part; or
 - (ii) it shows signs of incipient failure by local deformation or swelling; or
 - (iii) it has been patched or repaired by an outside gaitar or patch other than a vulcanised repair;

Provided that the requirement specified in clause (iii) shall not apply to a temporary repair effected to enable the vehicle to be moved to the nearest place where the tyre can be repaired or replaced:

Provided further that where a motor vehicle, other than road roller or tracklaying vehicle, is not fitted with pneumatic tyres, it shall not be used in a public place unless it is fitted with shoes or other suitable device so that plying of such vehicle does not damage the road.

95. Size and ply rating of tyres.—The size of tyres of a motor vehicle specified in column (1) of the Table below shall have a ply rating specified in the corresponding entry in column (2) of the said Table in respect of maximum weight permitted to be carried by such vehicle specified in the corresponding entry in column (3) thereof.

TABLE

Size of Tyre	Light/Truck Tyres (Diagonal) ply rating specified by the manufacturer	Maximum weight permitted to carry (kilograms) SINGLE/DUAL
6.00—16	6	705/620
6.00—16	8	830/730
6.50—16	6	795/700
6.50—16	8	935/820
6.70—15	6	755/670
6.70—15	8	890/790
7.00—15	6	850/750
7.00—15	8	1005/885
7.00—15	10	1140/1005
7.00—16	6	885/775
7.00—16	8	1050/925
7.00—16	10	1195/1050
7.50—16	8	1200/1055
7.50—16	10	1370/1200
7.50—16	12	1530/1350
7.50—16	14	1675/1475
	Truck and Bus Tyres	
7.00—20	10	1660/1450
7.50-20	10	1855/1630
7.50—20	12	2060/1805
8.25-20	12	2365/2075
8.25—20	14	2585/2275
9.00-20	12	2710/2380
9.00-20	14	2980/2615
9.00—20	16	3075/2695
10.00—20	14	3180/2790
10.00—20	16	3480/3050
11.00—20	14	3470/3040
11.00-20	16	3785/3325
11.00-20	14	3910/3435
12.0020	14	3685/3230
12.00-20	16	4070/3575
12.00-20	18	4320/3785

Size of tyre	Light/Truck Tyre (Diagonal) ply rating specified by the manufacturer	Maximum weight permitted to carry (kilograms) SINGLE/DUAL
	Motor Scooter Tyres	
3.0010	4	150
3.50—8	4	170
3.50—10	4	195
	Motor Scooter Derivaties	
3.50-10	6	375
4.00—8	4	340
4,00—8	6	400
4.5010	8	520
	Motor Cycle Tyres	
3.00—18	4	175
3.00—19	4	185
3.25—16	4	180
3.25—18	4	200
3.2519	4	210
3,50—18	4	225
3.50—19	4	230
Agricu	Iture Steering Wheel Tracter Tyres (Diogona	al Ply)
4.00—19	4	355
5.50—16	4	425
5.50—16	6	525
6.00—16	4	450
6.00-16	6	560
6.00—19	4	510
6.00-19	6	640
6.50—16	4	510
6.50—16	6	615
6.50-20	4	600
6.50-20	6	725

Size of Tyre	Light/Truck Tyre (Diagonal) ply rating specified by the manufacturer	Maximum weight permitted to carry (kilograms) SINGLE/DUAL
	Agriculture Drive Wheel Tractor Tyre (Diagonal P	·ly)
8.3/8-24	4	625
8.3/8-24	6	810
8.3/8—32	4	715
8.3/8.32	6	920
11.2/10-28	4	900
11.2/1028	6	1115
11.2/10-28	8	1305
12.4/11—24	4	945
12.4/11—25	6	1200
12.4/1128	4	1005
12.4/11-28	6	1275
12.4/1128	8	1510
12.4/1136	4	1135
12.4/1136	6	1440
12.4/1138	4	1165
12.4/11—38	6	1480
13.6/12-28	4	1100
13.6/12—28	6	1430
13.6/12—28	8	1645
13.6/12—38	6	1660
13.6/1238	8	1910
16.9/14-28	6	1840
16.9/14—28	8	2175
16.9/14-30	6	1900
16.9/14—30	8	2245
18.4/1530	10	2815
18.4/15-30	12	3180
18.4/15—30	14	3405

NOTE: (i) The above maximum weights are in accordance with Indian Standard IS: 10914 of 1988, and for the maximum cold inflation pressures indicated therein and have been adjusted for the speed limit stipulated in the notification under section 112 of the Motor Vehicles Act, 1988.

(ii) The above weights in respect of tyres of transport vehicles (goods as well as passenger carriages) shall be applicable subject to the condition that the axle loads do not exceed the permitted limits. They apply in relation to registered axle weights, recorded in Registration Certificate of the vehicle.

Brakes, Steering gears, Safety glass and Wind screen wipers

- 96. Brakes. -(1) Every motor vehicle, other than a motor cycle withour gear, invalid carriage, a trailer or a road-roller, shall be equipped with two independent and efficient braking systems, namely, the hand brakes and foot-operated service brakes.
- (2) The braking system shall be of strength capable of stopping the vehicle within the distance specified in sub-rule (8) and of holding it at rest in all conditions and all such brakes at all time be properly connected and maintained in efficient condition:

Provided that a motor cycle without gear may have an independent and efficient single braking system capable of holding such motor cycle, when fully laden, stationary on a gradient of one in seven.

- (3) In every motor vehicle, the brakes operated by one of the means of operation shall act directly upon the wheel and not through the transmission pear
- (4) On and from the date of commencement of this sub-rule, the foot operated service brakes shall be so constructed and maintained that the failure of any single portion of it shall not prevent the brakes on at least two wheels, or, in the case of a vehicle having less than four wheels on one wheel, from operating effectively to hold such wheels from revolving or to have same effect in stopping the vehicle as if such wheels were to be held.
- (5) Except in the case of a motor cycle, the braking system or one of the braking systems of a motor vehicle shall be so constructed and maintained that it can be so set as effectively to prevent at least two, or in the case of a motor vehicle having three wheels, at least one of the wheels from revolving when the vehicle is left unattended
- (6) The braking system or part thereof which functions in the aforesaid manner shall be known as parking brake and where such a parking brake is designed to be operated by hand, it shall be known as hand brake.
- (7) In the case of a motor vehicle with more than three wheels, other than an invalid carriage or a road-roller, were any brake-shoe is capable of being applied by more than one means of operation, all the wheels shall be fittled with brakes all of which are operated by the one of the means of operation:

Provided that except in the case of a tractor,---

- (i) where a motor vehicle has more than six wheels at least four of which are steering wheels, it shall be sufficient compliance with this sub-rule if brakes are fitted to all the wheels other than two steering wheels which are situated on opposite sides of the vehicle, and all such brakes are operated by one of the means of operation;
- (ii) where a motor vehicle has more than four wheels and the drive is transmitted to all wheels other than the steering wheels without the interposition of a differential driving gear on similar mechanism between the axles carrying the driving wheels, it shall

be sufficient compliance with this sub-fule if one of the means of operation operates the brakes on two driving wheels situated on opposite sides of the vehicles and the other hearts of operation operates brakes on all the other wheels required to be fitted with brakes by this sub-rifle.

- (8) The braking system operated by one of the means of operation, whether the vehicle is laden or unladen, shall be capable of bringing it to rest and shall conform to the Indian Standards IS: 11716 (1987) in respect of two-wheelers and IS: 11852 (1987) in respect of other automotive vehicles, as modified from time to time.
- 97. Brakes for trailers.—(1) Every trailer exceeding 500 kilograms in weight shall have an efficient braking system which are capable of being applied when it is being drawn,—
 - (i) in the case of a trailer having not more than two axles, to at least all the wheels of one axle; or
 - (ii) in the case of a trailer having more than two axles, to at least all the wheels of two axles:

Provided that the braking system shall be so constructed that it is not rendered ineffective by the non-rotatio nof the engine of the drawing vehicle.

- (2) The provision of sub-rule (1) shall not apply to-
 - (i) any land implement drawn by a motor vehicle;
 - (ii) any trailer designed for use and used by a local authority for street cleansing or by the fire service for fire fighting, which does not carry any load other than its necessary gear and equipment;
 - (iii) any disabled vehicle which is being drawn by a motor vehicle in consequence of its disablement.
- 98. Steering gears.—(1) The steering gear of every motor vehicle shall be maintained in good and sound condition, free from backlash exceeding 30 degrees on the steering wheel, all rods and arms shall be protected by rubber caps and where the connections are secured with bolts or pins, the bolts or pins shall be effectively locked.
- (2) The steering gear of every motor vehicle shall be so constructed as to conform to the Indian Standard IS: 12222 (1987) as modified from time to time.
- 99. Forward and backward motion.—Every motor vehicle other than a motor cycle and three-wheeled invalid carriages, shall be capable of moving under its own power either forwards or backwards.

100. Safety glass—(1) The glass of windscreens and the windows of every motor vehicle shall be of safety glass.

Provided that in the case of three-wheelers and vehicles with hood and side covers, the windows may be of acrylic transparent sheet.

Explanation.—For the purpose of this rule --

- (i) "safety glass" means glass approved by the Bureau of Indian Standards and so manufactured or treated that if fractured, it does not fly or break into fragments capable of causing serve cut;
- (11) any windscreen or window at the front of the vehicle, the inner surface of which is at an angle extending to thirty degrees to the longitudinal axis of the vehicle shall be deemed to face to the front.
- (2) The glass of the windscreens, and the windows of every motor vehicle shall be such and shall be maintained in such condition as to be clearly transparent and allow the clear vision outside from inside and inside from outside.
- 101. Widescreen Wiper.—An efficient automatic windscreen wiper shall be fixed to every motor vehicle.
- 102. Signalling devices, lamps and reflectors direction indicators and stop lights.—(1) The signal of an intention to turn to the right or to the left may be given by an electrical direction indicator and during period between half an hour after sunset and half an hour before sunrise, the signal for intention to stop may be given by an electrical stop light.
- (2) Every electrical direction indicator shall, when in operation, be visible both from the front and rear of the vehicle and be in the form of:
 - (i) an illuminated sign of amber colour either steady or of the flashing type approved by Bureau of Indian Standards;
 - (ii) fixed glass panel which is illuminated to indicate turn by a light flashing at rate not less than sixty and not more than one hundred and twenty flashes per minute, of the minimum illuminated areas—
 - (a) of 22.5 square centimetres, in the case of vehicles with unladen weight not exceeding two tonnes, or adapted solely for the carriage of seven persons excluding the driver and luggage:
 - Provided that the vehicle is not used for drawing a trailer other than one of less than four wheels or a four wheeled trailer having two closed coupled wheels on each side: or
 - (b) of 60 square centimetres, in all other cases,

and the illuminated surface shall be visible both from the front and the rear of the vehicle

- 103. Position of the indicator.—(1) A direction indicator shall be fitted and every direction indicator shall be so designed and fitted that the driver of the vehicle when in his driving seat is aware that it is operating correctly:
- (2) In the case of motor cycles, built-in direction indicators blinker system shall be fixed both at the front and the rear.
- (3) On and from the date of commencement of this sub rule, every motor vehicle other than motor cycle shall be equipped with such a device that when the vehicle is in break-down condition all the side indicators flash together giving hazard warning to other road users.
- 104. Fitment of reflectors.—(1) Every transport vehicle shall fitted with,—
 - (a) two red reflectors having diameter of not less than 80 millimetres each, on both the sides of the read of the body,
 - (b) one white reflector having a diameter of not less than 80 millimeters on the right bottom corner in the front side of the body at the extreme right and facing to the front.

at a height between 1 2 to 1.5 metres from the ground level.

- (2) Every non-transport vehicle shall be provided with a reflector of 50 milimetre diameter or a reflecting tape of not less than 30 millimetrers width and not less than 15 centimetres length at the rear.
- (3) Every goods carriage or in the case of tractor-trailer or truck-trailers combination, the trailer shall be fitted with two cat's eye reflectors of eight centimetres diameter, one at the right hottom corner in the front and another on the rear-most body cross beam or near the right rear light above the rear number plates in the case of goods carriage not constructed with body in the rear. The colour of the front reflector shall be white and that of the rear shall be red.
- (4) The reflectors referred to in this rule shall be of flouroscent type, as per BIS specification.
- 105. Lamps—(1) Save as hereinafter provided, every motor vehicle while in a public place during the period between half an hour after curset and half an hour before sunrise and at any other time when there is not sufficient light to render clearly discernible persons and vehicles in the road at a distance of one hundred and fifty five maters ahead, shall carry the following lamps (hereafter referred to as the obligatory head lamps) kept lit and in an efficient condition—
 - (a) save in the cases of a motor evele and an invalid carriage, two lamns showing to the front a white light visible from a distance of one hundred and fifty five metres:
 - (h) in the case of a motor cycle and an invalid carriage, one lamp showing to the front a white light visible from a distance of one hundred and fifty five metres and where the registration mark at the front of the

- vehicle is exhibited on both sides of a plate, so fixed as to illuminate both sides of the plate;
- (c) In the case of a side car attached to a motor cycle, a lamp affixed to the extreme left hand side of the side car showing to the front a white light visible from a distance of one hundred and fifty five metres;
- (2) Every such motor vehicle other than a motor cycle and a three wheeler shall also carry.—
 - (i) one lamp (hereinafter referred to as the 'rear lamp' showing to the rear a red light visible in the rear from a distance of one hundred and fifty five metres and in the case of a motor cycle visibility distance of seventy-five metres; and
 - (ii) lamp, which may be the rear tamp or some other device, illuminating with a white light the whole of the registration mark exhibited on the rear of the vehicle so as to render it legible from a distance of fifteen metres to the rear;

Provided that when a motor vehicle 1s drawing another vehicle or vehicles and the distance between such vehicles does not exceed 1.5 metres, it shall be sufficient if the last drawn vehicle carries a rear lump or a lamp illuminating the rear registration mark.

- (3) On and from the date of commencement of the sub-rule, all the obligatory front headlamps of a motor vehicle shall be as nearly as possible of the same power and fixed at a height not exceeding one more above the ground to the bottom edge of the head lamp.
- (4) The rear lamp shall be fixed either on the centre line of the vehicle or to the right hand side, and save in the case of a transport vehicle, at a height of not exceeding one metre above the ground.
- (5) In the case of a transport vehicle, the rear light may be fixed at such level as may be necessary to illuminate the registration mark.
- (6) Every heavy goods carriage of unconvent onal or extraordinary type shall be fitted with a red indicator lamp of size of thirty centimetres by ten centimetres on the extreme rear-most body cross beam and in the case of a vehicle not constructed with body in the rear, the indicator lamp shall be fitted near the right rear light above the rear number plate.

106. Deflection of lights.—(1) No lamp showing a light to the front shall be used on any motor vehicle (whether fitted with single or dual head lamp) unless such lamp is so constructed, fitted and maintained that the beam of light emitted therefrom.

(a) is permanently deflected downwards to such an extent that it is incapable of dazzling any person standing on the same horizontal plane as the vehicle at a greater distance that eight metres from the lamp and whose eye level is not less than hundred centimetres above the plane;

- (b) is capable of being deflected downwards by the driver in such manner as to tender it incapable of dazzling any such person in the circumstances aforesaid;
- (c) is capable of being extinguished by the operation of a device which at the same time causes a beam of light to be emisted from the lamp which complies with the provision of clause (a);
- (d) is capable of being extinguished by the operation of a device which at the same time either deflects the beam of light from another lamp downwards or both downwards and to the left in such manner as to render it capable of dazzling any person in the circumstances aforesaid, or brings into or leaves inoperation a lamp which complies with the provision of clause (a).
- (2) In addition to the requirements specified in sub rule (1), the motor vehicle used in a public place shall have the panels of the head lights shaded by a painting like bulls eye of a diameter of not less than 5 centimetres at the centre exactly opposite the point where the reflectors converge.
- (3) The provisions of sub-rule (1) shall not apply to any lamp fitted with an electric bulb, if the power of the bulb does not exceed 7 watts and the lamp is fitted with a frosted glass or other material which has the effect of diffusing the light.
- 107. Top lights.—Every goods vehicle shall be fitted with two top lights, one at the right top corner in front and another at the right top corner in the rear. The colour of the front top light shall be white and that at the rear shall be red. The lights shall remain lit when the vehicle is kept stationary on the road during night and at times of low visibility.

Provided that in the case of goods carriage with no body in the rear, provision for fitting of the top light at the rear shall not be necessary.

108. Use of red or white light.—No more vehicle shall show a red light to the front or light other than red to the rear:

Provided that the provision of this rule shall not apply to,—

- (1) the internal lighting of the vehicle; or
- (ii) the amber light, if displayed by any direction indicator or top light;
- (iii) a vehicle carrying high dignitaries as specified by the Central Govt, or the State Government from time to time or a vehicle escorting such vehicle;
- (iv) the blinker type of red light with purple glass fitted to an ambulance van used for conveying patients; or
- (v) to a vehicle having a lamp fitted with an electrical bulb, if the power of the bulk does not exceed seven wat's and the lamp is litted with frosted grass or any other material which has the effect of diffusing the light.

- 109. Parking light.—(1) Every goods carriage shall be provided with one white parking light on each side of the front with frosted glass, in addition to the front lights and in the rear with additional two red lights which shall remain lit even when the vehicle is kept stationary on the road.
- 110. Lamp on auto-rickshaw—Every auto-rickshaw shall be fitted with one front lamp and two side white lights or two front lamps on the body. In addition to the front lights and the side lights, it shall be fitted with a rear lamp showing to the rear, a red rear light visible from a distance of seventy five metres and a white light illuminating the registration mark exhibited on the rear of the vehicle so as to render it legible from a distance of fifteen metres and also two cat's eye reflectors on the rear mudguards.
- 111. Prohibition of spot lights, etc.—No spot-light or search-light shall be carried on the front of any vehicle except in exceptional circumstances with the prior approval of the registering authority.

Smoke, vapour, spark, ashes, grit and oil

112. Exhaust gases.—(1) Every motor vehicle shall be so constructed or equipped that the exhaust gases from the engine are discharged neither downward nor to the left side of the vehicle and shall be so fitted as to allow the gases to escape to the right side or rear of the vehicle.

Provided that in the case of tankers carrying explosives and inflammable goods, the fitment of exhaust ripe shall be according to the specification of the Inspector of Explosives.

- 113. I ocation of Exhaust Pipes.—On and from the date of commencement of this sub-rule, no exhaust pipe shall be located within a distance of 35 millimetre from the fuel line connecting to the fuel tank and engine.
- 114. Exhaust pines of public service vehicles:— The exhaust pipe of every public service behicle shall be so fitted or shielded that no infiamable material is thrown upon it from any other part of the vehicle and that it is not likely to cause a fire through, proximity to any inflamable material on the vehicle.

Emission of smoke, vapour etc. from motor vehicles:

- 115. (1) Every motor vehicle shall be manufactured and maintained in such condition and shall be so driven that smoke, visible vapour, grit, sparks, ashes, cinders or oily substance do not emit therefrom.
- (2) On and from the date of commencement of this sub-rule, every motor vehicle shall comply with the following standards:—
 - (a) Idling CO (Carbon monoxide) emission limit for all four wheeled petrol driven vehicles shall not exceed 3 per cent by volume;
 - (b) Idling CO emission limit for all two and three wheeled petrol driven vehicles shall not exceed 4.5 per cent by volume;

(c) Smoke density for all diesel driven vehicles shall be as follows:—

Method of Test		Maximum smoke Density		
		Lgihi Absorption Coefficient m1	Bosch Units	Hart- ridge units
(a)	Full load at a speed of 60% to 70% of maximum engine rated speed declared by the manufacturer		5.2	75
(b)	Free Acceleration	2.3		65

- (3) On and from the date of commencement of this sub-rule, all perol driven vehicles shall be so manufactured that they comply with the mess emission standards as specified at Annexure T. The breakdown of the operating cycle used for the test shall be as specified at Annexure Hr, and the reference fuel for all such tests shall be specified in Annexure Hr to these rules.
- (4) On and from the date of commencement of this sub-rule, all diesel driven vehicles shall be so manufactured that they comply with the following based on exhaust gas opacity as specified at Annexure 'IV' to these rules.
- (5) On and from the date of commencement of this sub-rule, all ptol driven vehicles shall be so manufactured that they comply with the following levels of emissions under the Indian driving cycle:—

Msas of Carbon Monoxide (CO)	Mass of Hydro carbons (HC) Maxm, Grams per K.WH	Mass of Nitrogen Oxides (NO) Maxm. Grams per K.WH
14%	3.5	18

- (6) Each motor vehicle manufactured on and after the dates specified in sub-rules (2), (3), (4) or (5), shall be certified by the manufacturers to be conforming to the standards specified in the said sub-sections, and further certify that the components liable to effect the emission of gaseous poliutants are so designed, constructed and assembled as to enable the vehicle, in normal use, despite the vibration to which it may be subjected, to comply with the provisions of the said sub-rule.
- 116. Test for smoke emission level and carbon-monoxide level for motor vehicles.—(1) Any officer not below the rank of a sub-inspector of police or an Inspector of motor vehicles, who has reason to believe

- that a motor vehicle is, by virtue of the smoke emitted from it, or other pollutants like carbon monoxide emitted from it, is likely to cause dangering the health or safety of any other user of environmental pollution, endangering the health or safety of any other user of the road or the public, may direct the driver or any person incharge of the vehicle to submit the vehicle for undergoing a test to measure the standard of black smoke or the standard of any of the other pollutants.
- (2) The driver or any person incharge of the vehicle shall, upon deriand by any officer referred to in sub-rule (1) submit the vehicle for testing for the purpose of measuring the standard of smoke or the levels of other pollutants or both.
- (3) The measurement of standard of smoke shall be done with a smoke meter of a type approved by the State Government and the measurement of other pulutants like carbon monoxide, shall be done with instruments of a type approved by the State Government.

Speed Governors.

- 117. Speedometer.—(1) Every motor vehicle, other than an invalid carriage or a vehicle, the designed speed of which does not exceed thirty kilometres per hour, shall be fitted with an instrument (hereinafter referred to as "speedometer" so constructed and fixed in such a position as to indicate to the driver of the vehicle the speed at which the vehicle is travelling.
- (2) A speedometer shall be deemed to satisfy the requirements of this rule if, upon test, it is found to be accurate within ten per cent above or below the speed specified for the vehicle by the State Government under sub-section (2) of section 112, or of no speed is so specified, then above or below a speed of sixty kilometres per hour.
- 118. Speed governor.—(1) On and from the commencement of this rule, such transport vehicles as may be notified by the Central Government in the Official Gazette shall be fitted by the operator of such transport vehicle with a speed governor (speed controlling device) approved by the Bureau of Indian Standards, in such a manner that the speed governor can be sealed with an official seal of the State Transport Authority or a Regional Transport Authority in such a way that it cannot be removed or tempered with without the seal being broken.
- (2) The speed governor of every transport vehicle shall be so set that the vehicle is incapable of being driven at a speed in excess of the maximum pre-set speed of the vehicle, except down and incline.

Reduction of noise.

- 119. Horns.—(1) Every motor vehicle shall be fitted with an electric horn or other device approved by the Bureau of Indian Standard and approved by the registering authority for use by the driver of the vehicle and capable of giving audible and sufficient warning of the approach or position of the vehicle.
- (2) No motor vehicle shall be fitted with any multitoned horn giving a succession of different notes or with any other sound-producing device giving an unduly harsh, shrill, loud or alarming noise.

- (3) Nothing contained in sub-rule (2) shall prevent the use on vehicles used as ambulance or for fire fighting or salvage purp ses or on vehicles used by police officers or officers of Motor Vehicles Department in the course of their duties, of such sound signals as may be approved by the registering authority in whose jurisdiction such vehicles are kept.
- 120. Silencers.—(1) Every motor vehicle shall be fitted with a device (hereinafter referrd to as a silencer) which by means of an expansion chamber or otherwise reduces as fur as practicable, the noise that would otherwise be made by the escape of exhaust gases from the engine.
- (2) Every motor vehicle shall be so constructed and maintained as to conform to noise standards as approved by FIS from time to time.
- 121. Painting of motor vehicles.—(1) No motor vehicle shall be painted in olive green colour except those belonging to Defence Department.
- (2) No contract carriage other than a tourist vehicle covered by permit under sub-section (9) of section 88 shall be painted in the manner specified in sub-rule 11 of rule 128.
- (3) No goods carriage other than a goods carriage covered by national permit shall be painted in the manner specified in sub-rule (1) of rule 90.

Chassis number and engine number.

- 122. Embossment of the chassis number and engine number and date of manufacture.—(1) On and from the date of commencement of this rule, the manufacturer of every motor vehicle shall cause the chassis of every motor vehicle to bear the identification number including month and year of manufacture embossed or etched on it. The crubossing or etching shall be in the following manner:—
 - (a) in vehicles having longitudinal numbers on rear side of the longitudinal number in a space between the front and real axles covering an area not exceeding 250 millimetres by 30 millimetres in a row;
 - (b) in vehicles other than those having longitudinal numbers, on off-side near windscreen underneath the bonnet in the same manner referred to in clause (a);
 - (c) in the case of motor cycles, on the steering column in a space not exceeding 150 millimetres by 20 millimetres;
 - (d) in the case of three wheelers, below the centre of handle bar or steerig wheel on permanent portion of a main structure or chassis frame;
 - (e) in the case of trectors and other vehicles where chassis frame or permanent structure is not involved in the manner referred to in clause (a) underneath the driver's seat and charly visible from the rear side of it without disturbing the driver's seat;

(f) in the case of trader or semi-trailer having single axle, on the rear side of the longitudinal number above the centre of the axle in the manner referred to in clause (a);

(g) in the case of trailer or semi-trailer having more than one axle, above the centre of the front axle in the manner referred to in clause (a);

Provided that in no case the height of the chassis number embossed or etched shall be less than one centimetre.

(2) Every engine or power unit of a motor vehicle shall bear a clear identification number and year and month of manufacturing embossed or etched in such a manner as to be clearly visible from outside.

Safety Devices

Safety devices for drivers, passengers and road users.

- 123. Safety devices in motor cycle.—No motor cycle shall be constructed without provision for a permanent hand grip on the side or behind the driver's seat and a foot rest and a protective device covering not less than half of the rear wheel so as to prevent the clothes of the person sitting on the pillion from being entangled in the wheel.
- 124. Safety standards of components.—On and from the date of commencement of this rule, no manufacturer of motor vehicles shall instal in a vehicle any component which does not conform to standards specified by the Bureau of Indian Standards (where such standard has been so laid down for the component) and every such manufacturer shall certify that every such part used in the motor vehicle complies with the standards relatable to such component laid down by the Bureau of Indian Standards
- 125. Safety belt, collapsible steering column autodipper and padded dash boards. —On and from the date of commencement of this rule, the manufacturer of every motor vehicle other than two wheelers and three wheelers, shall equip every such vehicle with:—
 - (a) seat belt for the driver and for the person occupying the front seat,
 - (b) a collapsible steering column, and
 - (c) a padded dash board without any pretruding knobs complying with the standards specified by the Bureau of Indian Standards.
 - (d) auto-dipper.

126. Prototype of every motor vehicle to be subject to test.—On and from the date of commencement of this rule, every manufacturer of motor vehicles shall submit the prototype of the vehicle to be manufactured by him for test by the Vehicle Research and Development Establishment of the Ministry of Defence of the Government of India, or Automotive Research Association of India, Pune, or the Central Machinery Testing and Training Institute, Budni (MP), and such other agencies as may be specified by the Central Government for certification by that Establishment as to the compliance of provisions of the Act and these Rules.

127. Quality certificate by manwfacturer.— On and from the date of commencement of this rule, the sale of every motor vehicle manufactured shall be accompanied by a certificate of road worthiness issued by the manufacturer in Form 22.

Special Provisions.

__---

128. Tourist vehicles other than motor cabs, etc.—A tourist vehicle other than motor cab, maxi-cab, campers van house trailer, shall conform to the following specifications, namely:—

(1) Principal dimensions:—

Length not exceeding 10.5 metres:

Width not exceeding 2.5 metres.

Rear overhang not exceeding 60 per cent of the base;

Overall height-not exceeding 3.5 metres; Interior clear height in the gangway—not less than 1.85 metres;

Provided that the State Government or any authority authorised in this behalf by the State Government if it is satisfied that it is necessary because of the nature of any road or bridge or in the interest of public safety may prohibit or restrict the operation of a tourist vehicle in a specified route or area unless such a vehicle complies with the requirements specified by the State Government for such a route or area.

- (2) Structure.—Structure of the tourist vehicle should be sturdy and strong structural frame work using suitable material of adequate sectional area and a acrodynamical shape. For exterior panelling, aluminium sheet or good quality panelling material should be used. As regards interior panelling it should cover the entire interior 100f, sides, back and bulk head portions. The body should be made completely leak proof and dust proof. The vehicle should also be rattle proof. Sound deadening should also be done for all panelling including the floor.
- (3) Passenger entrance and exit.—Passenger entrance cum exit door shall be located as far in the front ahead of the front axle in respect of vehicles having adequate front overhang. If adequate front overhang is not there, the door may be located at the rear behind the rear axle. Where door is located behind the rear axle, minimum door opening should be 685 millimetres. The door handle should be capable of being handled from inside as also from outside. The doors may be pneumatically operated with suitable locking devices.
- (4) Emergency Doors.—Emergency exit in the form of a door, hinged in the front, shall be provided on the off side of the tourist vehicle and shall be capable of being operated both from inside and the outside of the tourist vehicle, or where it is not practicable to have such a door, an emergency exist from the rear window screen may be provided, hinged at the top.

The emergency exist shall be prominently identified in red letters, "Emergency Exit" from the inside;

- (5) Driver entry and exit.—A separate door with suitable sliding window shall be provided for the driver near the driver seat.
- (6) Wind screen.—(i) Front wind screen shall be of clear view and distortion free, with safety glass and shall be of full width of the tourist vehicle. If made in two halves, the witdh of the centre verticle joint, inclusive of the rubber glazing, fitment of the front windshield shall be such as to enhance the elegance of the tourist vehicle.
- (ii) Rear wind screen shall be of safety glass or laminated safety glass. It shall match with the windows provided on the vehicle. Sliding curtains shall be provided on the rear wind screen.
- (7) Windows.—Windows of tourist vehicles should have a minimum space of 14.25 millimetres and shall be of safety or laminated safety glass.

Windows shall be of double sliding type slider running smoothly in channels without rattle. All safety or laminated safety glasses used for windows should conform to standards laid down by the Bureau of Indian Standards. Windows shall be provided with sliding curtains.

- (8) Ventilation.—Adequate arrangements shall be provided for ventilation for the passenger compartment as well as the driver compartment. All ventilators and windows shall be such that when closed they will not permit ingress of rain water or dust in the passenger or driver compartment.
- (9) Luggage.—(i) Luggage holds shall be provided at the rear or at the sides, or both, of the tourist vehicle with sufficient space and size, and shall be rattleproof, dust proof and waterproof with safety arrangements;
- (ii) The light luggage racks, on strong brackets shall be provided inside the passenger compartment running along the sides of the tourist vehicle. Except where nylon netting is used, the under side of the rack shall have padded upholstry to protect the passengers from an accidental hit. The general design and fitment of the rack shall be so designed as to avoid sharp corners and edges.
- (10) Seats and seating arrangements.—(i) The seating capacity shall not exceed 35 passengers excluding the driver and the attendant.
- (ii) Scating layout shall be two and two on either side, all scats facing forward, with a clear gangway of atleast 355 millimetres width at the centre. Each passenger seat shall have a minimum area of 457 millimetres × 457 millimetres and an arm rest on both sides and seat back of full height.

- (iii) The seat frames shall be sturdy, properly finished and so mounted as to transfer the weight directly to the structural members of trame-work. The seats shall be of reclining type and adjustable.
- (iv) The seats shall be so mounted as to provide atleast 280 millimetres leg room from the front of the rear seat to the back of the front seat. A foot rest at suitable location and height shall be provided for every passenger.
- (11) Painting and Finishing.—The tourist vehicle shall be painted in a manner referred to in sub-rules (7) & (8) of rule 85.A in white colour with a blue ribbon of five centimetres width at the centre of the exterior of the body.
- (12) Lighting.—(i) (a) Passenger compartment shall be adequately illuminated.
- (b) Arrangement shall be provided to eliminate reflection of the light from the passenger compartment on the windscreen.
- (c) In addition to the lights in passenger compartment, at least two night-lights with coloured domes, shall be provided in the passenger compartment.
- (ii) Front and rear destination boxes, if provided, shall be illuminated.
- (iii) One independently operated light fitting shall be provided for illumination of the driver's or attendant's seat area.
- (iv) A light fitting shall be provided for illuminating the steps at the passenger entrance door.
- (v) Each luggage hold shall have a light fitting for illumination of that hold.
- (vi) Wiring in the passenger compartment shall be with low tension cable conforming to IS: 2465, of size commensurate with the estimated current loading. The wires shall be carried in PVC sleavings or conduit or casing of adequate size. When any wire passes through a hold in a panel or sheet or metallic components, a rubber gromet of adequate size shall be provided for protection of the insultation.
- (13) Fittings and accessories.—A tourist vehicle shall be equipped with the following, namely:—
 - Convex rear view mirrors one on each side, universally adjustable and of adequate dimensions.
 - (ii) First-aid box with glazed front, with necessary medicines for first-aid.
 - (iii) Fire extinguisher, dry powder type located near the engine compartment.
 - (iv) Insulation on interior or exterior of the engine bonnet for reducing the noise aind heat from the engine.

- (v) Provision for locating vehicle tools securely.
- (vi) Heavy duty windscreen wiper system.
- (vii) Adjustable sunvisors of adequate size for the driver and for the attendant.
- (viii) Electrically operated wide indicators or blinkers, stop lights and parking lights.
- (ix) Dual head lamps.
- (x) Suitable illumination for the registration number plate at the rear.
- (xi) Horn.
- (xii) Electric fans, of 8 inches sweep adjustable, at hast eight in numbers, suitably spaced in the passenger compartment and controlled by switches located near the seat.
- (xiii) Electric bell or buzzer located near the seat of driver or attendant and operated by at least four push button controls placed at suitable location in the passenger compartment.
- (xiv) Ash trays near passenger seats of a design contenient for cleaning them at intermediate stops of the tourist vehicle.
- (av) Drinking water and Ice box.
- (xvi) Rack for magazines and other reading material.
- (xvii) Back pockets and numbers for each seat.
- (xviii) Public address system with at least four speakers suitably located in the passenger compartment.
- (xix) Document, frame, located near the scat of driver, for carrying vehicle documents, tax token. licence and permit.
- (xx) Mud flaps for front and rear wheels.
- 129. Transportation of goods of dangerous or hazardous nature to human life.—Every owner of a goods carriage transporting any dangerous or hazardous goods shall, in addition to complying with the provisions of any law for the time being in force in relation to any category of dangerous or hazardous goods, comply with the following conditions, namely:—
 - (i) every such goods carriage carrying the same type of dangerous or hazardous goods (whether in bulk or in packages), shall display a distinct mark of the class label appropriate to the type of dangerous or hazardous goods specified in column 3 of the Table-I to rule 137;
 - (ii) in the case of packages containing goods listed in Table III in rule 137 and which represents two hazards as given in column

- 2 thereof such packages shall display distinct labels to indicate both the hazards;
- (iii) Every package containing dangerous or hazardous goods shall display the distinct class level appropriate to the type of dangerous or hazardous, goods specified in column 3 of the Table I to rule 137.
- 130. Manner of display of class labels.—(1) Where a class label is required to be displayed on a vehicle, it shall be so positioned that the size of the class label is at an angle of 45 degrees to the vertical and the size of such label shall not be of less than twenty-five millimetres square which may be divided into two portions, the upper half portion being reserved for the pictorial symbol and the lower half for the text.

Provided that in the case of smaller packages a suitable size of the lable may be adopted.

- (2) Where the class label consists of adhesive material, it shall be water-proof and where it consists of metal or other substance on which the pictorial symbol and the text are printed, painted or affixed, they shall be affixed directly on such material and in every case, the surface of the vehicle surrounding the label shall be of a colour that contrasts vividly with the background of the class label.
- (3) Every class label displayed on a vehicle shall be positioned in such a manner that it does not obscure any other markings required to be displayed under any other law.
- (4) Every goods carriage carrying any dangerous of hazardous goods shall display the class label both in the front and in the rear in a conspicuous manner.
- 131. Consignor to supply information about dangerous or hazardons goods.—(1) Every consignor intending to transport any dangerous or hazardous goods are loaded, supply to the owner of the goods carriage full and adequate information about such dangerous or hazardous goods so as to enable such owner and its driver to
 - (a) comply with the requirements of rules 129 to 137; and
 - (b) be aware of the risks created by such goods to the health or safety of any person.
- (2) It shall be the duty of the consignor to ensure that the information is accurate and sufficient for the purposes of complying with the provisions of the rules 129 to 137.
- 132. Owners of the goods carriage to specify classification of dangerous of hazardous goods.—

 (1) Every owner of a goods carriage transporting

any dangerous or hazardous goods shall, before undertaking the transportation of such goods in his goods carriage, satisfy himself that the information given by the consignor is full and accurate in all respects and correspond to the classification of such goods specified in rule 137.

- (2) The owner of the goods carriage shall ensure that the driver of such carriage is giving all the relevant information in writing as in annexure V to these rules in relation to the dangerous or hazardous goods entrusted to him for transport and satisfy himself that such driver has sufficient understanding of the nature of such goods and the nature of he risks involved in the transport of such goods and is capable of taking appropriate action in case of an emergency.
- (3) The driver of a goods carriage transporting dangerous or hazardous goods shall ensure that the information given to him in writing under subrule (2) is kept in the driver's cabin and is available at all time while the dangerous or hazardous goods to which it relates are being transported.
- 133. Driver to take precautions.—Every driver of a goods carriage transporting any dangerous or hazardous goods shall, observe at all times all the precautions necessary, for preventing fire, explosion or escape of dangerous or hazardous goods carried by him while the goods carriage is in motion and when it is not being driven, he shall ensure that


the goods carriage 13 parked in a place which 18 safe from fire, explosion and any other risk and is at all times under the control and supervision of himself or some other competent person above the age of elighteen year.


- 134. Emergency information panel.—Every goods carriage used for transporting any dangerous or hazardous goods shall be legibly and conspicuou ly marked with an emergency information panel in each of the three places indicated in the Table below and such panel shall contain the following information, namely:—
 - (i) the correct technical name of the dangerous or hazardous goods in letters not less than 50 millimetres high;
 - (ii) the class label of the dangerous or hazardous goods of the size of not less than 260 millimetres square;
 - (iii) the name and telephone number of the emergency services to be contracted in the event of fire or any other accident in letters and numerals that are not less than 50 millimetres high and the name and telephone number of the consignor of the dangerous or hazardous goods or of so are other person from whom export information and advice can be obtained concerning the measures that should be taken in the event of an emergency involving such goods.

TABLE

PLACES FOR FIXING EMERGENCY INFORMATION PANELS

ON VEHICLES & DIMENSIONS





(All dimensions are expressed in millimetres)

- (2) Every class label and emergency information panel shall be marked on the goods carriage and shall be kept free and clean from obstructions at all times.
- 135. Driver to be instructed: The owner of every goods carriage transporting dangerous or hazardous goods shall ensure to the satisfaction of the consignor that the driver of the goods carriage has received adequate instructions and training to enable him to understand the nature of the goods being transported, by him, the nature of the risks raising out of such goods, precautions he should take while the goods carriage is in motion or stationary and the action he has to take in case of any emergency.
- 136. Driver to report to police station about accident:—The driver of a goods carriage transporting any dangerous or hazardous goods shall, on the occurrence of any accident involving any dangerous or hazardous goods transported by his carriage, report forthwith to the nearest police station.
- 137. Class labels:—In respect of the dangerous or hazardous goods specified in column (2) of the Teble below, the labels specified in the corresponding entry in column (3) shall be the class labels, namely:—

TABLE-1

Sl. No.	Classification of	goods	Class label
(1)	(2)		(3)

1. Explosives



Symbol (exploding bomb) black: Background: orange



2. Gases, Compressed, liquified, dissolved under pressure or deeply refrigerated.



Non-flammable Gases

Symbol (Gas cylinder): black

or white: Background: Green



Inflammable Gases Symbol (Flame) Black or white Background: Red



Poison (toxic) Gases

Symbol (Skull & Crossbones) Black
Background :White

(1)

(2)

(3)

(1)

(2)

(3)

3. Inflammable liquids.



Inflammable liquids

Symbol (flame): black of white: Background:

4. Inflammable solids, substances liable to spontaneous combustion; substances which, on contact with water, emit inflammable gases.



Division 4.1

Inflammable solids

Symbol (Flame): black:

Background: white with vertical red stripes



Division 4.2

Substances liable to spontaneous combustion

Symbol (flame) : black:

Background: upper half white

lower half red



Division 4.3

Substances which in contact with water, emit inflammable gases

Symbol (flame): black or white:

Background: blue

5. Oxidizing substances:

Organic peroxides.



Division 5.1

Oxidizing substances



Division 5.2

Organic peroxides

Symbol (flame over circle): Black: Background:

yellow

6. Poisonous (toxic) and infectious substances.



Division 6.1

Poisonous (toxic) substances Symbol (skull and crossbones) black: Background: white



Division 6.1

Poisonous (toxic) substances

The bottom half of the label should bear the inscription:

HARMFUL

Stow away from foodstuffs

Symbol (St. Andrew's Cross over an ear of wheat): black: Background: white



Division 6.2

Infectious substances

The bottom half of the label should bear: Infectious Substance (Optional) and the Inscription "In case of damage or leakage immediately notify Public Health authority* (optional): Symbol (three crescents superimposed on a circle) and Inscription: black; Background white

7. Radioactive substances.



Redioactive substances

Symbol—3 segments of a circle—a number and lettering of the Class label shall be black on a white background and the parallel lines bordering the Class label shall be black and shall be 5 mm thick.

3

8.	Corrosives.
	CORROSIVE
	COMMOSIVE
	8

Symbol (liquids spilling from two glass vessels and attaching a hand and a metal): black:

Corrosives

2

Background: upper half white lower half black with white border

Table II - Indicative Criteria

(a) Toxic chemicals:

Chemicals having the following values of acute toxicity and which, owing to their physical and chemical properties, are capable of producing major accident hazards.

(b) Flammable chemicals:

- (i) flammable gases; chemicals which in the gaseous state at normal pressure and mixed with air become flammable and the boiling point of which at normal pressure is 20° or below;
- (ii) highly flammable liquids: chemicals which have a flash point lower than 21°C and the boiling point of which at normal pressure is above 20°C.
- (ifi) flammable liquids; chemicals which have a flash point lower than 55°C and which remain liquids under pressure, where particular processing conditions, such as high pressure and high temperature, may create major accident hazards.

(c) Explosives:

Chemicals which may explore under the effect of flame or which are more sensitive to shocks or friction than dinitrobenzene.

LD ₀₀ (oral)*	LD 50 (cutaneous)+	$ ext{LC}_{50}\%$	* LD ₅₀ oral in rats
(mg/kg body we ght)	(mg/kg body weight)	(mg/l inhalation)	+ LD ₅₀ cutaneous in rats or rabbits
			% LC. by inhalation (four hours)
$LD_{50}/=5$ to =/200	$LD_{50} = /10 \text{ to } = /400$	$LC_{50} = /0.1 \text{ to } = /2$	in rats

TABLE III-List of Hazardous & Toxic Chemicals

Chemical (Column 1)	Hazard Classification (Column 2)		
ACETALDEHYDE	T	F	
ACETIC ACID	C		
ACETONE		F	
ACETONE CYANOHYDRINE (2-CYANOFROFAN-2-OL)	T		
ACETONITRILE	T	F	
ACETYL CHLORIDE	C	F	
ACETYLENE (ETHYNE)		F	R
ACROLEIN (2-PROPENAL)	T	F	
ACRYLONITRILE	T	F	
ALDICARB	Т		
ALLYL ALCOHOL (2-PROPEN-1-OL)	Т	I	

150	THE GAZEITE OF INDIA: EXTRAORDINARY		[Part I	I—Sec. 3(i)]
1			2	
ALLYLAMIN		T	F	
AMINODIPH	ENYL,-4	T		
AMITON		T		
AMMONIA		T		
AMMONIUM	NITRATES ¹	T	F	
AMMONIUM	NITRATES IN FERTILIZERS ^a		\mathbf{E}	R
AMMONIUM	SULFAMATE			
AMYL ACETA	ATE	L	F	
ANABASINE		\mathbf{T}		
ANILINE		T		
ANISIDINE-P		T		
ANTIMONY &	& COMPOUNDS	TC	2	
ANTIMONYH	YDRIDE (STIBINE)	\mathbf{T}	F	
ARSENIC HY	DRIDE (ARSINE)	T		
	NTOXIDE, ARSENIC(V) ACID & SALTS	T		
	OXIDE, ARSENIOUS (III) ACIDS & SALTS	\mathbf{T}		
AZINPHOS-ET		\mathbf{T}		
AZINPHOS-M	ETHYL	T		
BARIUM AZI	DE		\mathbf{E}	
BENZENE		\mathbf{T}	F	
BENZIDINE		\mathbf{T}		
BENZIDINE S	ALTS	\mathbf{T}		
BENZOYL PE		T	E	
BENZYL CHL		Т		
	(POWDERS, COMPOUNDS)	Ĩ		
	NITROPHENYL) AMINE	\mathbf{T}	Ŀ	
•	OETHYL, SULPHIDE)	Т		
`	DMETHYL) ETHER	Т		
`	LPHROXY, BUTANE, 2-2)		R	
•	LPEROXY) CYCLOHEXANE-1, 1.		R	
BORON & CO		T		
BROMINE		T		
BROMOFORM	ſ	\mathbf{T}		
BUTADIENE-			R	
BUTANONE-2		${f T}$	R	
BUTYL ALCO		$\overline{\mathbf{T}}$	R	
	XYACETATEtert	_	R	
	XYISOBUTYRATE, tert		R	
DOLLD LERO.	FIT AND THE TWEET WINDS		· -	

BUTYL PEROXYISOPROPYL CARBONATE, tert

BUTYL PEROXYMALEATE, tert
BUTYL PEROXYPIVALATE, -tert

CADMIUM & COMPOUNDS

BUTYLAMINE

R

R

K R

R R

C

 \mathbf{T}

CADMIUM OXIDE (fumes) RT CAMPHOR F CARBARYL (SEVIN) T CARBARYL (SEVIN) T CARBON DISULPHIDE T CARBON DISULPHIDE T CARBON MONOXIDE T CARBON TETRACHLORIDE T CARBON HENOTHION T CELULOSE NITRATE E CHLORATES (used in explosives) E CHLORATES (used in explosives) T CHLORENTINPHOS T CHLORENVINPHOS T CHLORENTINPHOS T CHLOROREN T CHLORORENTE T CHLORORENTE T CHLOROFORMYL 4, MORPHOLINE CHLOROFORMYL 4, MORPHOLINE CHLOROFORMYL 4 CHLOROFORMYL 4, T CHLOROFORMYL 4 CHLOROFORMYL 4 CHLOROFORMYL 4 CHLOROFORMYL 4 CHLOROFORMYL 4 CHLOROFORMYL 4 CHLOROFORMYL<	1	2
CAMPHOR F CARBARYL (SEVIN) T CARBARYL (SEVIN) T CARBON DISULPHIDE T CARBON MONOXIDE T CARBON TETRACHLORIDE T CARBON TETRACHLORIDE T CARBON TETRACHLORIDE T CHLORATES (used in explosives) E CHLORATES (used in explosives) T CHLORINE T CHLORINE OXIDE T CHLOROSCET ALCHLORIDE T CHLOROSCET ALCHLORIDE T CHLOROFORM T CHLOROFORMYL, -4, MORPHOLINE T CHLOROFORMYL, -4, MORPHOLINE T CHLOROFRITIR METHYL ETHER T CHLOROFRINE T CHLOROFRINE T CHLOROFORMYL, -4, MORPHOLINE T CHLOROPRENE T	CADMIUM OXIDE (fumes)	RT
CARBARYL (SEVIN) T CARBOFURAN T CARBON DISULPHIDE T CARBON MONOXIDE T CARBON TETRACHLORIDE T CARBOPHENOTHION T CELULOSE NITRATE E CHLORATES (used in explosives) E CHLORENTENPHOS T CHLORINE T CHLORINE OXIDE T CHLOROACET ALCHLORIDE T CHLOROBENZENE T CHLOROFORMYL T CHLOROFORMYL T CHLOROFORMYL T CHLOROFORMYL T CHLOROFORMYL T CHLOROSCHIPHONIC ACID C CHLOROSULPHONIC ACID C CHLOROSULPHONIC ACID T CHLOROSPRINTROBENZENE T CHROMIUM & COMPOUNDS T COBALT & COMPOUNDS T COBALT & COMPOUNDS T COPPER & COMPOUNDS T COPPER & COMPOUNDS T CPCLOHEXANONE T <td< td=""><td>CAMPHOR</td><td></td></td<>	CAMPHOR	
CARBOFURAN CARBON DISULPHIDE CARBON MONOXIDE CARBON MONOXIDE CARBON TETRACHLORIDE CARBON TETRACHLORIDE CARBON TETRACHLORIDE CARBOPHENOTHION CELLULOSE NITRATE CHLORATES (used in explosives) CHLORATES (used in explosives) CHLORATES (used in explosives) CHLORINE T CHLORINE T CHLORINE T CHLORINE T CHLORINE T CHLOROBENZENE CHLOROBENZENE CHLOROBENZENE CHLOROBENZENE CHLOROFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROMETHYL METHYL ETHER T CHLOROMETHYL METHYL ETHER T CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSTRINITROBENZENE CHROMIUM & COMPOUNDS COPPER & COMPOUNDS COPPER & COMPOUNDS T COMPOUNDS T DRIMIDINE T DRIMIDINE T DROTONALDEHYDE T DUMENE DYANOTHOATE CYCLOHEXANDE CYCLOHEXANONE CYCLOTRIMETHYLENETETRANITRAMINE CYCLOPENTADIENE CYCLOTRIMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE CYCLOTRIMETHYLENE CYCLOTRI	CARBARYL (SEVIN)	
CARBON DISULPHIDE CARBON MONXIDE CARBON TETRACHLORIDE CARBOPHENOTHION CELLULOSE NITRATE CHLORATES (used in explosives) CHLORENTINPHOS CHLORINE CHLORINE CHLOROACET ALCHLORIDE CHLOROACET ALCHLORIDE CHLOROOACET ALCHLORIDE CHLOROOFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROFORMY COPPER & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS C	CARBOFURAN	
CARBON MONOXIDE T F CARBON TETRACHLORIDE T T CARBON TETRACHLORIDE T T CARBOPHENOTHION T E CELLULOSE NITRATE E F CHLORATES (used in explosives) T T CHLORINE T T CHLORINE T T CHLOROACET ALCHLORIDE C C CHLOROBENZENE T F CHLOROBENZENE T F CHLOROFORMYL 4, MORPHOLINE T CHLOROFORMYL 4, T F CHLOROFORMYL 4, T F CHLOROFORMYL 4, T F CHLOROFORMYL 7 F	CARBON DISULPHIDE	
CARBON TETRACHLORIDE CARBOPHENOTHION CELLULOSE NITRATE CELLULOSE NITRATE CHLORATES (used in explosives) CHLORATES (used in explosives) CHLORINE OXIDE CHLORINE OXIDE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLOROFORMY CHLOROFORMY CHLOROFORMYL, -4, MORPHOLINE CHLOROFORMYL, -4, MORPHOLINE CHLOROBENZENE CHLOROBENZENE CHLOROBENZENE CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID COPPER & COMPOUNDS COBALT & COMPOUNDS TOPIER &	CARBON MONOXIDE	-
CARBOPHENOTHION CELLULOSE NITRATE CHLORATES (used in explosives) CHLORATES (used in explosives) CHLORATES (used in explosives) CHLORENE CHLORINE CHLORINE CHLORINE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFITHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROTINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS COPPER & COMPOUNDS T DROTONALDEHYDE DYANOTHOATE CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOTIRMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTIRMETHYLENE TRINITRAMINE CYCLOTER RAMETHYLENE TRINITRAMINE CYCLOTER RAMETHYLENE TRINITRAMINE CYCLOTER PROXYDICARBONATE DIAJODINITROPHENOL DIBENZYL PEROXYDICARBONATE DIAJODINITROPENDIN T DIAJODINITROPENDIN T TO THE TOTAL THE TRINITRAMINE TO THE TOTAL THE TRINITR	CARBON TETRACHLORIDE	_ -
CHLORATES (used in explosives) CHLORFENVINPHOS CHLORINE OXIDE CHLORINE OXIDE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLOROFORM CHLOROFORMY CHLOROFORMY CHLOROFORMYIL, -4, MORPHOLINE CHLOROBENTENE CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T DRIMIDINE DYANOTHOATE CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOHEXANO CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER CAMETHYLENETETRANITRAMINE CYCLOTER CYCLOTER CAMETHYLENETETRANITRAMINE CYCLOTER CAMETHYLENETRANITRAMINE CYCLOTER CAMETHYLENETETRANITRAMINE CYCLOTER CAMETHY	CARBOPHENOTHION	
CHLORATES (used in explosives) CHLORFENVINPHOS T CHLORINE CHLORINE CHLORONE CHLOROACET ALCHLORIDE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROFORM CHLOROFORM CHLOROFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROFITHEN T CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHLOROSULPHONIC ACID COBALT & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS COPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DUMENE DYANOTHOATE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER PROXYDICARBONATE DIALIFOS DIALOGUER DIALOGUER DIALOGUER DIALOGUER DIALOGUER CREED DIALOGUER CREED DIALOGUER CREED DIALOGUER CREED CRE	CELLULOSE NITRATE	E F
CHLORINE OXIDE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLOROBIPHENYL CHLOROFORM CHLOROFORMYL, 4, MORPHOLINE CHLOROFORMYL, 4, MORPHOLINE CHLOROPRENE CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T COPPER & COMPOUNDS T DROTONALDEHYDE T DROTONALDEHYDE T DYANOTHOATE CYCLOHEXANO CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXANONE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER PROXYDICARBONATE DI-SEC-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T TOTOLOGRAPHORD T T TOTOLOGRAPHORD T T TOTOLOGRAPHORD T T TOTOLOGRAPHORD T T T T T T T T T T T T T T T T T T T	CHLORATES (used in explosives)	"
CHLORINE OXIDE CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLOROBENZENE CHLOROBENZENE CHLOROFORM CHLOROFORM CHLOROFORM CHLOROFORMYL, -4, MORPHOLINE CHLOROFORMYL, -4, MORPHOLINE CHLOROMETHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T COPPER & COMPOUNDS T DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANO CYCLOHEXANO CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENE TRINITRAMINE DDT DIPROPYL PEROXYDICARBONATE DIBROPYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 TI	CHLORFENVINPHOS	T
CHLOROACET ALCHLORIDE CHLOROBENZENE CHLOROBENZENE CHLORODIPHENYL CHLOROFORM CHLOROFORM CHLOROFORMYL, 4, MORPHOLINE CHLOROMETHYL METHYL ETHER CHLOROMETHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T COPPER & COMPOUNDS T COPPER & COMPOUNDS T DRIMIDINE T DROTONALDEHYDE T DYANOTHOATE CYCLOHEXANO CYCLOHEXANONE CYCLOHEXANONE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENE TRINITRAMINE DDT DEMETON T DEMETON T DEMETON T DI-1PROPYL PEROXYDICARBONATE DI-1-SEC-BUTYL PEROXYDICARBONATE DISACOBENTENDE DISCHOROBENZENE-O T DISCHOROBENZENE-O T TOROGORIANDENTENDE T TOROGORIANDE T T TOROGORIANDE T T TOROGORIANDE T T T TOROGORIANDE T T T T T T T T T T T T T T T T T T T	CHLORINE	Т
CHLOROBENZENE CHLORODIPHENYL CHLOROFORM CHLOROFORMYL, -4, MORPHOLINE CHLOROPRENE CHLOROMETHYL METHYL ETHER T CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS T COPPER & COMPOUNDS T DRIMIDINE DYANOTHOATE CYCLOHEXANDE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOTRIMETHYLENE TRINITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DI-19-PROPYL PEROXYDICARBONATE DI-19-SEC-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DISM OND PRONZENE-0 TO TOM TO THE TRINITROPHENOL DIBENZYL PEROXYDICARBONATE DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DIBENZYL PEROXYDICARBONATE DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TOM TO THE TRINITROPHENOL DISM OND PRONZENE-0 TO THE TRINITROPHENOL TO THE TRINITROP	CHLORINE OXIDE	
CHLORODIPHENYL CHLOROFORM CHLOROFORMYL, 4, MORPHOLINE CHLOROMETHYL METHYL ETHER CHLOROMETHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHCOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T. DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTER RAMETHYLENE TRINITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHOROBENZENE- DICHOROBENZENE- DICHOROBENZENE-	CHLOROACET ALCHLORIDE	C
CHLOROFORMYL, -4, MORPHOLINE CHLOROMETHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRINITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DIALIFOS DIALOROMENZENE-O DICHOROMENTEN T CHLOROSULPHOLE T T CHLOROSULPHOLINE T T T CHLOROSULPHOLINE T T T CHLOROSULPHOLINE T T T CHLOROSULPHOLINE T T T T T T T T T T T T T T T T T T T	CHLOROBENZENE	
CHLOROFORMYL, -4, MORPHOLINE CHLOROMETHYL METHYL ETHER CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT DI-n-PROPYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHOROMENZENE T T T T T T T T T T T T T	CHLORODIPHENYL	
CHLOROMETHYL METHYL ETHER CHLOROPRENE CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS T COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTRIMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE CYCLOTRAMIC TRINIT	CHLOROFORM	T
CHLOROPRENE CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS T DRIMIDINE T DROTONALDEHYDE T DYANOTHOATE CYCLOHEXANE T CYCLOHEXANDE T CYCLOHEXANONE T CYCLOHEXIMIDE T CYCLOPENTADIENE T CYCLOPENTADIENE T CYCLOTER RAMETHYLENETETRANITRAMINE DDT DEMETON T DEMETON T DI-n-PROPYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 DICHLOROBENZENE-0 T T T T T T T T T T T T T T T T T T	CHLOROFORMYL, -4, MORPHOLINE	T
CHLOROSULPHONIC ACID CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE T CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE DI-n-PROPYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T T T T T T T T T T T T T	CHLOROMETHYL METHYL ETHER	T
CHLOROTRINITROBENZENE CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS COPPER & COMPOUNDS T. DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOHEXIMIDE T CYCLOPENTADIENE T CYCLOTER RAMETHYLENETETRANITRAMINE E CYCLOTRIMETHYLENE TRINITRAMINE DDT DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T T DEMETON T DICHLOROBENZENE-0 T	CHLOROPRENE	T F
CHROMIUM & COMPOUNDS COBALT & COMPOUNDS COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE DOT DEMETON DI-n-PROPYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DISCONOMINATION T DICHLOROBENZENE-0 T T T T T T T T T T T T T	CHLOROSULPHONIC ACID	С
COBALT & COMPOUNDS COPPER & COMPOUNDS T COPPER & COMPOUNDS T DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHURUS ON DORNIZENE-0 T T T T T T T T T T T T T	CHLOROTRINITROBENZENE	ТЕ
COPPER & COMPOUNDS DRIMIDINE DROTONALDEHYDE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS TO DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DISCONOMINATIONS TO DIACODINITROPHENOL DISCONOMINATE DICHLOROBENZENE-0 TO TO TO TO TO TO TO TO TO T	CHROMIUM & COMPOUNDS	
DRIMIDINE DROTONALDEHYDE DYANOTHOATE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DIMENTALIFOS T DIALIFOS T DICHLOROBENZENE-0 T	COBALT & COMPOUNDS	T
DROTONALDEHYDE DUMENE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 DICHLOROBENZENE-0 T T T T T T T T T T T T T	COPPER & COMPOUNDS	Т.
DUMENE DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT T DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DISCUSSIONALE T T DISCUSSIONALE T T T T T T T T T T T T T T T T T T T	DRIMIDINE	Т
DYANOTHOATE CYCLOHEXANE CYCLOHEXANONE T F CYCLOHEXIMIDE T CYCLOPENTADIENE CYCLOPENTADIENE T F CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT T DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DISCUSSIONALE R DICHLOROBENZENE-0 T	DROTONALDEHYDE	ТF
CYCLOHEXANONE CYCLOHEXANONE T F CYCLOHEXIMIDE T CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE E CYCLOTRIMETHYLENE TRINITRAMINE DDT T DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T	DUMENE	
CYCLOHEXANONE CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE E DDT T DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T T T T T T T T T T T T T	DYANOTHOATE	Т
CYCLOHEXIMIDE CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T		F
CYCLOPENTADIENE CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE E DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T T T T T T T T T T T T T	CYCLOHEXANONE	ТF
CYCLOTER RAMETHYLENETETRANITRAMINE CYCLOTRIMETHYLENE TRINITRAMINE E DDT DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T	CYCLOHEXIMIDE	T
CYCLOTRIMETHYLENE TRINITRAMINE E DDT DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T	CYCLOPENTADIENE	Т Б
DDT DEMETON T DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T		E
DEMETON DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T	CYCLOTRIMETHYLENE TRINITRAMINE	Е
DI-n-PROPYL PEROXYDICARBONATE DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T	DDT	T
DI-sec-BUTYL PEROXYDICARBONATE DIALIFOS T DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T DICHLOROBENZENE-0 T	DEMETON	T
DIALIFOS DIAZODINITROPHENOL DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T	DI-n-PROPYL PEROXYDICARBONATE	R
DIAZODINITROPHENOL . E DIBENZYL PEROXYDICARBONATE R DICHLOROBENZENE-0 T		R
DIBENZYL PEROXYDICARBONATE DICHLOROBENZENE-0 T		T
DICHLOROBENZENE-0 T		. E
DIGIT OF OPENIZENE -		R
NICHT ADADENZENE		Т
DICHLOROBENZENE-p T	DICHLOROBENZENE-p	т т

1	_ 2
DICHLOROPHENOXY ACETIC ACID,-2, 4(2,4-D)	T
DICHLOROVOS (DDVP)	T
DIETHYL PEROXYDICARBONATE	R
DIETHYLAMINE	T
DIETHYLAMINE ETHANOL	Т
DIETHYLENE GLYCOL DINITRATE	E
DIHYDROPEROXYPROPANE,-2, 2	R
DIISOBUTYRYL PEROXIDE	R
DIISOPROPYLAMINE	C F
DIMEFOX	T
DIMETHYL FORMAMIDE	T
DIMETHYL PHOSPHORAMIDOCYANIDIC ACID	T
DIMETHYL SULPHATE	T
DIMETHYLAMINE	
DIMETHYLANILINE	T
DIMETHYLCARBOMYL CHLORIDE	Т
DIMETHYLNITROSAMINE	T
DIMNITROBENZENE	T
DINITORPHENOL, SALTS	T E
DINITROTOLUENE	
DINTRO-o-CRESOL	
DIOXANE	T F
DIPHACINONE	T
DISULFOTON	T
EPICHLOROHYDRINE	T F
EPN	T
ETHION	Т
ETHYL ACETATE	F
ETHYL ALCOHOL	F
ETHYL AMINE	T
ETHYL BROMIDE	T
ETHYL CHLORIDE	Т
ETHYL ETHER	
ETHYL MERCAPIAN	T F
ETHYL NITRATE	T E R
ETHYLENE CHLOROHYDRINE	T
ETHYLENE DIAMINE	C F
ETHYLENE DIBROMIDE (1.2-DIBROMOETHANE)	Т
ETHYLENE GLYCOL DINITRATE	T E
ETHYLENE OXIDE	T F R
ETHYLENEIMINE	T F
FLUENETIL	T
FLUORIDE	T
FLUORO 4,-2-HYDROXYBUTYRIC ACID & SALTS, ESTERS. AMIDES	T

1	2
FLUOROACETIC ACID & SALTS, ESTERS, AMIDES	T
FLUOROBUTYRIC ACID,—4, & SALTS, ESTERS, AMIDES	Т
FLUORODROTONIC ACID,-4, & SALTS, ESTERS, AMIDES	T
FORMALDEHYDE	Т
FURFURAL	Т
GLYCONITRILE (HYDROSYACETONITRILE)	\mathbf{T}
GUANYL,-1,-4-NITROSAMINOGUANYL-1-TETRAZENE	E
HEPTACHLOR	E
HEXACHLORODIBENZO-p-DIOXINE,-1,2,3,7,8,9,	
HEXAMEHYLPHOSPHORAMIDE	Т
HEXAMETHYL,-3,3,6,6,9,9,-1,2,4,5,-TETROXACLONONANE	R
HEXZNITROSTILBENE,2,24,4,6,6,	\mathbf{E}
HYDRAZINE	T F
HYDRAZINE NITRATE	E
HYDROGEN	\mathbf{F} \mathbf{R}
HYDROGEN CHLORIDE (LIQUIFIED GAS)	Т
HYDROGEN CYANIDE	T F
HYDROGEN FLUORIDE	T C
HYDROGEN SELENIDE	T
HYDROGEN SULPHIDE	T F
IODINE	
ISOBENZAN	T
ISODRIN	T
ISOPROPYLAMINE	C F
JUGLONE (5-HYDROXYNAPHTHALENE-1, 4-DIONE)	Т
LEAD (inorganic fumes & dusts) LEAD 2,4,6,-TRINITRORESORCINOXIDE (LEAD STYPHNATE)	Tr.
LEAD AZIDE	E E
LINDANE	T
MALTEL ANHYDRIDE	T
MANGANESE & COMPOUNDS	1
MERCURY ALHYL	
MERCURYFULMINATE	E
MERCURY METHYL	
METHYL AUETATE	F
METHYL ACRYLATE	T F
METHYL ALCOHOL	F
METHYL AMINE	C F
METHYL BROMIDE (BROMODETHANE)	T ,
METHYL CHLORIDE	T
METHYL CHLOROFORM	TF
METHTL CYCLOHEXENE	F
METHTL ETHYL KETONE PEROXIDE	<u>R</u>

T

 \mathbf{C}

T

E

R

PENTAERYTHRITOL TETRANITRATE

PERCHLOROMETHYL MERCAPTAN

PERACETIC ACID

PERCHLOROETHYLENE

PETANONE, 2, 4-METHYL

1		2
PHENOL	Т	
PHORATE	T	
PHOSAOETIM	T	
PHOSGENE (CARBONYL CHLORIDE)	T	
PHOSPHAMIDON	T	
PHOSPHINE (HYDROGEN PHOSPHIDE)	T	F
PHOSPHOROUS & COMPOUNDS	T	\mathbf{F}
PHTHALIC ANHYDRIDE		
PICRIC ACID (2, 4, 6-TRINITROPHENOL)	T	E
PROMURIT	T	
[1-(3, 4-DICHLOROPHENYL)-3-TRIAZENETHIOCARBOXAMIDE]		
PROPANESULTONE, 1, 3	T	
PROPEN, -1, -2-CHLORO-1, 3-DIOL-DIACETATE	T	
PROPYL ACETATE-n		F
PROPYL ALCHOHOL		F
PROPYLENE DICHLORIDE		
PROPYLENE OXIDE		R
PROPYLENEIMINE	7	
PYRAZOXON	T	
PYRIDINE	Т	F
OUINONE		
SELENIUM HEXAFLUORIDE	T	
SODIUM CHLORATE		ERO
SODIUM HYDROXIDE	C	
SODIUM NITRATE	T	D
SODIUM FICRAMATE	Т	${f E}$
SODIUM SELENITE	T	
STYRENE, 1, 1, 2, 2, -TETRACHLOROETHANE	T	F
SULFOTEP	Т	
SULPHUR DICHLORIDE	T	
SULPHUR DIOXIDE	\mathbf{r}	
SULPHUR TRIOXIDE		
SULPHURIC ACID		
TELLURIUM		
TELLURIUM HEXAFLUORIDE	Т	
ТЕРР	Т	
TETRACHLORODIBENZO-p-DIOXIN, —2, 3, 7, 8(TCDD)	T	
TETRAETHYL LEAD	Ť	
TETRAHYDROFURAN	T	F

56 THI	E GAZETTE OF INDIA: EXTRAOR	DINARY [PART II—SEC. 3(I
1 _		2
retramethyenedisui		T
TETRAMETHYL LEAD		Т
TETRANITRUMETHANE		
THAILIUM & COMPOUN	DS	${f T}$
THIONAZIN		T
THIONYL CHLORIDE		C
THIRAM		T
TIRPATE		T
TOLUENE		T F
TOLUENE-2-4-DITSOCYA	NATE	T
TOLUIDINE-o		Т
TRI, -1, (CYCLOHEXYL,	STANNYL-1H-1, 2,4-TRAZOLE	${f T}$
TRIMINO, -1.3.5-2, 4.6-TR	INITROBENZENE	T E
TRICHLORODETHYLEN	E	T
TRICHLOROME THANES	SULPHENIL CHLORIDE	T
TRIETHYLAMINE		C F
TRIETHYLENEMELAMII	NE	T
TRINITRUANILINE		ТЕ
TRINITROANISOLE, -2, 4	4, 6	ТЕ
TRINITROBENZENE		т в
TRINITROBENZOIC ACI	D	т Е
TRINITROCRESOL		т Е
TRINITROPHENETOLE,	2, 4, 5	т Е
•	, -2, 4, 6 (STYPHNIC ACIT)	T E
TRINITROTOLOUENE	, -, -, - (-
TRIORTHOCRESYL PHO	SPHATE	
TURPENTINE		
URANIUM & COMPOUN	JDS	т
VANADIUM & COMPOU		T
VINYL CHLORIDE	TABS	T F
VINYL TOLUENE		T E
WARFARIN		T
XYLENE		T F
XYLIDINE		T
ZINC & COMPOUNDS		1
ZIROONIUM & COMPOU	U NDS	ŀ
C—CORROSSIVE	EEXPLOSIVE	F—FLAMMABLE
O-OXIDISING	R—REACTIVE	T—TOXIC

CHAPTER VI

Control of Traffic

- 138. Signals and additional safety measures for motor cycle.—(1) The driver of motor cycle, shall make such signals and on such occasions as are specified in the regulations made under section 118.
- (2) The driver of a motor cycle shall, in addition to the safety measures mentioned in sub-section (1) of section 128, comply with the requirements of rule 123.
- 139. Production of licence and certificate of registration.—The driver or a conductor of a motor vehicle shall produce certificates of registration, insurance, fitness and permit, the driving licence and any other relevant documents on demand by any police officer in uniform or any other officer authorized by the State Government in this behalf, and if any or all of the documents are not in his possession, he shall produce in person an extract or extracts of the document, duly attested by any police officer or by any other officer or send it to the officer who demanded the documents by registered post within 15 days from the date of demand.

CHAPTER VII

INSURANCE OF MOTOR VEHICLES AGAINST THIRD PARTY RISKS

- 140. Definitions.—In this Chapter, unless the context otherwise requires,—
 - (i) "accounting year" means the year commencing on the first day of April, and ending with the 31st day of March of the following year;
 - (ii) "appoint list" means the list of foreign insurers and their guaranteers maintained by the Central Government under these rules;
 - (iii) "Authority" means the Central Government or a State Government or any local authority or any State Transport Undertaking, motor vehicles owned by whom have been exempted from the compulsory insurance under sub-section (2) of section 146,
 - (iv) "bank" means a company which accepts, for the purpose of leading or investment, deposits of money from the public repayable on demand or otherwise, and withdrawal by cheque, draft, order or otherwise;

Explanation.—Any company which is engaged in the manufacture of goods or carries any trade and which accepts deposits of money from the public merely for the purpose of financing its business as such manufacturer or trader shall not be deemed to be a bank within the meaning of this clause;

- (v) "certificate of foreign insurance" means a certificate issued by a foreign insurer in Form 57 in compliance with these rules;
- (vi) "foreign insurer" means a person or firm carrying on the business of insurance incorporated or domiciled outside India and not

- registered under the Insurance Act, 1938; (4 of 1938).
- (vii) "Fund" means the fund establishes under rule 151;
- (viii) "Government security" means a Government security as defined in the Public Debt Act, 1944 (18 of 1944);
- (ix) "guarantor" means an insurer who has guaranteed a foreign insurer in pursuance of these rules, and "guarantee", "guaranteed" and "guaranteeing" have corresponding meanings;
- (xi) "visitor" means a person bringing a motor vehicle into India and making only a temporary stay therein not extending to a continuous period of more than one year.

A. Inland Insurance

- 141. Certificates of insurance.—An authorised insurer shall issue to every holder of a policy of insurance, a certificate of insurance in Form 51 in respect of each such vehicle.
- 142. Cover notes.—(1) Every cover note issued by an authorised insurer shall be in Form-52.
- (2) A cover note referred to in sub-rule (1) shall be valid for a period of sixty days from the date of its issue and the insurer shall issue a policy of insurances before the date of expiry of the cover note.
- 143. Issue of certificates and cover notes.—Every certificate of insurance or cover note issued by an insurer in compliance with the provisions of this Chapter shall be duly authenticated by such person as may be authorised by the insurer.
- 144. Transfer of certificate of insurance.—When the ownership of a motor vehicle covered by a valid insurance certificate is transferred to another person together with the policy of insurance relating thereto the policy of insurance of such vehicle shall automatically stand transferred to that other person from the date of transfer of ownership of the vehicle and the said person shall within fourteen days of the date of transfer intimate to the authorised insurer who has insured the vehicle, the details of the registration of the vehicle, the date of transfer of the vehicle, the previous owner of the vehicle and the number and date of the insurance policy so that the authorised insurer may make the necessary changes in his record
- 145. Exclusion of advertising matter.—No certificate of the insurance or cover note issued in pursuance of Chapter-XI of the Act and of this Chapter shall contain any advertising matter either on the face or on the back thereof;
- 146. Certificates or cover notes los, destroyed, torn, soiled defaced or mutilated-(1) Where the holder of a policy—
 - (a) lodges with an authorised insurer a declaration in which he declares that a certificate of insurance or cover note issued to him by such insurer has been lost, destroyed, torn, soiled defaced or mutilated and sets out

- full particulars of the circumstances connected with the loss or destruction of the certificate or cover note and the efforts made to find it; or
- (b) returns to the authorised insurer the certificate of insurance of cover note issued to nim by such insurer in a torn, soiled, defaced or mutilated condition; and
- m respect of each such certificate or cover note, the authorised insurer shall, it satisfied that such certificate or cover note has occulost or destroyed and that all reasonable enough have been made to find it, or may it has been destroyed or is soiled, defaced or mutilated, as the case may be, issue in licu thereof a duplicate certificate of insurance or cover note with the word 'Duplicate' prominently endorsed to the effect.
- (2) When a duplicate certificate or cover note has been issued in accordance with the provisions of subrule (1) on representation that a certificate or cover note has been lost, and the original certificate or cover note is afterwards found by the holder, the original certificate or cover note, as the case may be, shall be surrendered to the insurer.
- 14/. Records to be maintained by authorised insurers.—Every authorised insurer shall keep a record of the following particulars in respect of every policy of insurance issued by him for a period of five years, namely:—
 - (i) full name and address of the person to whom the policy is issued,
 - (ii) In the case of a policy relating to a specified motor vehicle, the registration mark and the number such vehicle and in other cases, description of the vehicle covered;
 - (iii) the date on which the policy of insurance comes into force and the date of its expiry;
 - (iv) the conditions subject to which the persons or classes of persons specified in the policy of insurance will be indemnified;
 - (v) the number and date of issue of every certificate of insurance or cover note issued in connection with the policy of insurance;
 - (vi) the date, if any, on which any duplicate certificate of insurance or cover note was issued;
 - (vii) whether, after the issue of duplicate the original certificate of insurance was found and subsequently surrendered to the insurer and if so, on which date.
- 148. Records of exempted vehicles.—(1) In the case of a motor vehicle owned by any of the authorities specified in sub-section (2) of section 146 as also in the case of motor vehicles exempted under subsection (3) of section 146, a certificate in Form 53 signed by a person authorised in that behalf by such authorities may be produced in evidence that the motor vehicle is not being driven in contravention of section 146.
- (2) The authority referred to in sub-section (2) or exempted under eub-section (3) of section 146 shall keep a record of the motor vehicles owned by it in respect of which a policy of insurance has not been obtained and of any certificates issued by it under these provisions in respect of such

- vehicles, and of the names and addresses of the persons to whom such certificates have been 155ued and of the cancellation of any such certificates.
- 149. Supply of information.—Any person, Authority or authorised insurer required under the provisions of this Chapter to keep records of documents shall furnish on request without any charge any particulars thereof to the Central Government or a State Government or to any policy officer authorised in this behalf by the State Government.
- 150. Furnishing of copies of reports to clams tribunal.—(1) The police report referred to m subsection (6) of Section 158 shall be in Form 54.
- (2) A registering authority or a police officer who is required to furnish the required information to the person eligible of claim compensation under section 160, shall furnish the information in Form 54, within seven days from the date of receipt of the request and on payment of a fee of rupees ten.
- 151. Establishment of fund.—Each of the authorities referred to in sub-section (3) of Section 146 shall establish a fund for meeting any liability arising out of the use of any motor vehicle of that authority or any person in its employment may incur to third parties including liability arising under the workmen's Compensation Act, 1923 (8 of 1923).
- 152. Amount of the fund.—(1) The fund shall be established with an initial amount of not less than rupees five lakhs and the said amount shall be kept in deposit with a bank or the Government.
- (2) Subject to the provisions of sub-rule (3), the authority shall pay into the fund at the beginning of each accounting year in respect of its vehicles in running condition a sum of not less than rupees two hundred per vehicle.

Explanation.—In this sub-rule "vehicles in running condition" means all the vehicles of the authority which are expected to be in operation at any time during the accounting year.

(3) When the fund exceeds rupees twenty lakhs or rupees two thousand and five hundred per vehicle for the entire fleet of vehicle, whichever is less, annual payment referred to in sub-rule(2) shall cease provided that if thereafter the amount at the credit of the fund falls below rupees twenty lakhs or rupees two thousand and five hundred per vehicle or the entire fleet of vehicle, whichever is less such annual payment shall again be resumed:

Provided that if any authority other than the Central Government is of opinion that the amount of rupees twenty lakhs or rupees two thousand and five hundred per vehicle for the entire fleet of vehicles, whichever is less, is not adequate it may, with the previous approval of the Central Government continue the annual payment beyond rupees twenty lakhs or two thousand and five hundred per vehicle as the case may be.

153. Investment of the fund-From the amount of the credit of the fund the authority shall kept and maintain a cash deposit of not less than rupees fifty thousand in the bank and the rest of the amount at the credit of the fund shall be invested in Government securities.

- 154. Securities held as a deposit in the fund.—
 (1) All Government securities in which the fund is invested shall be transferred to the bank by the Authority.
- (2) It shall be competent for the authority at any time to exchange the Government securities for cash or for other Government securities of equal or greater market value, or both, and the bank shall carry out the instructions issued by the Authority for such exchange after charging the usual commission to the Authority. The securities so exchanged shall also be transferred to the bank. Atuhority.
- 155. Depoist procedure.—(1) As soon as the fund is established, the bank shall send to the Authority a statement specifying the assets held by it on behalf of the Authority and shall also send a copy thereof to the Central Government in the Ministry of Surface Transport or the State Government concerned as the case may be.
- (2) The statement referred to in sub-rule (1) shall be sent in the same manner and to the same authorities whenever there is a change in the assets of the authorities held by the bank.
- 156. Interest on deposits.—Interest realised on each deposit or the securities held in the fund shall be paid by the bank to the Authority
- 157. Withdrawal.—(1) No amount shall be withdrawn from the fund except for the purpose of meeting any liability arising out the use of any motor vehicle of the Authority which the Authority or any person in the employment of the Authority may incur to third parties including liability arising under the workmen's Compensation Act, 1923 (8 of 1923).
- (2) The Authority shall, subject such conditions and restrictions as it may impose in this behalf, authorise one of its officers to drawn money from the fund for the purpose mentioned in sub-rule(1).
- (3) A copy of the authorisation referred to in sub-rule (2) duly authenticated by a competent officer of the Authority shall be sent to the bank which shall permit withdrawal only by the officer named in such authorisation subject to the conditions and restrictions contained therein
- 158. Settlement of claims.—he Authority shall comply with such directions as the Central Government or the State Government as the case may be, may from time to time issue, with respect to the procedure to be followed for settlement of claims which are to be met out of the funds.

Foerign Insurance

159. List of foreign insurers.—(1) The Central Government shall publish in the official Gazette a list (hereinafter referred to as the approved list) of foreign insurers who have been guaranteed in accordance with the provisions of this Chapter,

- together with the name of the guarantor or guarantors in a each case and shall also publish from time to time any addition to or removal from the approved list.
- (2) No foreign insurer's name shall be added to the approved list until such foreign insurer has been guaranted by at least one insurer and the name of the foreign insurer who ceases to have at least one gurantor shall be removed from the list.
- 160. Gurantor of foreign insurer (1) An insurer who desires to guarantee a foreign insurer shall make application therefor to the Central Government in Form 55.
- (2) The Central Government may, if it is satisfied that the application referred to in sub-rule (1) is in order and that it is expedient that the foreign insurer be placed in the approved list or, where the name of the foreign insurer is already included in the approved list that the insurer should be added to the approved list as gurantor of the foreign insurer, and the name of the foreign insurer to the approved list if it is not already included, and include the insurer as a guarantor of such foreign insurer.
- (3) A gurantor desiring to cease guaranteering a foreign insurer shall give notice of not less than two months to the Central Government in Form 56, and where such notice has been given, the guarantor shall be deemed to have ceased to guarantee the foreign insurer from the date specified in the notice:

Provided that the insurer shall be deemed, in respect of all certificates of foreign insurance endorsed or renewed accordance with the provisions of sub-rule (2) of rule 161 before the date of such cessation, to continue or the guarantor of foreign insurer who has issued the certificate as if the guarantor had not ceased to be his guarantor.

(4) If at any time a gurantor ceases to be an insurer, the Central Government may, after giving such notice as may appear to it to be necessary, move from the approved list the name of such guarantor wherever it appears:

Provided that the guarantor who ceases to be an insurer shall be deemed, in respect of all certificates of foreign insurance endorsed in pursuance of the provisions of sub-rule (2) of rule 161 before the date of removal of the name of the guarantor from the approved list, to continue as the guarantor of the foreign insurer as if the guarantor had not ceased to be an insurer and as if his name had not been removed from the list.

161. Endorsement of certificate for foreign insurance.—(1) A visitor wishing to have a certificate of foreign insurance endorsed or re-endorsed shall produce such certificate in Form 57 before the Customs Collector at a port of entry or land customs post or to such other officer as the Central Government may, by notification in the Official

Gazette appoint, for the purpose of endorsement in accordance with the provisions of this Chapter or for the purpose of the renewal of any endorsement already made on the certificate in accordance with this Chapter.

- (2) Such officer shall, if satisfied that the certificate of foreign insurance complies with the requirements of the provisions of this Chapter, that the period of validity of such certificate in India has not expired, that the certificate has been issued by a foreign insurer in the approved list and that the guaranter specified in the certificate is shown in the approved list as a guaranter of the foreign insurer, make an endorsement thereon in Form 58.
- (3) The period validity of an endorsement or of the renewal of an endorsement made as aforesaid shall not m any case extend beyond the date on which the certificate of foreign insurance ceases to be effective in India:

Provided that when a visitor obtains a fresh certificate of foreign insurance during the period of his stay in India, the period of validity of an endorsement made upon it added to the period of validity of an endorsement or endorsements that may have been made upon the original certificate, shall not exceed one year in all.

- 16. Validity of certificate of foreign insurance.—A certificate of foreign insurance carrying an endorsement in accordance with the provisions of rule 161 shall have effect as if it were a certificate of insurance issued by the guarantor specified in it and shall be deemed to comply with the requirements of Chapter XI of the Act; and the policy to which it relates shall also be deemed to have been issued by such guarantor and to comply with the requirements of Chapter XI of the Act.
- 163. Maintenance of records by the guarantor,— Every guarantor shall in respect of certificates of foreign insurance issued under his guarantee by the foreign insurer whom he has guaranteed and every person who has ceased to be a guarantor shall, in

respect of the certificate of foreign insurance issued under his guarantee by the foreign insurer whom he had guaranteed at any time in the preceding five years, keep a record of such particulars relating to the policies in connection with which the certificates of foreign insurance were issued as are required to be kept by insurers under the provision of rule 147 in respect of policies, and the necessary additions to those records required to make them up to date shall be made as soon as is resonably possible in the circumstances.

CHAPTER VIII

OFFENCES, PENAL TIES AND PROCEDURE

- 164. Offences for the purpose of section 208.— The offences for the purpose of sub-section (1) of section 208 shall be—
 - (a) Driving during the period of disqualifications (section 23);
 - (b) Failure to stop the vehicle when it is involved in an accident (section 132);
 - (c) Obtaining or applying for a driving licence without giving particulars of endorsement (section 182);
 - (d) Driving dangerously (section 184);
 - (c) Driving while under the influence of drinks or drugs (section 185);
 - (f) Abetment of an offence under section 184 or section 185 or section 188;
 - (g) Taking part in unauthorised race or trial of speed of any kind (section 189);
 - (h) Altering a driving licence or using an altered licence;
 - (i) Any other offence punishable with imprisonment in the commission of which a motor vehicle was used.

[File No. RT-11014|1|89-TAG] B. R. CHAVAN, Jr. Scey.

FORMS

[See rule 2(b)]

FORM 1

[See rules 5, 7, 10(a) and 14 (d)]

Medical Certificate in respect of an applicant for obtaining a learner's licence/driving licence or renewal of a driving licence.

PART-I

Space for photograph of the size five centimetres by six centimetres.

(TO BE FILLED IN BY THE APPLICANT) 1. Name of the applicant 2. Son/wife/daughter of 3. Permanent address 4. Temporary address Official address (if any) 5. Date of birth 6. Identification marks: Declaration as to physical fitness to be given by the applicant: Do you suffer from epilepsy, or from sudden (a) attacks of loss of consciousness or giddiness from any cause? Yes/No Are you able to distinguish with each eye at a distance of 25 meters in good day light (with glasses, if worn)? Yes/No (c) Have you lost either hand or foot or are you suffering from any defect in movement, control or muscular power of either arm or leg? Yes/No (d) Can you readily distinguish the pigmentary Yes/No colours, red and green? (e) Do you suffer from night blindness? Yes/No (f) Are you so deaf as to be unable to hear (and if the application is for driving a light motor vehicle, with or without hearing aid) the ordinary sound signal? Yes/No (g) Do you suffer from any other disease or disability likely to cause your driving of a motor vehicle to be a source of danger to the public, Yes/No if so, give details.

I hereby declare that to the best of my knowledge and belief, the particulars given above and the declaration made herein are true.

Signature of the applicant.

Note: An applicant who answers 'Yes' to any of the questions (a), (c) (e), (f) and (g) or 'No' to either of the questions (b) and (d) should amplify his answers with full particulars, and may be required to give further information relating thereto.

PART-II

	· -	oner appointed for the purpose by the State Govern-Government referred to under sub-section (3) of section
1. N	ame of the Applicant	
2. Sc	on/Wife/Daughter of	***************************************
3. Pe	ermanent address	
4. To	emporary address	
5. D	ate of birth	
6. Id	lentification Marks	(1)
7. (a)	If the applicant to the best of your judge- ment subject to epilepsy, vertigo, or any mental ailment likely to affect this driving efficiency?	Yes/No
(b)	Does the applicant suffer from any heart or lung disorder which might interfere with the performance of his duties as a driver?	Yes/No
(c)) Is there any defect of vision? If so, has it been corrected by suitable spectacle?	Yes/No
(d)) Can the applicant readily distinguish the pigmentary colours, red and green ?	Yes/No
(e)	Does the applicant suffer from a degree of deafness which would prevent his hearing the ordinary sound signals?	
(f)	Does the applicant suffer from night blind- ness?	Yes/No
(g	Has the applicant any deformity or loss of member which would interfere with the effi- cient performance of his duties as a driver? if so, give your reasons in detail	
(h	n) Does he show any evidence of being addicted to excessive use of alcohol, tobacco or drugs?	
(i		Yes/No
(j) Is he able to distinguish with each eye at a distance of 25 meters in good day light a motor car number plate?	Yes/No

(k) Is he sufferi control or n limb?	ng from any defect in movement nuscular power of either arm or	Yes/No
consider the	height of the applicant? Do you at this height will be disadvanhim to have a clear vision of the lriving?	Yes/No
(m) Is he a ment	ally ill person?	Yes/No
ability likel	fer from any other disease or dis- y to cause his driving a motor ource of danger to the public?	Yes/No
(o) Is he in you (i) bodily! (ii) eye sigh (iii) mental (iv) hearing	nt ability; and	Yes/No
	p of the applicant	<u> </u>
3 ,	of the applicant	
following reasons:-		that he is not fit to hold a Driving Licence for the
		Signature
		Name and Designation of the Medical Officer
Date:		
while examining the	applicant I have directed special attenns, legs, hands and joints of both extre	nt I also certify that ation to the distant vision and hearing ability, the mities of the Candidate and he is medically fit to
		Signature—————
		Name and Designation of the Medical Officer:
Date:		
	(SEAL)	
		Signature of the candidate

164	THE GAZET	TE OF INDIA:	EXTRAORDINARY	
Note : (1) The Medical Officer shall a			
(Particulars of the Gazette to sub-section (3) of secti list where his name appear 	ion 8 of the Mot	ical Officer's appointment i for Vehicles Act, 1988 and	
(p)	Blood Group of the applicant	_		
(q)	RH Factor of the applicant	•		
	ave examined the applicant. g reasons:—	I am of the opinion	on, that he is not fit to hold	a Driving Licence for the
			Signatur	·e
Date:			Name and Designa Medical Officer——	
while ex	certify that I have personally camining the applicant I have con of the arms, legs, hands and lriving licence.	directed special a	ttention to the distant vision	n and hearing ability, the
			Signature:	
			Name and designati	on of the
Date:			Medical Officer:	

Note: (1) The Medical Officer shall affix his signature over the photograph in such a manner that part of his signature is upon the photograph and part on the certificate.

(SEAL)

(2) Particulars of the Gazette where the Medical Officer's appointment is notified with reference to sub-section (3) of section 8 of the Motor Vehicles, Act, 1988 and the serial number in the list where his name appears.

Signature of the candidate———

FORM 2

[See rule 10]

Form of Application for the grant or renewal of Learner's Licence

То	The Licensing Authority,	siz	ace for photographs of the e five centimetres by six	
	•••••			
	I hereby apply for a licence authorising me a learner, the following motor vehicle(s)			
	(a) Motor cycle without gear			
	(b) Motor cycle with gear			
	(c) Invalid carriage			
	(d) Light motor vehicle			
	(e) Medium goods vehicle			
	(f) Medium passenger motor vehicle			
	(g) Heavy goods vehicle			
	(h) Heavy passenger motor vehicle			
	(i) Road roller			
	Motor vehicle of the following description	n		
	Particulars to be furnis			
1	Full Name			
	Son/Wife/Daughter of	**********		
3.	Permanent address		*************************	• • • • • •
	~ 0.5 1 l			• • • • • •
	Proof to be enclosed			• • • • • •
4.	Temporary address		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	om: 1 Harry (if any)		,,	
	Official address (if any)			

	Date of Birth (Proof of age to be enclosed)	
6.	Educational qualification	••••••
7.	Identification mark(s)	1
		2
8.	_	
	RH factor .	•••••••••••••••••••••••••••••••••••••••
9.	I hold an effective driving licence to drive	
		passenger motor vehicle/medium goods vehicle with
10.	Particulars of any driving licence previously held by applicant. Whether it was cancelled and if so, for what reason;	•••••
11.	Particulars of any learners licence previously held up applicant in respect of the description of vehicle to which the applicant has applied	
12.	Have you been disqualified for holding or obtaining driving licence or learner's licence If so, for what reasons	
	I enclose 3 copies of my recent photograph (Photograph to be of the size of five centimetres by six centimetres)	
	I enclose medical fitness certificate dated issued by (doctor)	
15.	I have submitted along with my earlier applic consent of parent/guardian (in the case of appl	cation for Learner's Licence/I enclose the written icant being a minor)
16.	I enclose driving certificate dated (Name and address of the driving school)	issued by
17.	I have paid the fee of Rs	••
18.	I am exempted from the Medical Test under rule	6 of Central Motor Vehicle Rules, 1989.
19.	I am exempted from the preliminary test under	Rule 11(2) of Central Motor Vehicle Rules, 1989.
·		

*Strike out whichever is inapplicable

Date:

Declaration under sub-section	(2) of Section 7 of the	e Motor Vehicles Act	1088
Deciaration under sub-section	(2) Of Section / Of th	e Motor Aellicles Wei	~ 1200

Shri/Kumari	son/daughter of	
my care and I accept responsib	bility for his/her driving. If at a later date	I decide not to accept responsibility
for his/her driving shall intim	ate the licensing authority in writing for t	he cancellation of the licence. I give
my consent for his/her obtain	ning learner's licence.	_

Signature ----

Name and full address of the Parent/guardian

Relationship.....

(To be signed in the presence of the Licensing Authority or person authorised in this behalf by the Licensing Authority)

For Office Use

*The applicant is exempted from the medical test under rule 6 and the preliminary test under rule 11(2) of the Central Motor Vehicle Rules, 1989.

Learner's Licence may be issued.

*The applicant was tested with reference to rule 11(1) of the Central Motor Vehicles Rules, 1989. He has passed the test. Learner's Licence may be issued.

*He has failed in the test. (Reasons should be specified).

Learner's Licence may be refused.

Signature of Licensing Authority or other person authorised in this behalf.

^{*}Strike Jut whichever is inapplicable.

THE GREET	, IL OI MIDII	Extinois in the	
-	FOI	RM 3	
	[See rule	5 3(a), 13]	
Licence No	Learner	's Licence	Space for Photograph of the size five centimetres by six centimetres.
		Name to be written acre	oss the photograph.
		Specimen singature/Thum of the licence.	b impression of the holder
Name		Signature and seal of the	Licensing Authority.
2. Son/wife/daughter of			
3. Date of Birth:			
4. Blood Group and RH factor:			
5. Present address-Permanent			
Temportary/Official (if any)			
6. Marks of identification	(1)		
	(2)		
is licenced to drive throughout India Vehicles Rulet, 1989, a motor vehicle	as a learner su e of the followi	bject to the provisions of r	ule 3 of the Central Motor
The holder of the licence has pas rule 11(1) of the Central Motor Vehice	sed the medica cles Rules, 1989	l test under rule 5 and the pr 9.	eliminary test referred to in
The holder of the licence is excunder rule 11(2) of the Central Motor	empted from the Vehicles Rule	ne medical test under rule 6 s, 1989.	and from preliminary test
This licence is valid from		to	
* Strike out whichever is in applocabl	e.	Signat	ture and designation of the

Warning-

The attention of the holder of this licence is drawn to rule 3 of Central Motor Vehicles Rules, 1989 which prohibits him from driving any motor vehicle unless he has besides him a person duly licensed to drive the vehicle and in every case, the vehicle carries "L" plates both in the front and in the rear of the vehicle.

Licensing Authority.

1478 G1|89--22

FORM 4

[Sce rule 14]

Form of Application for Licence to drive a Motor Vehicle

Т	The Licensing Authority		Space for photograph of the size five centimetres by
	I apply for a licence to enable me to drive of the following description:	vehicles	six centimetres.
	(a) Motor cycle without gear		
	(b) Motor cycle with gear		
	(c) Invalid carriage		
	(d) Light motor vehicle		
	(e) Medium goods vehicle		
	(f) Medium passenger motor vehicle		
	(g) Heavy goods vehicle		
	(h) Heavy passenger motor vehicle		
	(i) Road roller		
	(j) Motor vehicle of the following descrip	ation.	
		be furnished by the Applicant	
1.	Name	• • • • • • • • • • • • • • • • • • • •	
	Son/Wife/Daughter of		
	Permanent address		
٠.	(Proof to be enclosed)	**********************	
4.	Temporary address/Official address (if any)	••••••	
5.	Date of birth		
	(Proof to be enclosed)		
6.	Educational qualification		
7.	Identification Marks (1) (2)		
8.	Blood Group and RH factor		
9.	Have you previously held driving licence If so, give details.	•••••	
10.	Particulars and date of every conviction who has bee 1 ordered to be endorsed on any licence held by the applicant	ich	
11.	Have you been disqualified for obtaining a licence to drive? If so, for what reason?		· · · · · · · · · · · · · · · · · · ·
12.	Have you been subjected to a driving test as your fitness or abilityto drive a vehicle in respect of which a licence to drive is applied for? If so, give the following details:		•••••
	Date of Test Testing Au	uthority Result of	f Test
1. 2. 3.			

13.	I enclose three copies of my recent photograph of the size five centimeters into six centimetres (where laminated card is used no photographs are required).
14.	I enclose the Learner's licence Nodatedissued by Licensing Authority.
15.	I enclose the Driving Certificate Nodatedissued by
	I have submitted along with my application for Learner's Licence the written consent of parent/guardian I have submitted along with the application for Learner's Licence/I enclose the medical fitness certi-
	ficate.
19.	I am exempted from the medical test under rule 6 of the Central Motor Vehicles Rules, 1989. I am exempted from preliminary test under rule 11(2) of the Central Motor Vehicles Rules, 1989.
20.	I have paid the fee of rupces.
	I hereby declare that to the best of my knowledge and belief the particulars given above are true.
	Note.—Strike out whichever inapplicable.
Dat	re:
	Signature/Thumb impression of applicant.
	Certificate of test of competence to drive.
	The applicant has passed the test prescribed under rule 15 of the Central Motor Vehicles Rules, 1989. test was conducted on (here enter the registration mark and description of the vehicle)
	The applicant has failed in the test.
	(The details of the deficiency to be listed out)
Dat	e:
	Signature of Testing Authority, Full name and designation.
	Two specimen signatures of applicant:
St	rike out whichever is inapplicable.
	FORM 5
	[See rules 14(e), 17(1)(b) and 27(d)]
	Driving Certificate issued by Driving School or Establishments
	This is to certify that Shri/Smt./Kumarison/wife/daughter
was in o	enrolled in this school on
	(mention class of vehicle)
acc	ording to the syllabus prescribed for a period fromtosatisfactorily.
	I am satisfied with his/her physical fitness and sense of responsibility.

Signature

Name and Designation Name and address of the Driving School with Licence number and date of issue,

FORM 6

[See rule 16(1)]

(To be printed in Book Form of the size six centimetres into eight centimetres)

Form of Driving Licence

Son/wife/daughter of	
Photograph of the size	
five centimetres into	
six centimetres	
Name to be written	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Across the photograph	***************************************
Part of the seal and signature of the Licensing	Specimen signature/Thumb impression of the Holder
Authority to be on the photograph and part of	of the licence
the driving licence).	
(the driving neoned).	Signature and designation of the
	Licensing Authority.
Driving Licence Number	
Date of issue	
Name	
Son/wife/daughter of	
remporary address/Official address (if any)	
Permanent address	
10111011-20-20-20	
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Date of birth	
Educational qualifications	
Blood group with RH factor	
The holder of this licence is licensed to drive through	hout India vehicles of the following description:—
Motor cycle without gear	
Motor cycle with gear	
Invalid carriage	
Light motor vehicle Medium goods vehicle	
Medium passenger moter vehicle	
Heavy goods vehicle	
Heavy passenger motor vehicle	
A motor vehicle of the following description.	
The Licence to drive a motor vehicle other than	The licence to drive transport vehicle is valid from
ransport vehicle is valid fromto	to
Name and designation of the Authority	
who conducted the driving test.	Signature and designation of the
	Nignature and designation of the

Licensing Authority.

Space for endorsement by Licensing Authority.

Date Proceedings number Disqualification period Signature of Licensing and date From to Authority

FORM 7

[See rule 16(2)]

Form of D	riving Licence (Laminated Card '	Гуре)		
Driving Licence No. Name:	Date of	issue:		
Son/wife/daughter of :				
Address:				
Date of birth:				
Blood Group with RH factor:				
is licensed to drive throughout	India vehicle of the following de	escriptions:		
***************************************	*************	***************		

The license to drive a mater each	14141 41 41 41	1' 1 C		
	cle other than transport vehicle is	valid from		
to				
	The licence to dri	ve transport vehicle is valid		
Photograph	from	to		
	Specimen signature of the licence.	re/thumb impression of the holder		
	Signature of the licensing Authority.			
	5			
Date of first issue of driving licence				
Class of vehicle:				
Name and designation of the Authority	<i>'</i>			
who conducted the driving test : Dates on which additional vehicles were				
	e included :			
Class of such vehicles:	1			
Name and designation of the Authority conducted the driving test:	wno			
Badge NumberNumber	and date of authorisation to di	ive transport vahiolo		
Badge Italiioei	and date of authorisation to di	ive transport venicle.		
	•••••	•••••		
**************	*************			
***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	FORM 8			
	[See rule 17(1)]			
Application for th	- · · · · ·	a to a dairing linear		
To	e addition of a new class of vehicl	e to a driving acence		
The Licensing Authority,				
	hereby annly for t	he addition of the following class/		
classes of motor vehicle to the attache	od licence:—	me addition of the following class/		
(a) Motor cycle without gear,				
(a) bot of the militar Boat,				

(b) Motor cycles with gear,	
(c) Invalid carriages,	
(d) Light motor vehicles,	
(e) Medium goods vehicles,	
(f) Medium Passengers motor vehicles,	
(g) Heavy goods vehicles,	
(h) Heavy Passenger motor vehicles,	
(i) Road rollers,	
(j) Motor vehicle of the following description.	
I enclose,	
(a) a Medical Certificate in Form 1,	
(b) Learner's Licence in Form 3.	
(c) Driving Licence in Form 6/7.	
(d) Driving certificate in Form 5 if the application is to	Arive a transport vehicle.
(e) I have paid the fee of rupees	
Dated19 .	
Signa	ature or thumb impression of the applicant.
Certificate of test of competence to drive.	
The applicant has passed/failed in the test specified in ru 1989 The test was conducted on a	
	ature of Testing Authority, ne and designation:
FORM 9	
[See rule 18(1)]	
Form of application for the renewal of	f Driving Licence
	Space for photograph of the size five centimetres by six centimetres
T, Shri/Smt./Kumari	Son/wife/daughter
ofdriving licence which is attached and particulars of which are	hereby apply for the renewal of my
(a) Number	
(b) Date of issue	
(c) Licensing Authority by which the licnece was issued	
(d) Licensing Authority by which the licence was last	
renewed	
No. and date of renewal	
(e) Class of vehicles auhtorised to be driven	

[भाग IIखण्ड 3(i)]	भारत का राज्यस	धमाधारण 175	175	
(f) Date of expiry of licence t	o drive			
(i) transport vehicle				
(ii) vehicles other than tra	ansport vehicles			
My present address is	-			
		t wish that it should be so enterca.		
If the licence is not attached, re	easons why it is not av	ailable?		
If the licence was not renewed	within thirty days of	the date of expiry, reasons for delay		
***************************************		***************************************		
		· • • • • • • • • • • • • • • • • • • •		
The renewal of licence has not l	•	•		
-	for holding or obtain	ing a driving Licence. My licence has not bee	'n	
revoked.	- 42 4			
I enclose a Medical Fitness				
I enclose three copies of my rec	,			
I have paid the fee of Rs				
•	t of my knowledge and	d belief the particulars given above are true.		
Date	3.7	Signature or thumb impression of applicant		
		ne		
	Add	ress		
	****	• • • • • • • • • • • • • • • • • • • •		
	•••			
	FORM	1 10		
	[See rule	; 23(1)]		
	State Register of	Driving Licence		
I. (a) Driving licence number as	nd date of initial issue	a !		
(b) Licensing Authority which		•		
(c) Name and designation of		ken		
driving test and the date				
holder of the licence.		, -		
2. Name, address and other parti-	culars of the holder o	f the driving licence :—		
(a) Name of the holder (w				
(b) Date of birth:		,,		
(c) Educational qualification	s:			

(d) Permanent address:

is given:

(e) Temporary address/Official address (if any):

(g) Class and types of vehicles for which licence

(f) Subsequent changes of addresses:

- (h) Addition of vehicles (if any) with dates:
- (i) Date of expiry of the licence and further renewal (with details of licensing authority which renewed the licence):

	(j) Details of disqualifications, fine, cancellation, etc., in relation to the holder of the driving licence.
	FORM 11 [See rules 24(1), 24(4) and 25]
	Form of licence for the establishment of a Motor Driving School
Lice	nce No
moto	Licence is hereby granted for the establishment of a school for imparting instructions in driving of vehicles specified below:—
	(a) Motor cycle,
	(b) Invalid Carriage,
	(c) Light motor vehicle,
	(d) Medium goods vehicles,
	(e) Medium passengers motor vehicle,
	(f) Heavy goods vehicle,
	(g) Heavy passengers motor vehicle,
	(h) Motor vehicles of the following description:
	by(Name and address of the licence holder)
	at (premises of the school)
	the school being known as thesubject
to the	e provisions of the Motor Vehicles Act, 1988 and the Central Motor Vehicles Rules, 1989.
	The licence is valid fromto
Date	ed
	Licensing Authority
	This licence is hereby renewed fromto

	Licensing Authority
	FORM 12
	[See rule 24(2)]
	Form of application for a licence to engage in the business of imparting instructions in driving of Motor Vehicles
То	
	The Regional Transport Officer,

The undersigned hereby applies for obtaining a licence to run the business of imparting instructions in driving of motor vehicles:

- 1. Full name of the applicant:
- 2. Son/wife/daughter of:
- 3. Address:
- 4. Place where the applicant desires to start his busi-
- 5. Nature and extent of facilities available, including list of books, films or video cassetes on road safety,
- 6. Qualifications of staff engaged for imparting instructions:
- 7. Make and model of engines and chassis available for imparting training regarding assembly and working of such engines and chassis.
- 8. Details of the registration marks of the vehicles used for imparting driving instructions. :
- 9. I have paid the fee of rupees.....

Dated:

Signature of the applicant.

__ _ _+_..__====== _==

FORM 13

[See rules 24(2) and 25]

Form of application for renewing a licence to engage in the business of imparting instructions in the driving of motor vehicles

Το	The	Reg	gic	n	ໝີ	۱ ′	Γ	ra	n	ıs	p	О	ľ	ŧ	O	f	îi.	C.	er	٠,							
									•																•		

The undersigned hereby applies for the renewal of a licence to run the business of imparting instructions in driving of motor vehicles.

- 1. Full name of the applicant:
- 2. Son/wife/daughter of:
- 3. Address:
- 4. Place of business:
- 5. Number of existing licences:
- 6. Date of issue:
- 7. Period of validity;

1478 OH89-23

- 8. Whether the application has been made before the expiry of existing licence, if not the reasons for delay:
- 9. Whether the earlier licence was suspended/cancelled for any reason, details thereof such as date of suspension, reasons for such suspension/cancellation. Date of revocation of suspension/cancellation.
- 10. I have paid the fee of rupees......

Date	
Daw	

Signature of the applicant

FORM 14

[See rule 27(a) and (c)]

Register showing the enrolment of trainee(s) in the driving school establishments

Register	for the year———
1.	Enrolment number:
2.	Name of the trainee with his photograph:
3.	Son/wife/daugther of:
4.	Address:
	(a) Permanent address
	(b) Temporary address
	official address
	(if any)
5.	Date of birth
6.	Class of vehicle for which training imparted
7.	Date of enrolment
8.	Learner's licence number, and date of its expiry
9.	Date of completion of the course
10.	Date of passing the test of competence to drive
11.	Driving licence number and date of issue and the licensing authority which issued the licence
12.	Remarks.
13.	Signature of the licence holder/Instructor.

FORM 15

179

		[See r	rule 27(i)]		
	Regis	ter showing the dr	iving hours spent by	y a trainec	
Nam	e of the school/establishment				• • • • • • • • • • • • • • •
Nam	e of the trainee	*********			••••••
Enro	lment Number	,			• • • • • • • • • • • • • • • • • • • •
Date	of enrolment				
Date	Hours spent in a	actual driving	Class of vehicle	-	_
	Fromhrs.	Tohrs.	-	Instructor	trainee
1	2	3	4	5	6
1. 2. 3. 4. 5.					
	Form of	[See	FORM 16 e rule 34(1)] eant or renewal of 5	Frade Certificate	
1ο	The Registering Authority,				
	I/We hereby apply for issue of	of/renewal of a Tr	ade Cortificate(s)]-	_	
	1. Applicant's name		• • • • • •		
	2. Son/wife/daugther of				
	3. Applicant's full address (1	proof to be attach	ed)		* * * * * * * * * * * * * * * * * * * *
	 Whether the applicant is a motor vehicles, approved in building bodies to vehi of hire purchase/lease/hy 	l repairer of vehic icles,engaged in th	les, engaged le business		••••••
	5. Number of Certificates re	equired			
	6. Class of Motor Vehicle(s) in respect of wl	nich each		

Certificate(s) is required

7. Amount of fee paid

THE GAZETTE OF INDIA: EXTRAQ	RDINARY	[PAFT II—SEC. 3(i)]
. If the application is for renewal, indicate the Trade Certificate No., date of issue and date of expiry in respect of which renewal is applied	.,	
DECLARATION		
we do hereby deleare that the Irade Cortificate(s) is/are require	red by me/us fo	r bona tide Frade pur-
,		
	Signature	of the applicant
Strike out whichever is inap	plicable.	
FORM 17		
[See rule 35(1)]		
Form of Trade Certificate		
(To be printed in diameter shape of 70 milim	cters)	
TRADE CERTIFICATE		
Sorial number of Certificate		
ull name and address of certificate holder		
Frade number assigned in respect of the certificate		
Class of motor vehicle in respect of which the certicate it to be used		
Date of expiry of certificate		
Amount of fee paid		
Date stamp of office of issue		
Date:	Valid thro	ughout India
	If the application is for renewal, indicate the Trade Certificate No., date of issue and date of expiry in respect of which renewal is applied DECLARATION we do hereby deleare that the Trade Certificate(s) is/are required. Strike out whichever is inapplied. FORM 17 [See rule 35(1)] Form of Trade Certificate (To be printed in diameter shape of 70 milimum trade of Certificate and address of certificate holder. Trade number assigned in respect of the certificate class of motor vehicle in respect of which the certificate it to be used. Date of expiry of certificate Amount of fee paid. Date stamp of office of issue. Station: Date:	Certificate No., date of issue and date of expiry in respect of which renewal is applied DECLARATION we do hereby deleare that the Trade Certificate(s) is/are required by me/us fo Signature Strike out whichever is inapplicable. FORM 17 [See rule 35(1)] Form of Trade Certificate (To be printed in diameter shape of 70 millimeters) TRADE CERTIFICATE derial number of Certificate holder frade number assigned in respect of the certificate class of motor vehicle in respect of which the certicate it to be used Date of expiry of certificate Amount of fee paid Date stamp of office of issue Station: Date:

SCHEDULE

Form of Folder for the Certificate

The folder shall be of metal and be weather proof. It shall be circular in shape and conform to the following dimensions:— []

Circular pattern, without cross bars-certificate tray:

of Region/State

The certificate of standard pattern when cut along the outline of the outer of that two circles, shall fit neatly into a sheet-metal tray of suitable thickness, having a turned-up edge of sufficient depth to hold the licence and stout cover of transparent white glass.

Ring Cover: A circular ring of sheet-metal shaped to fit down closely in to the tray, and adopted for fixing by screws, bolts, or otherwise to the vehicle in the prescribed position. A rubber packing ring shall

be arranged to fit between the ring cover and the cover glass and tray so as to render the whole carrier weather-proof.

Dimensions: The aparture within the ring-cover shall clearly exhibit the whole of the certificate laying within the inner circle of the certificate and shall have a diameter of 10 cm.

FORM 18

[See rule 38(1)]

Intimation of loss or destruction of a trade Certificate and application for duplicate

I/We surrende I/We hereby	Certificate is snot in my rethe* multipleclare that a provisions on the transit the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	and valid he following
The Frade oup to	Certificate is sometime multiple that the transfer of the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	and valid he following
The Frade oup to	Certificate is sometime my rethe* multiplecture that the provisions outer, the trasit the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	and valid he following
The Frade oup to	Certificate is sometime my rethe* multiplecture that the provisions outer, the trasit the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	and valid he following
up to	s not in my r the* multi leclare that to provisions o uder, the tra sit the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	and valid he following
up to	s not in my r the* multi leclare that to provisions o uder, the tra sit the fee of	possession for lated/soiled to my/our king the rules and de certificate	thas been nor the reasons trade certification the toward that the all	iutilated/so specified te. rade certifi	iled/lost/de below :—	stroyed* in t	he following
I/We hereby cancelled under the	lectare that to provisions on the transition of the transit the fee of	to my/our ki f the rules a de certificate	nowledge the tond that the al	rade certifi			
cancelled under the	provisions onder, the tra sit the fee of	f the rules a de certificate	nd that the al	rade certifi			
cancelled under the	provisions onder, the tra sit the fee of	f the rules a de certificate	nd that the al	ova cartific	cate has no	t been either	suspended or
I undertake to surre	sit the fee of		s it it is tound.	ove ecrim	eate is not i	n the use of	any one else.
	sit the fee of			-			
issue of duplicate t	rado certific	Rupees				and	apply for the
issue of dufatence t	rado ocitino	atc.			Signature	or thumb-	impression
					of the ap	plicant	Aug-1Çeston
				Addres	s :	• • • • • • • • • • • • • •	,
Dated							
		+2	trike out whic	hevar is ma		• • • • • • • • • • • • •	*********
			FORM 19	iic (C) () (ii)	phucdote		
	D		[See rule 43)]	1 (1)	1 61 36		
	Register to	o be maintai 	ned by the hol	dei of Trac	le Certificat	ic	
Date Trade Certificate number ar in case of vehicle registered the regis- tration number o the vehicle	Vehicle	Purpose for which vehicle sent out or brought	Driver's name Licence No. and address and whether he is the employee of the holder of Trade Certificate		Hours of return to premises by the vehicle	Mileage covered between the hours noted in columns (6) and (7)	Signature and desig- nation of the person authorised by the holder
1 2	3	4	5	6	7	8	9

[See rule 47]

Form of Application for Registration of a Motor Vehicle

To		
	The Registering Authority,	
	The second section of the second second	
1.	Full name of person to be registered as registered owner	
2	Son/Wife/daughter of	
	Age of the person to be registered as Registered owner. (Proof of age to be attached)	
3.	Permanent address of the person to be registered as registered owner (Evidence to be produced)	. .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
4.	Temporary address of the person to be registered as registered owner	·
6.	Name and Address of the Dealer or manufacturer from whom the vehicle was purchased (Sales certificate and certificate of road worthiness issued by the manufacturer to be enclosed) If ex-army vehicle or imported vehicle enclose proof. locally manufactured Trailer/semi-trailer enclose the approval of design by the State Transport Authority and note the proceedings number and date of approval	i i if -
7.	Class of vehicle	
	(If motor cycle, whether with or without gear)	
8.	The motor vehicle is	
	(a) a new vehicle	
	(b) Ex-army vehicle;	
	(c) Imported vehicle;	
9.	Type of body	
10.	Type of vehicle	
11.	Maker's name	,
12.	Month and Year of manufacture	
13.	Number of Cylinders	***************************************
14.	Horse Power	***************************************
15.	Cubic capacity	
16.	Maker's classification or if not known, wheel-base	
17.	Chassis number (Affix pencil print)	
17.	Engine number	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Scating capacity (including driver)	

29. Unladen weight						
30. Number, description and size	e of tyres on each axle					• • • •
31. Maximum axle weight in resp	pect of each axle					
32. The vehicle is covered by a ve	alid certificate of insurance	Insurance Ce	rtificate or co	over not	e.	
under Chapter XI of the Act		No	đŧ			

under Chapter XI of the Act.

33 The vehicle is exempted from Insurance. The relevant order is enclosed.

34. I have paid the prescribed fee of rupees

Date.....

Signature of the person to be registered as Registered Owner.

from.....to.....to....

of.....(Name of Company)

Valid

(i) Subject to here purchase agreement lease agreement with
(ii) Subject to hypothecation in favour of
(iii) not held under hire purchase agreement, or lease agreement or subject to hypothecation.
Scrike out whatever is inapplicable. If the vehicle is subject to any such agreement the signature of the person with whom such agreement has been entered into is to be obtained.
Signature of the Owner
Signature of the person with whom an agreement of Hire purchase, lease or hypothecation has been entered into. Specimen signature of the person to be registered as registered owner:
(1)
(2)
(3)
CERTIFICATE
Inspected the vehicle
Certified that the particulars contained in the application are true and that the vehicle complies with the requirements of the Motor Vehicles Act, 1988 and the Rules made thereunder. Signature of the Inspecting Authority
Name Designation
(For office endorsement)
Ref. number Office of the

Dated
Thebearing chassis numberhas been assigned the registration
numberand registered in the
and the vehicle is subject to an agreement of hire purchase/lease/hypothecation
Registering authority
То
(Name and address of the financer)
By registered post or
deliver under proper acknowledgement.
FORM 21
[See rule A7(a) and (du)

[See rule 47(a) and (d)]

Sale Certificate

(To be issued by Manufacturer/Dealer or officer of Defence Department (In case of Military auctioned vehicles) for presentation along with the application for registration of a motor vehicle).

(To be issued by the Manufacturer)

Certified that		
0000000	(Brand name of the vehicle)	
bearing chassis nun	mber	.and
engine number	com	nplies
	of the Motor Vehicles Act, 1988 and the rules made thereunder.	
	Signature of Manufacturer.	

[See rule 48]

Form of Certificate of Registration

	Registered number
Brief description of vehicle,	le, Ashok Layland Goods Vehicle, Trailer, Motor
Name of registered owner	
Son/Wife/daughter of	
Full address (Permanent)	
Full address (Temporary)	
Date	Signature of Registering Authority
Detailed Descr	ription
1. Class of vehicle	·
The motor vehicle is —	
(a) a new vehicle	
(b) Ex-army vehicle	
(c) Imported vehicle	
(d) Migration from other States	
2. Maker's name	
3. Type of body	
4. Month and Year of manufacture	
5. Number of cylinders	
6. Chassis number	
7. Engine number	
8. Fuel used in the engine	
9. Horse power (B.H.P.)	
10. Cubic capacity	
11. Maker's classification	
12. Wheel-base	
13. Seating capacity (including driver)	
14. Unladen weight	
15. Colour or colours of body, wings and front end. Additional particulars in the case of all transport vehicles other than motor cabs	t

	Gross vehicle weight	
	(a) as certified by the manufacturer	Kgms.
	(b) as registered	Kgms.
17.	Number, description and size of type-	
	(a) front axle	
	(b) rear axle	
	(c) any other axle	
	(d) tandem axle	
18.	Registered axle wicight	
	(a) Front axle	(Kgms.)
	(b) Rear axlc	(Kgms.)
	(c) Any other axle	(Kgms.)
	(d) Tandem axle	(Kgms.)
	Additional particulars of alternative or additional	al trailer or semi-trailers registered with an arti-
cula	ted vehicle—	
19.	Type of body	
20.	Unladen weight	
21.	Number, description and size of tyres on (each) axle	
22.	Registered axle weight (in respect of each axle)	(Kgms.)
regi and	cimen signature of the stered owner, pasted attached by the istering Authority	
	This certificate is valid from	
Dat	e19	Signature of registering authority.
Not	e:-The motor vehicle above described is-	
	(i) subject to a hire-purchase agreement with	
	(ii) subject to lease agreement with	
	(iii) subject to hypothecation in favour of	
	(iv) is not held under hire purchase agreement/lea	
Dat	e 19	Signature of registering authority.
	This certificate is hereby renewed from	•
i Į	heday ofheday ofheheday ofheday of	
	B , , , , , , , , , , , , , , , , , , ,	Signature of registering authority.
Not	e :	·

(i) This shall be in the form of a book having sufficient space for recording transfer of ownership, change of address, hire purchase endorsement, cancellation of hire purchase entries, alteration, suspension and cancellation of registration etc.

- (ii) Strike out whichever is inapplicable.
- (iii) Wherever transfer of ownership is recorded, specimen signature of the registered owner shall be pasted and attested by the Registering Authority.

[See rule 49]

Register of Motor Vehicle

Particulars	Details		transfer of	Particulars of of hire pure and hypothe	hase, lease ecation	Entries of Remarks exemption granted, NOC issued/	rks
		Present	Specimen signature pasted and attested by the regis- tering authority whith official seal affixed	ment of such agree- ment with full name and address of the Financier, attested by Registering Authority	·	cancellation/ duplicate	
1	2	3	4	5	6	7	8

- 1. Registration No.
- 2. Date of registration.
- 3. Name of the owner son/wife/daughter of
- 4. Full address (Permanent) (Temporary)
- 5. Particulars of Previous registration number viz.—
 - (a) The name of the registering authority
 - (b) Registration | number assigned.

6

3

(c) Date of expiry of registration

(d) Whether held under HP/lease/ hypothecation.

- (e) If so, particulars of financier etc.
- 6. The motor vehicle is ---
 - (a) a new motor vehicle
 - (b) Ex-army vehicle
 - (c) imported vehicle.
- 7. Class of vehicle, of motor cycle whether with gear or without gear.
- 8. Makers name
- 9. Type of body.
- 10. Month and Year of manufacture
- 11. No. of cylinders.
- 12. Chassis No.—Affix pencil point and to be attested by the Registering Authority.
- 13. Engine No.
- 14. Fuel used in engine
- 15. Horse power
- 16. Cubic capacity
- 17. Makers classiftcation
- 18. Wheel base
- 19. Seating capacity including driver
- 20. Colour or colours of body, wings front
- 21. Unladen weight
- 22. Gross vehicle weight
 - (i) as certified by manufacturer .
- (ii) as registered....

1

2

3

5

6

7

- 23. Additional Particulars in case of transport vehicle other than motor cabs.
- I. No description and size of tyres. Front axle....
 Rear axle....
 Any other axle....
 Tandem axle....
- Registered axle weight Front axle...Kg. Rear axle...Kg.
 Any other axle...Kg. Tandem axle...Kg.
- 24. Additional particulars of alternatives or additional trailer or semitrailers registered with an articulated vehicle
 - 1. Type of body
 - 2. Unladen weight
 - 3. No. and description and size of tyres on each axle.
 - 4. Registered axle weight in respect of each vehicle.
- 25. Insurance Certificate/Cover note
 No....dated....
 valid from....
 to.....issued by
 (Name and address
 of the Insurance
 Co.)
- 26. Rate of motor vehicle tax
- 27. Validity of registration from....
 to ...renewal
 from....to....

	1	2	3	4	5	6	1	8
na In wh vel	ame and desig- ation of the specting Officer no certified the hicle as fit for gistration.							
na na	ame and desig- tion and sig- ture of the Regis- ing Authority.							
				FORM 25				
				[See rule 52(1	1))]			
For	rm of application i	for renev	wal of Cert	ificate of Reg transport ve		motor vehic	le, other the	an a
	The Registering Au							
	ched, the particula				e renewal of t	he certificate o	f registration	which
(6	a) Registered num	ber						
(b) Date of issue				****			
,	c) Date of expiry							
(0	d) Registering aut issued/last rene		by which th	he certificate				
of regis	My present address in stration, I do/do no l by any register	ot wish t	hat it shou	ld be so enter	. If this addre	ess is not entere ewal of the cert	din the ce	rtificate ot been
[h	ereby declare that	the certi	ificate of re	gistration ha	s not been ca	ncelled or susp	ended by an	y regis-
tering	authority.							
1. Cla	ass of vehicle							
2. The	e motor vehicle wa	as regist	ered as					
(a) a new vehicle				*****			
(t	o) Ex-army vehicle	;						
(c) Imported vehicle	3					* * • • • • • • • • • • •	
3. Ty	pe of body							
4. Ma	ker's name,							
5. Mo	onth and Year of m	nanufact	ture		,			
6. Nu	mber of Cylinders							
	bic capacity/Horse						• • • • • • • • • • • •	
8. Ma	ker's classification							
9). Cha	assis number—Affi	x pencil	l print					-

मारत का राजपत असाधारण

[मान II--यण्ड ३(i)]

10. Engine number11. Seating capacity (including driver)12. Unladen weight13. Fuel used	***************************************
I enclose the certificate of insusance for perusa	ıl and return.
I have paid the fee of rupees	
Dated:	Signature of the applicant
Note: The motor vehicle above described is not s hypothecation.	ubject to an agreement of hire purchase, lease or
The vehicle is:	
	agreement with
	Signature of the registered owner.
Specimen signature of Registered Owner: 1. 2.	
3.	
CERTIFI	CATE
Inspected the vehicle—verified the chassis num	ber and engine number.
Certified that the particular scontained in the arred in the certificate of registration of the vehicle arrequirement of the Motor Vehicles Act, 1988 and requirement of the Motor Vehicles Act, 1988 and 19	
	Signature of the Inspecting Authority.
	Name Designation
FORM	26
	_
[See rul	
Intimation of loss or destructionetc. of the Certificate duplicate Certificate of Registration.	e of Registration and application for the issue of
(To be made in duplicate if the vehicle is held under lease and the duplicate copy with the endoresment of the Financer simultaneously on the issue of duplicate	of the Registering Authority to be returned to
The Registering Authority,	
Sir,	
The Certificate of Registration of my/our Motor	r Vehicle, the Registration Mark of which is

The Certificate of Registration of my/our Motor Vehicle, the Registration Mark of which is....... has been lost/destroyed/completely written-off/soiled/torn/mutilated in the following circumstances.

The state of the s	
	ur knowledge the registration of the vehicle has not
· · · · · · · · · · · · · · · · · · ·	of the Act or rules made the reunder and the circum-
stances explained above are true.	
I/We do hereby apply for the issue of a dupli-	cate certificate of Registration.
The written off /soiled/torn/multilated Certification	cate of registration is enclosed.
The vehicle is not held under any agreement	of hire purchase/lease/hypothecation.
I/We have reported the loss to the Police S	tation on(date).
Date	Signature/thumb impression of applicant along with full address.
Strike out whichever is inapplicable.	
The vehicle is held under hire purchase/lease the "No Objection Certificate" obtained from the	/hypothecation agreement withand e financier is enclosed.
[Where "No Objection Certificate" is noten under sub-section (8) of section 51]	closed applicantshall make a declaration as required
	Signature of the Owner
	Name
	Full Address
Specimen signature of the Owner.	
(1)	
(2)	
Note:(1) Full particulars of the circumstances sha the Registration Certificate.	ll be furnished in the case of loss or destruction of
(2) Strike out whichever is inapplicable.	
For Office E	ndorsement
NumberdatedOffice	e of the
A duplicate certificate of registration as requ	nested above is issued with the note of agreement of and is noted in the original registration records in
	Signature of the registering authority
То	
(Name and address of the financier)	
By registered post or delivered under prop	er acknowledgement
by tegistered bost of degreered under brob	er acknowledgement.

[**See** rule 54]

Application for assignment of new registration mark on removal of a motor vehicle to another State.

(To be made in duplicate if the vehicle is held under an agreement of hire-purchase/lease/hypothecation and 1478 G1|89—25

the duplicate copy with the endorsement of the Registering Authority to be returned to the financier simultaneously, on the assignment of a new registration mark).

-	r -

The Registering Authority,	
type of vehicle	reby declare that I/we have, since the
	signment of a New Registration Mark to the said motor vehicle.
I/we, hereby declare that the regis has not been suspended or cancelled und	stration is valid uptoand it let the provisions of this Act.
I/we enclose the certificate of Regi	stration and the Certificate of fitness (*) of this Motor vehicle.
I/we enclose a 'No Objection Cer	tiscate' from the Registering Authority.
	m the Registering Authority is not enclosed the applicant should ion as required under the first proviso to sub-section (1) of section
* The vehicle is not subject to an	agreement of hire-purchase/lease/hypothecation.
* The vehicle is subject to an agree and I/we enclose the NOC received from	eement of hire-purchase/lease/hypothecation with
If 'No Objection Certificate' from the	te financier is not enclosed, the applicant should fill along with d under sub-section (8) of section 51.
Date	Signature or Thumb impression of the Applicant.
* Strike out whichever is inapplicable.	•
	Office Endorsement
Number	date Office of the
The vehicle No	on removal to this State has been assigned
a new registration mark	
and(date)	(here enter the registration mark) Registering Authority
То	
The Name and address of the Financier.	
By Registered post or delivered under acknowledgement.	proper
	EODA do

FORM 28

[See rules 54, 58(1), (3) and (4)]

Form of application for 'No Objection Certificate' and grant of certificate.

(To be made in triplicate, the duplicate copy and the triplicate copy with the endorsement of the registering authority to be returned to the owner of the vehicle and the registering authority in whose jurisdiction the vehicle is to be removed, respectively).

1	A	n	1	-	
	-	л	٠.		,

		PART-1	
То	The Registering Authority,		
	I/we intend to transfer the vehicle to the jur	isdiction o	f the Registering Authority
i.	Name and address	:	
2.	Son/Wife/daughter of	:	
3.	Registeration number of the vehicle	:	
4.	Class of vehicle	:	
5.	Registering Authority which originally registed vehicle	ered the	
6.	Engine number	ï	
7.	Chassis number-Affix pencil print	:	
8.	Period of stay in the State	;	
9.	Period upto which motor vehicle tax has be paid)eon ;	
10.	Whether any demand for tax is pending, if details	so, give	
11.	Whether the vehicle is involved in any theft of so give details	cases, if	
12.	Whether any action under section 53, 54 or 55 Motor Vehicles Act, 1988 is pending before Reigsering Authority or other prescribed autif so, give details.	re any	
	Whether the vehicle is involved in any case of transport of prohibited goods, if so, give details		
	I/We solemnly declare that the above staten	nent is tru	e.
Date	e,		Signature of the owner of the vehicle.
			Office Endorsement
		PART—I	
	overleaf is hereby granted under section *(ii) No Objection Certificate in respect of the overleaf is hereby refused under section	of the vehi n 48(3) of I ne motor ve	ele, the detailed particulars whereof recorded
	under :—		
Da	ie,		Signature with seal of Registering Authority Address

То	
(Registered owner) Copy to the registering authority	(By registered post or delivered under proper acknowledgement).
*Strike out whichever is inapplicable.	
	PART—III
C	Office Endorsement
No date	Office of the
	m(name and address) spect of vehicle numberhas been received ration.
Date	Signature of Registering Authority or the person authorised by him Office Seal
То	
(Registered Owner)	By registered post or delivered under proper acknowledgement.
FOR	.M 29
[See ru	le 55(1)]
Form of notice of transfer of	ownership of a motor vehicle.
(To be made in duplicate and the duplicate copreturned to the transferor immediately on making.)	y with the endorsement of the registering authority to be ng entries of transfer of ownership).
The Registering Authority.	
(in whos	e jurisdiction the transferoe resides)
	resident
day of the yearsold and make Engine noSon/wife/daughter of	
State)	(House No. Street Village/Town Dist. and

	The registration certificate and Insurance Certificate have been handed over to him/her/them.
Date	Signature of the Registered Owner
	(Transferor)
CC.	
	1(Transferee)
Note	Copy to the Registering authority in whose jurisdiction the transferor reside.
	To be sent to the Registering Authority by Regd. Post Acknowledgement due.
	Office endorsement
No	Dated Office of the
	The ownership of the vehicle has been transferred to the name ofwith effect
from	(date)
	Registering Authority (Office seal)
To	
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	(The transferor) By registered post or under proper acknowledgement. Strike out whichever is inapplicable
	by registered post of finder proper acknowledgement. Strike our whenever is mapping and
	FORM 30
	[See rule 55(2)and (3)]
	Report of transfer of ownership of a Motor Vehicle
	Part-I -For the use of the transfer
and	be made in duplicate if the vehicle is held under an agreement of hire purchase/lease/hypothecation the duplicate copy with the endorsement of the registering authority to be returned to the financer ltaneously on making the entry of transfer of ownership in the certificate of registration).
То	The Registering Authority,
Now	a of the Transferor
Son/	wife/daughter of
Full	address
	I, hereby, declare that I/We have on thisday of the
year	sold my/our motor vehicle bearing registration mark.
,	
	residing at
uon	and the certificate of insurance to him, her/them.

I/We hereby declare that to the best of my/our knowledge the certificate of registration of the vehicle has been/has not been suspended* or cancelled.

- **I enclose the 'No Objection Certificate' issued by the Registering Authority.
- **If the 'No Objection Certificate' from the registering authority is not enclosed the, transferor should file alongwith this application a declaration as required under sub-section (1) of section 50.

	()
				Transferor
Date	_			
*Details of suspension or cancellation.				
**Strike out, whichever is inapplicable.				
PART-II—For the use of Fransferee				
То				
The Registering Authority,				
Name of the Transferce:				
Son/wife/daughter of:				
Full address				
Proof of address to be enclosed)				
I, hereby, declare that I/We have on this				day of
the year	(nof the vehicle	ame in r	and in	full address)
	(
	Signatu	re o	f the	transferee)
Specimen signature of the transferee				
(1)				
2)				
Consent of the Financer in the case of motor vehicle subject to an appothecation.	agreement o	f hi	t c- pur	chase/lease/
I/We being a party to an agreement of hire-purchase/lease/hyp	othecation	in :	respect	t of motor
vehiclegive consent to the t	ransfer of o	wnei	rship c	of the said
vehicle to Shri/Smt./Kumarientered into an agreement of hire-purchase/lease/hypothecation.	with	wh	om	I/We have
	(,
	Signatur	e o	1 the	financer.
Date Office endorsement				
NoOfficer of the.				
MO				

	en recorded with effect from
To	Registering Authority
То	
(Name and address of the financier)	
By registered post or delivered under pro-	oper acknowledgement.
1	FORM 31
[Se	e rule 56(2)]
Application and intimation of transfer of owners ion of the vehicle.	hip in the name of the person succeeding to the possess-
	er an agreement of hire-purchase/lease/hypothecation and registering authority to be returned to the financier ownership in the certificate of registration)
То	
The Registering Authority,	
1 Valviala Danistration No.	
1. Vehicle Registration No. Make and Model	•
Chassis No.	
Engine No.	:
Type of vehicle	:
2. Name of the deceased registered owner	:
3. Name of the person succeeding to the possess sion of the vehicle	;- :
Son/wife/daughter of	:
Full postal address	
(Proof of address to be enclosed)	:
4. Relationship with the deceased registered owner	:
5. Proof of his succession	:
Certificate of registration is enclosed here my name.	with. Kindly transfer the owdership of the vehicle in
	Signature of the applicant.
Date	

Consent in the case of motor vehicle which is held under an agreement of Aure-purchase/lease/hypothecation.

I, We being a party to an agreement of hire-purchase/lease/hypothecation in respect of the motor vehicle specified above, consent to the transfer of ownership of the said motor vehicle in the name of the applicant named above, with whom I/We have entered into an agreement of hire purchase/lease/hypothecatio.

	Signaute of the financier
Date	
	Office endorsement
Number	Office of the
	of ownership of the vehicle has been recorded with effect fromin
	Registering Authority
To	
(Name and a	nddress of the financer) post, or delivered under proper acknowledgement. Thichever is inapplicable.
	FORM 32
	[See rule 57(1)]
Application f	or transfer of ownership in case of a motor vehicle purchase or acquired in public Action
Го	
The Register	ing Authority.
daughter of	
I/We enclose	the documents required to be submitted by me/us under sub-rule (1) of Rule 57.
The ownershi	p of the motor vehicle may kindly be transferred to my/our name.
	Signature of the applicant
- 1.	

To

FORM 33

[See Rule 59]

Intimation of change of address recorded in the certificate of registration

(To be made in duplicate if the vehicle is held under agreement of hire-purchase/lease/hypothecation and the duplicate copy will the endorsement of the registering authority to be returned to the financier simultaneously on making the entry of change of address in the Certificate of registration).

The Registering Authority,	
I/we	
*The vehicle is not held under any agreement of hire purchase, leas	se or hypothecation.
*The vehicle is held under an agreement of hire purchase/lease/hyr	oothecation with
(Name & full address to be given)	
The Certificate of Registration is enclosed.	
I/We request that the change of address may be recorded in the Certif	ficate of Registration.
	Signature or thumb impression of the registered owner of the vehicle.
*Strike off which ever is inapplicable.	
Office Endorsement	
Numberdated	
the	
The above change of address has been entered in the certificate of re-	egistration.
	Signature of the Registering Authority.
То	
(Name and address of the sinancier) By registered post or delivered under proper acknowled gement.	
FORM 34	

[See rule 60]

Application for making an entry of an Agreement of hire Purchaes/lease/hypothecation subsequent to registration

(To be made in duplicate and the duplicate copy with the endorsement of the registrering authority to be returned to the financier simultaneously on making the entry in the Certificate of registration).

1478 GI 89-26

10	The Registering Authority,
regis	The motor vehicle bearing registration number
	the name and full address of the financier)
reco	We request that an entry of the agreement be made in the Certificate of registration and the relevant rds in your office.
	The Certificate of registration together with the fee is enclosed.
	Signature of Registered Owner,
Date	rd
	Signature of the Financier.
(Strike out whichever is inapplicable. Office Endorsement
Num	ber Office of the
this o	The entry of the agreement of hire purchase/lease/hypothecation as requested above is recorded in office Registration Record in Form 24 and Certificate of Registration on
	Signature of the Registering Authority.
Date	d
То	
	(Name & address of the Financier)
	By registered post or delivered under porper acknowledgement.
	FORM 35
	[See Rule 61(1)]
	Notice of Termination of an Agreement of Hire Purchase /Lease /Hypothecation.
	e made in duplicate and the dpulicate copy with the endorsement of the registering authority to be ned to the financier simultaneously on making the entry in the certificate of registration)
То	The Registering Authority
To We hobeen	ned to the financier simultaneously on making the entry in the certificate of registration)

The Certificate of Registration together with the fee is enclosed. Signature of the Registered Owner. Date..... Signature of the Financier. *Strike out whichever is inapplicable. Office Endorsement Number......Office of the..... The cancellation of the entry of an agreement as requested above is recorded in this office registration record in Form 24 and Registration Certificate on.....(date) Signature of the Registering Authority. To (Name and address of the financier) By registered post, or delivered under proper acknowledgement. FORM 36 [Sec rule 61(2)] Application for issue of a fresh Certificate of Registration in the name of the Financier. To The Registering Authority, ______ owing to the default of the Registered owner..... (Name) -...... (Full address) under the provisions of the agreement of hire purchase/lease/hypothecation: *(1) The Certificate of Registration of the said vehicle is surrendered herewith. *(2) The registered owner has refused to deliver the Certificate of Registration to me/us. *(3) The registered owner is absconding. I/We request you to cancel the certificate and issue a fresh certificate of registration in my/our name.

I/We enclose a fee of Rs.....

Signature of the Financier.

Specimen signature of the Financier:	
1	
2	
Copy to the original registering authority.	
*Strike out whichever is inapplicable.	
FC	DRM 37
[See	rule 61(3)]
	chicle for the purpose of issue of fresh registration ur of the Financier
Re	gistering Authority
Number	Dated
Shri/Smt./Kumari	(Regd. owner)
is/are hereby informed that	f the motor vehicle bearing registration number
cation, owing to your default under the provisions of t	
*(1) you have refused to deliver the certificate of *(2) you have absconded.	of registration to him/her/them.
	rtificate of registration and issue a fresh certificate
3. You are, therefore, directed to surrender the send your representation, if any, to this office with notice by you failing which it will be presumed that	-
Sig	. : Registering Authority/Officer.
То	
The Registered owner,	
•••••	(By Registered Post/A.D.)
Copy to the Financier. Copy to the original Registering Authority.	
*Strike out whichever is inapplicable.	
FORM	38
[See rule	62(1)]
Certificate of fitness (applicable in th	• • • • • • • • • • • • • • • • • • • •
Vehicle No	is certified as the Motor
D10	Signature and designation of Inspecting Authority. OR

holder of the letter of authority of the authorised testing station.

,	The certificate of fitness is	hereby rer	newed—
	n19		
Fron	1	. 	,.,
Fron	n19	,,,,,,,,	Signature of Inspecting Authority or
		-	nture of the holder of the letter of ority of the authorised testing station.
	FORM	1 39	
	[See rule 63(1) and (5)]
	Form of Letter of Authority issued t	to an autl	norised testing station.
Lette	er of authority No.		dated
	The letter of authority is hereby granted to	(Nan	ie)
	(full address		
	he establishment of a testing station under sub-section	on (2) of	
	(Address of the premises in		
	the purpose of issue and renewal of certificate of fitne ne Motor Vehicle Act, 1988 and the Central Moto		
	This letter of Authority is valid from		,,,,,to.,,,,
Date			Registering Authority
	This letter of authority is renewed from		to,,
Date			Registering Authority
	FORM 40	ı	
	[See rule 63(2)]	
	Application Form for grant or renewal of Letter	of Autho	rity.
To			
	The Registering Authority,		
	1/We		
	essby submit the following information, namely:—	• • • • • • • • • •	
1.	Name of the applicant	:	
2.	Son/wife/daughter of	:	
3.	Address		
	(Proof to be enclosed)	:	
4.	Qualification of the applicant	:	
5.	Experience in automobile workshop	:	
6.	Whether involved/connected directly or indirectly in transport business	:	
7.	Machinery and equipment	:	

(i) Manager

	(ii) Foreman					
	(iii) Mechanic					
	(iv) Helpers					
	(v) Other administrative staff	;				
9.	Particulars of a person as required under clause (a) of sub-rule (3) of rule 63 of Central Motor Vehicles Rules, 1989	:				
	(a) Name	:				
	(b) Age	:				
	(c) Qualification in Automobile Engineering	:				
	(d) Actual experience in Automobile Workshop	:				
	(e) Name of firm with full address	:				
	(f) Driving experience of various types of Transsport vehicles:—	:				
	(i) Driving licence number	:				
	(ii) Issued by	:				
	(iii) Date of Issue	:				
	(iv) Type of vehicle	:				
	(v) Period of validity of driving licence	:				
	(vi) Endorsement on driving licence, if any	:				
10.	Proof of land owned by or hired by the applicant	:				
ίΙ.	Whether garage is equipped with following facilities	;				
	(i) Water supply	:				
	(ii) Electricity					
	(iii) Toilet					
	(iv) Rest Room					
12.	Sources of Finance					
13.	If application is for the renewal of letter of authority, furnish following particulars, namely:—					
	(i) Number of existing letter of authority.					
	(ii) Date of issue.					
	(iii) Period of validity					
	(iv) If application is not submitted within time, state the reasons.					
	(v) Whether letter of authority suspended/cancelled, surrendered earlier. Furnish details.	1				
	14. I hereby solemnly declare that the information are that I shall abide by the rules, regulations and corescribed in the Motor Vehicles Act, 1988 and the	onditions attach	ed to the le	tter	of au	ithority and
Date	ed		(Signature	of	the	Applicant)

[See rule 75]

State Register of Motor Vehicles

1.	Registration number	:
2.	Previous Registration number, if any	:
3.	Whether the motor vehicle is,-	:
	(a) New vehicle	:
	(b) imported vehicle	:
	(c) ex-army vehicle	:
4.	Maker's name	:
5.	Year of manufacture	:
6.	Engine number	:
7.	Chassis number	:
8.	Number of cylinders	I
9.	Cubic capacity/horse power	:
10.	Type of fuel used	:
11.	Class of Motor Vehicle	:
12.	Name and full address of the	:
	registered owner	
13.	Seating capacity	:
14.	Gross Vehicle Weight	:
15.	Unladen weight	:

FORM 42

[See rule 76(1)]

Form of application for the Registration of motor vehicle by or on behalf of a Diplomatic/Consular Officer

(To be forwarded through the competent authority in triplicate)

To

The Registering Authority,

1. Full name, designation and address of the Diplomatic Officer/Consular Officer/Full name, address and station of the Diplomatic Mission/Consular Office or Post

- 2. Age of the person to be registered as registered owner.
- 3. Name and address the person from whom the vehicle was purchased/Name of the port through which the vehicle was imported/Name of the person or company from whose bonded stocks the vehicle was purchased and the name of the port.
- 4. Country from which imported
- 5. Class of vehicle.

208	THE GAZETTE OF	NDIA : EXTRAOI	RDINARY	[PART IJ-~SEC. 3(i)]
6.	Type of body.			
	Maker's name.			
8.	Year of manufacture			
9.	Number of cylinders			
10.	Horse power			
11.	Maker's classification or, if not known, wheel base			
12.	Chassis number			
13.	Engine number			
	Seating capacity (including driver)			
15.	Unladen Weight.			
	Particulars of previous registration and registered number (if any).			
	I hereby declare that the vehicle has not been registered in any other State in India.			
	Colour on colours of body, wings and front end			
19.	Number, description and size of tyres			
	(a) front axle			
	(b) rear axle			
	(c) any other axle			
	Maximum laden weight	Kgs.		
	Maximum axle weight (To be furnished in the case of heavy motor vehicles only)			
(a) front axle	Kgs.		
(b) rear axle	Kgs.		
(c) any other axle	Kgs.		
	The above particulars are to be filled in for a r	igid frame motor v	ehicle of two or n	nore axles.
			For use in the M Affairs (Protoco the office of th	of applicant inistry of External IDivision) or in Chief Secretary ernment concerned
	Certified that			
is a I	Diplomatic Officer/Consular Officer recognised led to exemption from payment of registration	l by the Governm		
			re of the Office	r
-		_		******
	FOR	_		
		le 76(4)]		
	Certificate of Registration of a motor vehicle	· · ·	iplomatic or Cor	sular Officer
		- · · · · · · · · · · · · · · · · · · ·	*	· · · · · · · · · · · · · · · · · · ·

(e.g., Fiat 1100 or Hindustan Landmaster car, Willys jeeps, Dodge/Desoto/Gadga petrol/diesel truck, Leyland 36 scater diesel bus, trailer etc.)

Full name, designation and address of the Diplomatic Officer/Consular Officer/Full name, address and station of the Diplomatic Mission/Consular Officer or Post......

Transferred to Transferred to

Signature of registering authority Signature of registering authority

Detailed Description :-

- 1. Class of vehicle
- 2. Maker's name
- 3. Type of body
- 4. Year of manufacture
- 5. Number of cylinders
- 6. Chassis number
- 7. Fngine number
- 8. Horse power
- 9. Maker's classification, or if not known, wheel base
- 10. Seating capacity (including driver)
- 11. Unladen weight

Additional particulars in the case of all transport vehicles.

- 12. Colour or colours of body, wings and front end
- 13. Registered laden weight.
- 14. Number, description and size of tyres—
 - (a) front axle
 - (b) rear axle
 - (c) any other axle
- Registered axle weight (in the case of heavy motor vehicles only—

(a) front

Kgs.

(b) rear axle

Kgs.

(c) any other axle

Kgs.

Date19

(Signature of registering authority)

	ORM 44
•	erule 78(1)]
by or on behalf of a Diplomatic or Consular Of	and application for assignment of fresh registration mark licer.
	(To be submitted in triplicate)
To	
The Registering Authority,	

I(Name and desi	gnation)
of the	being the owner of
under section 42 of t since the	registered at
I enclose the certificate of registration and t	the certificate of fitness* of the vehicle.
Date19	Signature of the owner
*Strike out the words "and the certificate o	f fitness" if inapplicable.
	For use in the Ministry of External Affairs (Protocol Division) or in the Office of the Chief Secretary of the State Government concerned.
Certified that	continues to hold the status of a Diplo-
(Name and designation	1)
matic Officer/ Consular Officer.	
He/She is at present stationed at	
Place	Designation
Date	Signature of the Officer
F	FORM 45
[See	rule 82(1)]
Application for grant of F	Permit in respect of Tourist Vehicle
То	
The State Transport Authority,	

I/We the undersigned hereby apply for the grant of Permit for tourist vehicle valid throughout the territory of India/in the state of.....

- (specify the names of the States). 1. Name of the applicant(s) in full.
- 2. Status of the applicant, whether individual, company or partnership firm, co-operative Society etc.

- Name of father or husband
 (in case of individual) and in case of firm or company the particulars of managing partner or managing director, as the case may be.
- 4. Full address

(To be supported by attested copy of ration card, electricity bill, etc. in case of individual or any other valid documentary proof to the satisfaction of State Transport Authority and in case of company or firm certified copy of the Memorandum of Association or copy of the partnership deed.

- 5. (a) Whether applicant himself intends to drive the vehicle?
 - (b) If so, whether, applicant
 - (i) holds Heavy Passenger Motor Vehicle Driving Licence.
 - (ii) The number, date and validity period of driving licence.
 - (iii) Name and address of the Licensing Authority.
- Registration certificate alongwith the date of first registration, Insurance Certificate number.
- 7. Details of other permits if any, held in respect of a particular vehicle.
- 8. Details of total number of Tourist Permits held by the applicant.
- 9. Type of vehicle.
- 10. Make of Motor vehicle.
- 11. Particulars of convictions/suspensions/cancellation, if any, during the Past three years in respect of the vehicle/permit held by the applicant(s).
- 12. I/We forward herewith the certificate of registration of the vehicle or I/We will produce the certificate or registration of the vehicle before the permits are issued.
- 13. I/We hereby declare that the above statements are true and that I/We am/are the resident(s) of this State having principal place of business in this State at

							• •		٠.	•	٠.	•	•	• •	٠
14.	I/We	have	paid	the	fce	of	ru	pee	s.						
Da	te														

[See rules 83(1) and 87(1)]

Harm of	amilioation	for ground	ωſ	authorisation	for	tourist	parmit c	e national	permit
LOUR OF	аррисацоп	for grant	ΟJ	authorisation	101	tournst	թ ն լայլ ¢	Luanonai	թգույլ.

Sl. N	lame of the States	Amount paid	and date	не от раушеці
	6.11 6.1	-Amount paid	Particulars of bank draft(s) Da	
he	We enclose Bank Dra reunder towards payr sation fee	- ·		
	We enclose the certific d permit of the vehicle	-		
	criod for which the auught from	thorisation is		
-	load of the motor vehi the case of tourist vehic			
9. Gr	oss vehicle weight of the	ne motor vehicle	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
8. Un	laden weight of the mo	tor vehicle		
the	mit number, the author permit and date of issu- the permit	-		
6. Cha	assis number of the mot	tor vehicle		
	gine number of the mot			
_	gistration mark and you			
3. Add	·			
	/Wife/daughter of	- 1 - 11		
1. Nar	ne of the applicant(s) it	(Specify the names	or the states)	

^{*}Strike out whichever is inapplicable.

[See rule 83(2) and 87(2)]

AUTHORISATION

No			Tourist Permi	t of Ivations	ri i cimit			
140.				of the Secre Transport	•	,		
Λutl	norisation No						Dated	
	()	_					
	This authorisation		-	•	•	` '		
	1							
	2							
	3							
	4							
	5							
	6							
	7							
	8							
	9							
	10							
			(Here writ	e the names	of the Star	tes appli	cable).	
1.	Name in full and	d complete	address of ho	lder of the	permit			
2.	Registration man	k of the m	otor vehicle a	nd make				
3.	Year of manufac	ture	*					
4.	Engine number o	f the motor	vehicle					
5.	Chassis number	of the moto	r vehicle					
6.	Permit number of	f the motor	vehicle					
7.	Name of the peri	mit issuing	authority					
8.	Date of expiry of	f the permit						
9.	Gross vehicle we	ight of the	motor vehicle					
10.	Unladen weight	of the moto	r vehicle					
11.	Seating capacity	in the case	of tourist veh	icle				
12.	Period of validity	y of the aut	horisation—Fr	om		to.		
		(9	Signature and d	lesignation v	with seal o	of the Tra	ansport Au	thority)
			Cartificate	of payment	of Comp	nita faa	ltavas	
	NI					`		
Sl. No.	Name of the States for	Amount paid	No. and date of	Date of receipt of	Payable to	for	Registra- tion mark	Signature
140.	which payment	Rs. Ps.	Bank Draft	bank draft		which		of the
	made		and name of			paid	vehicle	Authority
_			Bank			-		V
1		${3}$	4	5	6	₇ -	8	9

 T_{α}

FORM 48

(See rule 86)

Application for the grant of National Permit

10	The Regional/State Transport Authority,
	I/we the undersigned hereby apply for the grant of National Permit valid throughout the territory India/in the State of

(here write the name of the States desired)

- 1. Name of the applicant(s) in full
- 2. Status of the applicant, whether individual, Company or partnership firm, Co-operative Society etc.
- 3. Name of father or husband (in case of individual) and in case of company or firm the particulars of managing partner or managing director as the case may be.
- 4. Full address:
 - (to be supported by attested copy of ration card, electricity bill, etc. in case of individuals or any other valid documentary proof to the satisfaction of State Transport Authority/Regional Transport Authority and in case of company or firm the certified copy of the Memorandum of Association or copy of the deed of partnership as the case may be)
- 5. (a) Whether applicant himself intends to drive the vehicle.
 - (b) (i) If so, whether applicant holds Heavy Goods.... Vehicle Driving Licence.
 - (ii) The number, date and validity period of the driving licence.
 - (iii) Name and address of the Licensing Authority.
- 6. Registration certificate along with the date of first registration, Insurance Certificate.
- 7. Details of any other permits if held in respect of a particular vehicle.
- 8. Details of number of National permits held by the applicant.
- 9. Type of vehicle, whether two-axle truck, or articulated vehicle or multi-axle vehicle or track-trailer combination.
- 10. Make of Motor Vehicle.
- 11. Particulars of convictions/suspensions/cancellation, if any, during the past three years in respect of the vehicle/permits held by the applicant(s).
- 12. I/We forward herewith the certificate of registration of the vehicle of I/We will produce the certificate of regn. of the vehicle before the permits are issued.
- 13. I/We hereby declare that the above statements are true and that I/We am/are the resident(s) of this State having principal place of business in this State at.....

14.	I/We	have	paid	the	fec	of	rupees	 	 	 	 	

Date												
しっれして			٠		•		•		٠	٠	٠	

[See rule 89]

Quarterly return in respect of National Permit for Goods Vehicles

- 1. Name and complete address of the National Permit holder:
- 2. Registration mark of the motor vehicle:
- 3. National Permit No:

	Summary of trips made d	uring the quarter	
Month	Total distance covered in the State of*	Total distance of operation	Remarks
(1)	(2)	(3)	(4)
			-
		Signature of the National Peri	mit holder
	Date		
*Mention	the names of the states applicable,		
Note: In the r and an	remarks column, state reasons for low or ly other factors which caused low opera	high running in any particular Stat ation.	e or States
	FORM 50		
	[See rule 900	[3)]	
	Bill of Ladir	og .	
Bill No		Dated	

Name and address of the National Permit Holder.... Registration number of the Motor vehicle..... Dated..... Name of the Cosignor Name of the Consignee Point of origin Point of destination Description of K.G. Number of Freight charges Freight charges Tota1 Articles goods paid to pay Rs. Ps. Rs. Ps. Bill No.... Dt..... Received..... Package.....

216	THE GAZETTE OF IND	IA: EXTRAORDINARY	[PART JI—Sec. 3(i)]
T-TT	- 		······································
		Signatu	re of consignee
		Signature of th	e carrier
Signature of Con	signer		
*At carrier's Rish At owner's risk	ζ		
Value of the good	is Rs		
Delivery at			
cate (pi holder.	to be carried in the motor vehicle, the nk) for the consignee and the fourth conver is in applicable. FORM 5	opy (cream yellow) for record	
	[See rule 14		
	surance in respect of		
1. Registration	mark of the vehicle insured	• • • • • • • • • • • • • • • • • • • •	
2. Description of	of the vehicle	*************	••••••
3. Make and ye	ar of manufacture		
4. Engine numb			
5. Carrying cap	acity		
6. Name and ad	ldress of the insured		

7. Effective date and time of commencement of insurance

8. Date of expiry of insurance

9. Persons or class of persons entitled to drive:

Stage carriage/Contract Carriage/private service vehicle

Any person including insured.

Provided that a person driving hold an effective driving licence at the time of the accident and is not disqualified from holding or obtaining such a licence.

Provided also that the person holding an effective learner's licence may also drive the vehicle when not used for the transport of passengers at the time of the accident and that such a person satisfied the requirements of Rule 3 of the Central Motor Vehicles Rules, 1989.

Goods carriage

Non-transport vehicles.

10. Limitations as to use-State carriage/contract carriage/goods carriage. Private service vehicle

11. Private Service vehicle and non-transport vehicle

Any person including insured.

Provided that a person driving hold an effective driving licence at the time of the accident and is not disqualified from holding or obtaining such a licence.

Provided also that the person holding an effective learner's licence may also drive the vehicle when not used for the transport of goods at the time of the accident and that such a person satisfies the requirements of rule 3 of Central Motor Vehicles Rules, 1989.

Any person including insured.

Provided that a person driving holding an effective driving licence at the time of the accident and is not disqualified from holding or obtaining such a licence.

Provided also that the person holding an effective learner's licence may also drive the vehicle and such a person satisfies the requirement of rule 3 of the Central Motor Vehicles Rules, 1989.

The policy covers the use only under a a permit within the meaning of Motor Vehicles Act, 1988 or such a carriage falling under sub-section (3) of section 66 of M.V. Act. 1988.

The policy does not cover use for

- (a) organised racing, or
- (b) speed testing.

The policy covers use for any purpose other than--

- (a) hire or reward,
- (b) organised racing, or
- (c) speed testing.

We hereby certify that the policy to which this certificate relates as well as this certificate of insurances are issued in accordance with the provisions of Chapter X or XI of Motor Vehicles Act, 1988.

Authorised Insurer

FORM 52

[See rule 42(1)]

Cover Note

- 1. Registration mark and number of description of the vehicle insured
- 2. Name and address of insured

1478 GII89-28

3.	Effective date and time of commencement of insurance for the purpose of this Act.	c
4.	Date of expiry of insurance	
5.	Persons or classes of persons entitled to drive	
	Any limitations as to use of motor vehicle	
	The period of validity of this cover note will expire on	
	I/We hereby certify that this cover note is issued in accord tor Vehicles Act, 1988.	lance with the provisions of Chapter XI of the
		(Authorised insurer)
	FORM 53	
	[See Rule 148(1)]
	Certificate in respect of exemption of M	otor Vehicle from Insurance
	Certified that the motor vehicles of the following desc	eription :
	(a) Registration number.	
	(b) Make.	
	(c) Class, i.e., motor cycle, motor car, stage carriage, class (to be described).	goods carriage, contract carriage or other
	(d) Colour of body.	
Is t	he property of	
	(i) the Government of	
	(ii) the local authority/State Transport Undertaking the vehicles of which have been exempted under to by the Government of	Section 146 of the Motor Vehicles Act, 1988
	This continents is valid up to	meanwhile.
		Signed on behalf of Designation
Dat	ed	
	FORM 54	
	[See rule 150(a) and	
	Accident Information 1	Report
1.	Name of the police station:	
2.	CR No./Traffic Accident report:	
3.	Date, time and place of the accident:	
4.	Name and full address of the Injured/deceased:	
5.	Name of the Hospital to which he/she was removed:	
6.	Registration Number of vehicle and the type of the vehicle:	
7.	Driving Licence particulars:	
	(a) Name and address of the driver:	

(b) Driving licence number and date of

expiry:

(c) Address of the issuing authority: (d) Badge No. in case of public service vehicle: 8. Name and Address of the owner of the vehicle at the time of the accident: 9. Name and address of the Insurance Company with Whom the vehicle was insured and the particulars of the Divisional Officer of the said insurance company: 10. Number of Insurance Policy/Insurance Certificate and the date of validity of the Insurance Policy/Insurance Certificate: 11. Registration particulars of the vehicle (class of vehicles) (a) Registration No.: (b) Engine No. : (c) Chassis No.: 12. Route Permit Particulars: 13. Action taken, if any, and the result thereof: FORM 55 [She rule 160(1)] Application for the approval of a Foreign Insurer of foreign insurer) constituted/incorporated/domiciled at.... in the approved list maintained under rule 159 of the Central Motor Vehicles Rules, 1989 of the Central Government and for the inclusion of my/our name as the guarantor of the said......(name of foreign insurer) for the purpose of Chapter XI of the Motor Vehicles Act, 1988 and the said rules. I/We hereby certify that I/We have entered into an arrangement for the purposes of the said Act and the said rules with the said foreign insurer and I/We hereby agree to act as guarantor in India in respect of the said foreign insurer for the purposes of the said Act and the said rules. (Signature of authorised insurer) ated......19..... Address FORM 56 [See rule 160(3)] Notice to cease to act as quarantor This is to give notice that I/We desire to cease acting as guarantors in India of.....(name of foreign insurer)...(address of froreign insurer) after..... or from the expiry of two months from the date on which this notice is delivered to the Central Government which ever is later, for the purposes of Chapter-XI of the Motor Vehicles Act, 1988 and the Central Motor Rules, 1989.

(Authorised insurer)

[See rule 140(v) and 161(1)] Certificate for Foreign Insurance

Certificate No.

Policy No.

(Optional)

- 1. Name and address of approved foreign insurer.
- 2. Name and address of guarantor.
- 3. Registration mark and number of the motor vehicle.
- 4. Name and address of visitor.
- 5. Date of commencement of the policy
- 6. Date of expiry of the policy.
- 7. Persons or classes of persons entitled to drive in India.
- 8. Any limitations as to use of motor vehicle in India.
- 9. Particulars of any other vehicle(s) which the foreign visitor is entitled to drive in India and any limitations as to use of such vehicle in India.

I/We hereby certify that this certificate of foreign insurance has been issued in accordance with the provisions of Chapter XI of the Motor Vehicles Act, 1988, and the Central Motor Vehicles Rules, 1989.

(Approved foreign insurer)

FORM 58

[See rule 161(2)

Endorsement on certificate of foreign insurance

Certified that I have today examined this certificate of foreign insurance and that I am satisfied that this certificate complies with the requirements of Chapter XI of the Motor Vehicles Act, 1988, and the Central Motor Vehicles Rules, 1989.

Date:1

(Signature and designation of competent authority)

The period of validity of this endorsement is hereby renewed—

Upto

Upto

Upto

Unless cancelled in the meanwhile

(Signature and designation of competent authority)

ANNEXURE—I

[Sub-rule 115(3)]

MASS EMISSION STANDARDS FOR PETROL DRIVEN VEHICLES

1. Type Approval Tests:

Two and Three Whealer Vehicles

Reference Mass, R (I	(g) CO	(g/km)	HC (g/km)	
I	`	2	3	
R≲150	· ,	12	8	
150 D < 250	12 .	18(R150)	4(R—150)	
150 R≤350	12 +	200	200	
R > 350		30	12	

Light Duty Vehicles:

Reference Mass, rw (Kg)	CO(g/km)	HC(g/km)
I	2	3
rw ≤ 1020	14.3	2.0
$1020 < rw \le 1250$	16.5	2.1
$1250 < rw \le 1470$	18.8	2.1
1470 < rw ≤ 1700	20.7	2.3
$1700 < rw \lesssim 1930$	22.9	2.5
$1930 < rw \le 2150$	24.9	2.7
rw ≤ 2150	27.1	2.9

2. Conformity of Production Tests:

Two and Three Wheeler Vehicles:

Reference Mass, R (kg)	CO(g./km)	HC (g/km)
1	2	3
R ≤ 150	15	10
150 250	25(R—150)	5(R150)
$150 < \leq < 350$	200	10 +
R > 350	40	15

Light Duty Vehicles:

Reference Mass, rw (kg)	CO(g/km)	HC(g/km)
1	2	3
rw ≤ 1020	17.3	2.7
$1020 \le \text{rw} \le 1250$	19.7	2.7
$250 \le \text{rw} \le 1470$	22.5	2.8
$470 \le \text{rw} \le 1700$	24.9	3.0
.700 ≤ rw ≤ 1930	27.6	3.3
$930 \le \text{rw} \le 2150$	29.9	3.5
$iw \leq 2150$	32.6	3.7

For any of the polluants referred to above of the three results obtained may exceed the limit specified for the vehicle by not more than 10 percent.

Explanation: Mass emission standards refers to the gm. of pollutants emitted per km. run of the vehicle, as determined by a chessis dynamometer test using the Indian Driving Cycle.

ANNEXURE--II

[See rule 115(3)]

BREAK DOWN OF THE OPERATING CYCLE USED FOR THE TEST:

No. of Operation	Acceleration (m/acc ²)	speed (Km/h)	Duration of each operation(s)	Cumulative time (S)
J	2	3	4	5
01. Idling		_	16	16
02. Acceleration	0.65	014	6	22
03. Acceleration	0.56	1422	4	26
04. Deceleration	-0.63	2213	4	30
05. Steady speed		13	2	32
06. Acceleration	0.56	1323	5	37
07. Aeceleration	0.44	23-31	5	42
08. Deceleration	0.56	3125	3	45
09. Steady speed		25	4	49
10. Deceleration	0.56	2521	2	51
11. Acceleration	0.45	2134	8	59
12. Acceleration	0.32	34-42	7	66
13. Deceleration	-0.46	4237	3	69
14. Steady speed		37	7	76
15. Deceleration	-0.42	34—34	2	78
16. Acceleration	0.32	34-42	7	85
17. Deceleration	0.46	4247	9	94
18. Deceleration	0.52	2714	7	101
19. Deceleration	0.56	14—00	7	108

ANNEXURE—III [See rule 115(3)] REFERENCE FUEL FOR TYPE AND PRODUCTION CONFORMITY TESTS

S. No.	Characteristic	Require	ements	Method of test (ref of P: or IS: 1448*)
		87 octane 9	3 octane	,
1	2	3	4	5
1. Colour,	visual	Orange	Red	-
2. Copper-	-strip corrosion for 3 hours at 50°C.	Not worse	than No. 1	P: 15 (1968)
3. Density		Not limited reported	l but to be	P: 16 (1967)
4. Distillat	tion:			P: 18 (1967)
	tial boiling point	Not limited ported	l but to be re	· -

^{*}Methods of test for petroleum and its products.

	1 2	3	4	5
	(b) Recovery up to 20°C percent by volume, min.	10	10	-
	(c) Recovery up to 125 C 50 percent by volumin.	ume, 50	50	
	(d) recovery up to 130° percent by volume	min. 90	90	
	(e) Final boiling point, Max	215°C	215°C	
	(f) Residue percent by volume, Max.	2	2	
5.	Octane number (Research method) Max.	87	94	P: 27 (1960)
6.	Oxidation stability, in minutes, Min.	360	360	P: 28 (1966)
7.	Residue on evaporation mg/100ml, max.	4.0	4 0	P: 29 (1960) (Air-jat solvent washed)
8.	Sulphur, total, percent by weight Max.	0.25	0 20	P: 34 (1966)
9.	Lead content (as Pb), g/1 Max.	0.56	0.80	P: 37 /(1967) or P: 38 (1967)
10.	Reid vapour pressure at 38 degree C, kgf/cm ³ , Max.	0.70	0.70	P: 39 (1967)

ANNEXURE-IV

[See rule 115(4)]

LIMIT VALUES OF EXHAUST GAS OPACITY APPLICABLE FOR DIESEL DRIVEN VEHICLES

THE ENGINE TESTS AT STEADY SPEED

Nominal Flow G(1/s)	Absorption Coefficient K(m-1)	Nominal Flow G(1/s)	Absorption Coefficient (K9-1)
42	2.00	120	1.20
45	1.91	125	1.17
50	1.82	130	1.15
55	1.75	135	1.31
60	1.68	140	1.11
65	1.61	145	1.09
70	1.56	150	1.07
75	1.50	155	1.05
80	1.46	160	1.04
85	1.41	165	1.02
90	1.38	170	1.01
95	1.34	175	1.00
100	1.31	180	0.99
105	1.27	185	0.97
110	1.25	190	0.96
115	1.22	195	0.95
		<200	0.93

ANNEXURE---V

[See rule 132(2)]

TRANSCRI EMERGENCY CARD (Road)

Corgo	-Mention chemical identity of the dangerous and hazardous goods
Nature of Hazard	_
Protective Devices	
EMERGENCY ACTION	-Notify police and fire brigade immediately
Spillage	
Fire	-
First aid	_
	/ ditional information provided by manufacturer or sender
	lephone